




Plot 7-669. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)




Plot 7-672. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU996x2 (UNII Band 6) – Ch. 111)




Plot 7-670. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)



Plot 7-673. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)




Plot 7-671. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU996x2 (UNII Band 6) – Ch. 111)




Plot 7-674. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 217 of 596




Plot 7-675. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)




Plot 7-678. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)




Plot 7-676. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)



Plot 7-679. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU242 (UNII Band 7) – Ch. 149)




Plot 7-677. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)




Plot 7-680. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (20MHz 802.11ax RU242 (UNII Band 7) – Ch. 149)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 218 of 596




Plot 7-681. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)




Plot 7-684. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)




Plot 7-682. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)



Plot 7-685. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)




Plot 7-683. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)




Plot 7-686. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 219 of 596




Plot 7-687. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU484 (UNII Band 7) – Ch. 155)




Plot 7-690. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-688. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU484 (UNII Band 7) – Ch. 155)



Plot 7-691. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-689. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-692. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 220 of 596




Plot 7-693. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-696. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU996 (UNII Band 7) – Ch. 151)




Plot 7-694. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)



Plot 7-697. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)




Plot 7-695. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU996 (UNII Band 7) – Ch. 151)




Plot 7-698. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 221 of 596




Plot 7-699. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)




Plot 7-702. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)




Plot 7-700. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)



Plot 7-703. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU996x2 (UNII Band 7) – Ch. 143)




Plot 7-701. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)




Plot 7-704. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU996x2 (UNII Band 7) – Ch. 143)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 222 of 596




Plot 7-705. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)




Plot 7-708. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)




Plot 7-706. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)



Plot 7-709. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)



Plot 7-707. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)




Plot 7-710. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 209)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 223 of 596




Plot 7-711. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU242 (UNII Band 8) – Ch. 209)




Plot 7-714. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)




Plot 7-712. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (20MHz 802.11ax RU242 (UNII Band 8) – Ch. 209)



Plot 7-715. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)




Plot 7-713. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)




Plot 7-716. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 224 of 596




Plot 7-717. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)




Plot 7-720. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU484 (UNII Band 8) – Ch. 211)




Plot 7-718. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 211)



Plot 7-721. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)




Plot 7-719. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU484 (UNII Band 8) – Ch. 211)




Plot 7-722. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 225 of 596




Plot 7-723. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)




Plot 7-726. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)




Plot 7-724. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)



Plot 7-727. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU996 (UNII Band 8) – Ch. 199)




Plot 7-725. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)




Plot 7-728. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (80MHz 802.11ax RU996 (UNII Band 8) – Ch. 199)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 226 of 596




Plot 7-729. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 8) – Ch. 207)




Plot 7-732. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU26 (UNII Band 8) – Ch. 207)




Plot 7-730. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU26 (UNII Band 8) – Ch. 207)



Plot 7-733. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 8) – Ch. 207)




Plot 7-731. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 8) – Ch. 207)




Plot 7-734. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU26 (UNII Band 8) – Ch. 207)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 227 of 596



Plot 7-735. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU996x2 (UNII Band 8) – Ch. 207)



Plot 7-736. LPI Power Spectral Density Plot SDM Primary Antenna WF8 (160MHz 802.11ax RU996x2 (UNII Band 8) – Ch. 207)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 228 of 596

7.4.10 SDM Diversity LPI Power Spectral Density Measurements

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate [Mbps]	Antenna WF8 Power Density [dBm/MHz]	Antenna WF7 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p Power Density [dBm/MHz]	Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]	
Band 5	5955	1	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.69	-8.62	-5.64	1.15	-4.49	-1	-3.49	
	5955	1	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.23	-9.70	-6.45	1.15	-5.29	-1	-4.29	
	5955	1	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-7.65	-8.46	-5.03	1.15	-3.87	-1	-2.87	
	6175	45	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-7.00	-7.43	-4.20	1.15	-3.04	-1	-2.04	
	6175	45	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-7.54	-8.66	-5.05	1.15	-3.90	-1	-2.90	
	6175	45	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-6.87	-7.73	-4.27	1.15	-3.12	-1	-2.12	
	6415	93	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-6.74	-7.12	-3.92	1.15	-2.76	-1	-1.76	
	6415	93	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-7.61	-7.93	-4.75	1.15	-3.60	-1	-2.60	
	6415	93	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-6.99	-6.87	-3.92	1.15	-2.76	-1	-1.76	
	5965	3	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-8.58	-9.06	-5.80	1.15	-4.65	-1	-3.65	
	5965	3	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-8.16	-8.51	-5.32	1.15	-4.16	-1	-3.16	
	5965	3	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-8.84	-8.84	-5.83	1.15	-4.68	-1	-3.68	
	6165	43	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-7.53	-8.16	-4.82	1.15	-3.67	-1	-2.67	
	6165	43	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-7.53	-7.34	-4.42	1.15	-3.27	-1	-2.27	
	6165	43	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-7.36	-7.89	-4.61	1.15	-3.46	-1	-2.46	
	6165	91	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-6.84	-7.14	-3.98	1.15	-2.82	-1	-1.82	
	6165	91	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-6.90	-7.29	-4.08	1.15	-2.93	-1	-1.93	
	6165	91	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-7.48	-7.43	-4.45	1.15	-3.30	-1	-2.30	
	5985	7	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-7.98	-9.19	-5.53	1.15	-4.38	-1	-3.38	
	5985	7	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-10.03	-10.03	-7.02	1.15	-5.87	-1	-4.87	
	5985	7	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-8.07	-9.23	-5.60	1.15	-4.45	-1	-3.45	
	6145	39	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-7.25	-8.33	-4.74	1.15	-3.59	-1	-2.59	
	6145	39	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-8.27	-8.94	-5.58	1.15	-4.43	-1	-3.43	
	6145	39	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-6.78	-7.42	-4.08	1.15	-2.92	-1	-1.92	
	6385	87	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-6.99	-7.82	-4.37	1.15	-3.22	-1	-2.22	
	6385	87	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-8.64	-8.60	-5.61	1.15	-4.46	-1	-3.46	
	6385	87	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-7.18	-7.30	-4.23	1.15	-3.08	-1	-2.08	
	6025	15	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-8.06	-8.73	-5.37	1.15	-4.22	-1	-3.22	
	6025	15	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-8.41	-9.45	-5.89	1.15	-4.74	-1	-3.74	
	6025	15	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-8.33	-9.44	-5.84	1.15	-4.69	-1	-3.69	
	6185	47	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-7.19	-7.74	-4.45	1.15	-3.29	-1	-2.29	
	6185	47	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-6.95	-7.34	-4.13	1.15	-2.98	-1	-1.98	
	6185	47	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-6.85	-7.38	-4.09	1.15	-2.94	-1	-1.94	
	6345	79	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-6.91	-7.76	-4.30	1.15	-3.15	-1	-2.15	
	6345	79	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-7.55	-7.40	-4.47	1.15	-3.31	-1	-2.31	
	6345	79	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-7.44	-7.46	-4.44	1.15	-3.29	-1	-2.29	
	Band 6	6345	97	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-7.78	-7.85	-4.80	0.26	-4.54	-1	-3.54
		6345	97	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-8.71	-9.23	-5.95	0.26	-5.69	-1	-4.69
		6345	97	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-7.38	-7.93	-4.64	0.26	-4.37	-1	-3.37
		6475	105	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-7.56	-8.64	-5.06	0.26	-4.79	-1	-3.79
6475		105	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-8.59	-9.71	-6.10	0.26	-5.84	-1	-4.84	
6475		105	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.09	-8.24	-5.15	0.26	-4.89	-1	-3.89	
6515		113	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.07	-8.38	-5.21	0.26	-4.95	-1	-3.95	
6515		113	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-8.88	-9.35	-6.10	0.26	-5.84	-1	-4.84	
6515		113	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.04	-8.39	-5.20	0.26	-4.94	-1	-3.94	
6445		99	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-7.23	-8.16	-4.66	0.26	-4.39	-1	-3.39	
6445		99	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-7.40	-8.42	-4.87	0.26	-4.61	-1	-3.61	
6445		99	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-7.31	-8.50	-4.86	0.26	-4.59	-1	-3.59	
6485		107	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-7.88	-8.87	-5.33	0.26	-5.07	-1	-4.07	
6485		107	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-7.89	-8.37	-5.11	0.26	-4.85	-1	-3.85	
6485		107	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-7.73	-8.84	-5.24	0.26	-4.97	-1	-3.97	
6525		115	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-8.77	-9.09	-5.92	0.26	-5.65	-1	-4.65	
6525		115	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-8.92	-9.20	-6.05	0.26	-5.78	-1	-4.78	
6525		115	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-8.68	-9.41	-6.02	0.26	-5.76	-1	-4.76	
6465		103	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.23	-9.02	-5.59	0.26	-5.33	-1	-4.33	
6465		103	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-9.22	-9.65	-6.42	0.26	-6.15	-1	-5.15	
6465		103	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-8.49	-8.17	-5.32	0.26	-5.05	-1	-4.05	
6505		111	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-9.15	-9.24	-6.19	0.26	-5.92	-1	-4.92	
6505		111	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-8.85	-9.14	-5.98	0.26	-5.72	-1	-4.72	
6505		111	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-9.00	-9.67	-6.31	0.26	-6.04	-1	-5.04	

Table 7-153. Bands 5, 6 LPI Power Spectral Density Measurements SDM Diversity (RU26)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 229 of 596

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate [Mbps]	Antenna WFSB Power Density [dBm/MHz]	Antenna WFB Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p Power Density [dBm/MHz]	Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]	
Band 7	6535	117	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.29	-9.30	-5.75	1.50	-4.25	-1	-3.25	
	6535	117	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.67	-10.17	-6.90	1.50	-5.40	-1	-4.40	
	6535	117	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.77	-8.99	-5.87	1.50	-4.37	-1	-3.37	
	6695	149	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.58	-9.24	-5.89	1.50	-4.39	-1	-3.39	
	6695	149	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.63	-9.67	-6.64	1.50	-5.14	-1	-4.14	
	6695	149	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.64	-9.43	-6.01	1.50	-4.51	-1	-3.51	
	6875	185	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.92	-9.95	-6.40	1.50	-4.89	-1	-3.89	
	6875	185	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.65	-10.89	-7.22	1.50	-5.71	-1	-4.71	
	6875	185	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.81	-10.07	-6.38	1.50	-4.88	-1	-3.88	
	6565	123	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.26	-9.37	-6.30	1.50	-4.80	-1	-3.80	
	6565	123	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-8.71	-9.46	-6.06	1.50	-4.56	-1	-3.56	
	6565	123	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-9.40	-9.25	-6.32	1.50	-4.81	-1	-3.81	
	6725	155	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-8.56	-9.85	-6.15	1.50	-4.64	-1	-3.64	
	6725	155	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-8.95	-9.40	-6.16	1.50	-4.66	-1	-3.66	
	6725	155	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-8.83	-9.88	-6.31	1.50	-4.81	-1	-3.81	
	6845	179	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.25	-9.68	-6.45	1.50	-4.95	-1	-3.95	
	6845	179	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-9.00	-9.72	-6.34	1.50	-4.83	-1	-3.83	
	6845	179	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-9.12	-9.72	-6.40	1.50	-4.89	-1	-3.89	
	6545	119	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.83	-9.41	-6.10	1.50	-4.60	-1	-3.60	
	6545	119	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-10.79	-11.20	-7.98	1.50	-6.48	-1	-5.48	
	6545	119	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-9.18	-9.90	-6.52	1.50	-5.01	-1	-4.01	
	6705	151	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.95	-10.11	-6.48	1.50	-4.98	-1	-3.98	
	6705	151	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-10.28	-11.02	-7.62	1.50	-6.12	-1	-5.12	
	6705	151	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-8.13	-8.36	-5.23	1.50	-3.73	-1	-2.73	
	6865	183	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-9.26	-10.47	-6.81	1.50	-5.31	-1	-4.31	
	6865	183	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-10.79	-11.17	-7.96	1.50	-6.46	-1	-5.46	
	6865	183	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-10.03	-9.71	-6.86	1.50	-5.35	-1	-4.35	
	6665	143	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-9.21	-9.38	-6.28	1.50	-4.78	-1	-3.78	
	6665	143	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-9.42	-9.69	-6.55	1.50	-5.04	-1	-4.04	
	6665	143	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-8.58	-9.62	-6.06	1.50	-4.56	-1	-3.56	
	6825	175	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-9.06	-10.01	-6.50	1.50	-4.99	-1	-3.99	
	6825	175	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-9.07	-9.90	-6.45	1.50	-4.95	-1	-3.95	
	6825	175	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-9.25	-9.76	-6.48	1.50	-4.98	-1	-3.98	
	Band 8	6895	189	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-7.97	-9.05	-5.46	0.69	-4.77	-1	-3.77
		6895	189	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.33	-9.62	-6.46	0.69	-5.77	-1	-4.77
		6895	189	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.15	-8.55	-5.34	0.69	-4.64	-1	-3.64
6995		209	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-7.11	-8.42	-4.70	0.69	-4.01	-1	-3.01	
6995		209	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-8.73	-9.24	-5.97	0.69	-5.28	-1	-4.28	
6995		209	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-6.96	-8.27	-4.56	0.69	-3.87	-1	-2.87	
7115		233	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-7.42	-7.15	-4.27	0.69	-3.58	-1	-2.58	
7115		233	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-8.24	-8.54	-5.38	0.69	-4.68	-1	-3.68	
7115		233	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-7.46	-8.87	-5.10	0.69	-4.40	-1	-3.40	
6885		187	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-8.55	-9.94	-6.18	0.69	-5.49	-1	-4.49	
6885		187	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-8.99	-10.04	-6.47	0.69	-5.78	-1	-4.78	
6885		187	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-9.15	-9.76	-6.43	0.69	-5.74	-1	-4.74	
7005		211	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-7.72	-9.12	-5.36	0.69	-4.66	-1	-3.66	
7005		211	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-7.75	-8.44	-5.07	0.69	-4.38	-1	-3.38	
7005		211	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-7.25	-7.47	-4.35	0.69	-3.66	-1	-2.66	
7085		227	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-7.56	-7.93	-4.73	0.69	-4.04	-1	-3.04	
7085		227	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-6.96	-7.97	-4.42	0.69	-3.73	-1	-2.73	
7085		227	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-7.00	-8.34	-4.61	0.69	-3.92	-1	-2.92	
6945		199	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.37	-8.58	-5.47	0.69	-4.77	-1	-3.77	
6945		199	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-10.21	-9.85	-7.02	0.69	-6.32	-1	-5.32	
6945		199	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-8.75	-7.75	-5.21	0.69	-4.52	-1	-3.52	
7025		215	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.39	-8.53	-5.45	0.69	-4.76	-1	-3.76	
7025		215	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-9.27	-9.44	-6.35	0.69	-5.65	-1	-4.65	
7025		215	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-8.01	-7.89	-4.94	0.69	-4.24	-1	-3.24	
6985		207	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-8.02	-9.29	-5.60	0.69	-4.90	-1	-3.90	
6985		207	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-8.15	-9.20	-5.63	0.69	-4.94	-1	-3.94	
6985		207	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-7.55	-8.63	-5.04	0.69	-4.35	-1	-3.35	


Table 7-154. Bands 7, 8 LPI Power Spectral Density Measurements SDM Diversity (RU26)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 230 of 596


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate [Mbps]	Antenna WF8 Power Density [dBm/MHz]	Antenna WF7 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p Power Density [dBm/MHz]	Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-7.76	-7.80	-4.77	1.15	-3.62	-1	-2.62
	6175	45	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-6.50	-6.09	-3.28	1.15	-2.13	-1	-1.13
	6415	93	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-6.26	-6.27	-3.25	1.15	-2.10	-1	-1.10
	5965	3	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-7.60	-7.64	-4.61	1.15	-3.46	-1	-2.46
	6165	43	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-6.31	-6.37	-3.33	1.15	-2.18	-1	-1.18
	6165	91	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-5.84	-5.93	-2.87	1.15	-1.72	-1	-0.72
	5985	7	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-7.63	-7.20	-4.40	1.15	-3.25	-1	-2.25
	6145	39	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-6.14	-6.03	-3.08	1.15	-1.92	-1	-0.92
	6385	87	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-5.86	-5.66	-2.75	1.15	-1.60	-1	-0.60
	6025	15	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-7.28	-7.55	-4.40	1.15	-3.25	-1	-2.25
	6185	47	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-6.16	-6.30	-3.22	1.15	-2.07	-1	-1.07
	6345	79	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-6.01	-6.35	-3.17	1.15	-2.01	-1	-1.01
	6345	97	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-7.54	-7.29	-4.40	0.26	-4.14	-1	-3.14
	6475	105	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-6.93	-7.04	-3.97	0.26	-3.71	-1	-2.71
Band 6	6515	113	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-7.29	-7.26	-4.26	0.26	-4.00	-1	-3.00
	6445	99	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-6.95	-6.67	-3.80	0.26	-3.53	-1	-2.53
	6485	107	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-6.85	-7.29	-4.05	0.26	-3.79	-1	-2.79
	6525	115	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.00	-8.19	-5.08	0.26	-4.82	-1	-3.82
	6465	103	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-7.21	-7.07	-4.13	0.26	-3.86	-1	-2.86
	6505	111	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-7.59	-7.54	-4.55	0.26	-4.29	-1	-3.29
	6535	117	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-7.99	-8.05	-5.01	1.50	-3.51	-1	-2.51
	6695	149	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-7.95	-7.50	-4.71	1.50	-3.21	-1	-2.21
	6875	185	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-7.61	-8.45	-5.00	1.50	-3.50	-1	-2.50
	6565	123	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-7.91	-7.84	-4.86	1.50	-3.36	-1	-2.36
Band 7	6725	155	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-7.74	-8.00	-4.86	1.50	-3.36	-1	-2.36
	6845	179	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-7.79	-8.27	-5.01	1.50	-3.51	-1	-2.51
	6545	119	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-7.66	-7.54	-4.59	1.50	-3.09	-1	-2.09
	6705	151	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-8.04	-7.58	-4.79	1.50	-3.29	-1	-2.29
	6865	183	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-7.50	-8.01	-4.74	1.50	-3.23	-1	-2.23
	6665	143	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-7.61	-7.44	-4.51	1.50	-3.01	-1	-2.01
	6825	175	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-7.15	-7.90	-4.50	1.50	-3.00	-1	-2.00
	6895	189	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-6.88	-6.98	-3.92	0.69	-3.23	-1	-2.23
	6995	209	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-6.44	-6.86	-3.63	0.69	-2.94	-1	-1.94
	7115	233	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-6.53	-7.26	-3.87	0.69	-3.18	-1	-2.18
	6885	187	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-7.87	-8.41	-5.12	0.69	-4.43	-1	-3.43
	7005	211	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-6.54	-6.86	-3.69	0.69	-2.99	-1	-1.99
Band 8	7085	227	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-6.67	-7.15	-3.90	0.69	-3.20	-1	-2.20
	6945	199	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-6.45	-7.13	-3.77	0.69	-3.07	-1	-2.07
	7025	215	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-6.40	-6.87	-3.62	0.69	-2.93	-1	-1.93
	6985	207	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-6.72	-7.40	-4.03	0.69	-3.34	-1	-2.34

Table 7-155. LPI Power Spectral Density Measurements SDM Diversity (Fully-loaded RU)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 231 of 596




Plot 7-737. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-740. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-738. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)



Plot 7-741. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-739. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-742. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 232 of 596




Plot 7-743. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (20MHz 802.11ax RU242 (UNII Band 5) – Ch. 45)




Plot 7-746. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-744. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (20MHz 802.11ax RU242 (UNII Band 5) – Ch. 45)



Plot 7-747. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)



Plot 7-745. LPI Power Spectral Density Plot SDM Diversity Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)



Plot 7-748. LPI Power Spectral Density Plot SDM Diversity Antenna WF7 (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 233 of 596