


**Plot 7-1651. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 113 – RU26)**



**Plot 7-1652. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax – Ch. 113 – RU26, Pol. H)**


<b>FCC ID:</b> BCGA2925 <b>IC:</b> 579C-A2925	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager	
<b>Test Report S/N:</b> 1C2311270069-14-R2.BCG		<b>Test Dates:</b> 11/29/23-04/05/2024	<b>EUT Type:</b> Tablet Device

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6515MHz  
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Peak	V	-	-	-74.47	22.06	54.58	88.23	-33.65
13030.00	Average	V	-	-	-86.00	22.06	43.05	68.23	-25.18

**Table 7-237. Radiated Spurious Emission Measurements SDM Primary – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 478 of 596




**Plot 7-1653. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 117 – RU26)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6535MHz  
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13070.00	Peak	V	-	-	-73.80	21.65	54.85	88.23	-33.38
13070.00	Average	V	-	-	-85.67	21.65	42.98	68.23	-25.25

**Table 7-238. Radiated Spurious Emission Measurements SDM Primary – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 479 of 596




**Plot 7-1654. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 149 – RU26)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6695MHz  
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 13390.00	Peak	H	-	-	-74.52	22.17	54.65	73.98	-19.33
* 13390.00	Average	H	-	-	-85.83	22.17	43.34	53.98	-10.64

**Table 7-239. Radiated Spurious Emission Measurements SDM Primary – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 480 of 596



**Plot 7-1655. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 185 – RU26)**




**Plot 7-1656. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax – Ch. 185 – RU26)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6875MHz  
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13750.00	Peak	H	-	-	-74.67	21.67	54.00	88.23	-34.23
13750.00	Average	H	-	-	-84.98	21.67	43.69	68.23	-24.54

**Table 7-240. Radiated Spurious Emission Measurements SDM Primary – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 481 of 596




**Plot 7-1657. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 189 – RU26)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6895MHz  
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13790.00	Peak	H	-	-	-74.58	21.69	54.11	88.23	-34.12
13790.00	Average	H	-	-	-85.89	21.69	42.80	68.23	-25.43

**Table 7-241. Radiated Spurious Emission Measurements SDM Primary – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 482 of 596




**Plot 7-1658. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 209 – RU26)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6995MHz  
 Channel: 209


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
5335.00	Peak	H	245	118	-61.13	18.95	64.82	88.23	-23.41
5335.00	Average	H	245	118	-68.25	18.95	57.70	68.23	-10.53
13990.00	Peak	H	-	-	-74.59	22.05	54.46	88.23	-33.77
13990.00	Average	H	-	-	-85.23	22.05	43.82	68.23	-24.41

**Table 7-242. Radiated Spurious Emission Measurements SDM Primary – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 483 of 596



**Plot 7-1659. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 229 – RU26)**



**Plot 7-1660. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax – Ch. 229 – RU26)**


Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
5336.00	Peak	H	246	113	-60.80	18.95	65.15	88.23	-23.08
5336.00	Average	H	246	113	-67.36	18.95	58.59	68.23	-9.64
14190.00	Peak	V	-	-	-73.79	21.93	55.14	88.23	-33.09
14190.00	Average	V	-	-	-85.46	21.93	43.48	68.23	-24.75


**Table 7-243. Radiated Spurious Emission Measurements SDM Primary – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 484 of 596

**RU242**



**Plot 7-1661. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 1 – RU242)**



**Plot 7-1662. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax – Ch. 1 – RU242)**


<b>FCC ID:</b> BCGA2925 <b>IC:</b> 579C-A2925	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270069-14-R2.BCG		<b>Test Dates:</b> 11/29/23-04/05/2024

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
* 11910.00	Peak	H	-	-	-74.04	20.02	52.98	73.98	-21.00
* 11910.00	Average	H	-	-	-85.48	20.02	41.54	53.98	-12.44
* 17865.00	Peak	H	-	-	-74.88	22.53	54.65	73.98	-19.33
* 17865.00	Average	H	-	-	-86.19	22.53	43.34	53.98	-10.64

**Table 7-244. Radiated Spurious Emission Measurements SDM Primary – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 486 of 596




**Plot 7-1663. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 45 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6175MHz  
 Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 12350.00	Peak	V	-	-	-74.22	20.73	53.51	73.98	-20.47
* 12350.00	Average	V	-	-	-85.80	20.73	41.93	53.98	-12.05

**Table 7-245. Radiated Spurious Emission Measurements SDM Primary – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 487 of 596




**Plot 7-1664. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 93 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6415MHz  
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12830.00	Peak	H	-	-	-74.49	22.26	54.77	88.23	-33.46
12830.00	Average	H	-	-	-85.87	22.26	43.39	68.23	-24.84

**Table 7-246. Radiated Spurious Emission Measurements SDM PRIMARY – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 488 of 596




**Plot 7-1665. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 97 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6435MHz  
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12870.00	Peak	V	-	-	-73.94	22.43	55.48	88.23	-32.75
12870.00	Average	V	-	-	-86.42	22.43	43.01	68.23	-25.22

**Table 7-247. Radiated Spurious Emission Measurements SDM Primary – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 489 of 596




**Plot 7-1666. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 105 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6475MHz  
 Channel: 105


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Peak	H	-	-	-73.79	21.74	54.95	88.23	-33.28
12950.00	Average	H	-	-	-85.74	21.74	43.01	68.23	-25.22

**Table 7-248. Radiated Spurious Emission Measurements SDM Primary – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 490 of 596



**Plot 7-1667. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 113 – RU242)**




**Plot 7-1668. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax – Ch. 113 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6515MHz  
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13030.00	Peak	H	-	-	-73.65	22.06	55.40	88.23	-32.83
13030.00	Average	H	-	-	-85.62	22.06	43.44	68.23	-24.79

**Table 7-249. Radiated Spurious Emission Measurements SDM Primary – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device		Page 491 of 596




**Plot 7-1669. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 117 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6535MHz  
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13070.00	Peak	V	-	-	-73.76	21.94	55.18	88.23	-33.05
13070.00	Average	V	-	-	-85.84	21.94	43.09	68.23	-25.14

**Table 7-250. Radiated Spurious Emission Measurements SDM Primary – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 492 of 596




**Plot 7-1670. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 149 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6695MHz  
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Peak	V	-	-	-74.59	22.37	54.78	73.98	-19.20
* 13390.00	Average	V	-	-	-85.88	22.37	43.49	53.98	-10.49

**Table 7-251. Radiated Spurious Emission Measurements SDM Primary – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 493 of 596



**Plot 7-1671. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 185 – RU242)**




**Plot 7-1672. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax – Ch. 185 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6875MHz  
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Peak	V	-	-	-74.36	21.67	54.31	88.23	-33.92
13750.00	Average	V	-	-	-85.65	21.67	43.02	68.23	-25.21

**Table 7-252. Radiated Spurious Emission Measurements SDM Primary – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 494 of 596




**Plot 7-1673. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 189 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6895MHz  
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13790.00	Peak	V	225	112	-74.74	21.69	53.95	88.23	-34.28
13790.00	Average	V	225	112	-86.03	21.69	42.66	68.23	-25.57

**Table 7-253. Radiated Spurious Emission Measurements SDM Primary – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 495 of 596




**Plot 7-1674. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 209 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6995MHz  
 Channel: 209


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
5322.00	Peak	H	225	118	-63.56	18.95	62.39	88.23	-25.84
5322.00	Average	H	225	118	-73.48	18.95	52.47	68.23	-15.76
13990.00	Peak	V	-	-	-74.29	22.05	54.76	88.23	-33.47
13990.00	Average	V	-	-	-85.73	22.05	43.32	68.23	-24.91

**Table 7-254. Radiated Spurious Emission Measurements SDM Primary – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 496 of 596



**Plot 7-1675. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 233 – RU242)**



**Plot 7-1676. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax – Ch. 233 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7115MHz  
 Channel: 233


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
5322.00	Peak	H	229	116	-65.65	18.95	60.30	88.23	-27.93
5322.00	Average	H	229	116	-75.20	18.95	50.75	68.23	-17.48
14230.00	Peak	V	-	-	-74.48	21.93	54.45	88.23	-33.78
14230.00	Average	V	-	-	-85.92	21.93	43.01	68.23	-25.22

**Table 7-255. Radiated Spurious Emission Measurements SDM Primary – RU242**


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 497 of 596

## 7.7.5 SDM Diversity Radiated Spurious Emission

RU26



**Plot 7-1677. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 1 – RU26)**



**Plot 7-1678. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11ax – Ch. 1 – RU26)**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 498 of 596


V 10.5 12/15/2021

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
* 11910.00	Peak	V	-	-	-73.39	20.38	53.99	73.98	-19.99
* 11910.00	Average	V	-	-	-85.71	20.38	41.67	53.98	-12.31
* 17865.00	Peak	H	-	-	-74.91	22.53	54.62	73.98	-19.36
* 17865.00	Average	H	-	-	-86.35	22.53	43.18	53.98	-10.80

**Table 7-256. Radiated Spurious Emission Measurements SDM Diversity – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 499 of 596




**Plot 7-1679. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 45 – RU26)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6175MHz  
 Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 12350.00	Peak	V	-	-	-74.15	20.86	53.71	73.98	-20.27
* 12350.00	Average	V	-	-	-86.08	20.86	41.78	53.98	-12.20

**Table 7-257. Radiated Spurious Emission Measurements SDM Diversity – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device		Page 500 of 596




**Plot 7-1680. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 93 – RU26)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6415MHz  
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12830.00	Peak	H	-	-	-74.86	22.26	54.40	88.23	-33.83
12830.00	Average	H	-	-	-85.67	22.43	43.75	68.23	-24.48

**Table 7-258. Radiated Spurious Emission Measurements SDM Diversity – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 501 of 596




**Plot 7-1681. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 97 – RU26)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6435MHz  
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12870.00	Peak	V	-	-	-74.03	21.68	54.65	88.23	-33.58
12870.00	Average	V	-	-	-85.88	21.68	42.79	68.23	-25.44

**Table 7-259. Radiated Spurious Emission Measurements SDM Diversity – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 502 of 596




**Plot 7-1682. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 105 – RU26)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6475MHz  
 Channel: 105


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Peak	V	-	-	-74.25	21.74	54.50	88.23	-33.73
12950.00	Average	V	-	-	-85.80	21.74	42.94	68.23	-25.29

**Table 7-260. Radiated Spurious Emission Measurements SDM Diversity – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device		Page 503 of 596



**Plot 7-1683. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 113 – RU26)**




**Plot 7-1684. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11ax – Ch. 113 – RU26)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6515MHz  
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Peak	V	-	-	-73.58	22.06	55.48	88.23	-32.75
13030.00	Average	V	-	-	-85.88	22.06	43.17	68.23	-25.06
* 19545.00	Peak	V	240	253	-45.13	-7.75	54.12	73.98	-19.86
* 19545.00	Average	V	240	253	-56.86	-7.75	42.39	53.98	-11.59

**Table 7-261. Radiated Spurious Emission Measurements SDM Diversity – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 504 of 596




**Plot 7-1685. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 117 – RU26)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6535MHz  
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13070.00	Peak	V	-	-	-73.86	21.65	54.79	88.23	-33.44
13070.00	Average	V	-	-	-85.66	21.65	42.99	68.23	-25.24

**Table 7-262. Radiated Spurious Emission Measurements SDM Diversity – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 505 of 596




**Plot 7-1686. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 149 – RU26)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6695MHz  
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 13390.00	Peak	H	-	-	-74.57	22.17	54.60	73.98	-19.38
* 13390.00	Average	H	-	-	-85.81	22.47	43.67	53.98	-10.31

**Table 7-263. Radiated Spurious Emission Measurements SDM Diversity – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device		Page 506 of 596



**Plot 7-1687. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 185 – RU26)**




**Plot 7-1688. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11ax – Ch. 185 – RU26)**

Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6875MHz
Channel:	185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13750.00	Peak	V	-	-	-74.39	21.67	54.28	88.23	-33.95
13750.00	Average	V	-	-	-85.38	21.67	43.29	68.23	-24.94

**Table 7-264. Radiated Spurious Emission Measurements SDM Diversity – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device		Page 507 of 596




**Plot 7-1689. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 189 – RU26)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6895MHz  
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13790.00	Peak	V	-	-	-74.39	21.69	54.30	88.23	-33.93
13790.00	Average	V	-	-	-85.70	21.69	42.99	68.23	-25.24

**Table 7-265. Radiated Spurious Emission Measurements SDM Diversity – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device		Page 508 of 596




**Plot 7-1690. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 209 – RU26)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6995MHz  
 Channel: 209


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
5335.00	Peak	H	101	200	-60.98	18.95	64.97	88.23	-23.26
5335.00	Average	H	101	200	-67.53	18.95	58.42	68.23	-9.81
13990.00	Peak	V	-	-	-74.18	22.05	54.87	88.23	-33.36
13990.00	Average	V	-	-	-85.85	22.05	43.21	68.23	-25.02

**Table 7-266. Radiated Spurious Emission Measurements SDM Diversity – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 509 of 596



**Plot 7-1691. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 229 – RU26)**



**Plot 7-1692. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11ax – Ch. 229 – RU26)**

<b>FCC ID:</b> BCGA2925 <b>IC:</b> 579C-A2925	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270069-14-R2.BCG		<b>Test Dates:</b> 11/29/23-04/05/2024


Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
5335.00	Peak	H	101	200	-60.23	18.95	65.72	88.23	-22.51
5335.00	Average	H	101	200	-66.48	18.95	59.47	68.23	-8.76
14190.00	Peak	V	-	-	-73.79	21.93	55.14	88.23	-33.09
14190.00	Average	V	-	-	-85.46	21.93	43.48	68.23	-24.75
* 21285.00	Peak	V	289	268	-42.86	-7.53	56.61	73.98	-17.37
* 21285.00	Average	V	289	268	-53.96	-7.53	45.51	53.98	-8.47


**Table 7-267. Radiated Spurious Emission Measurements SDM Diversity – RU26**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 511 of 596

# RU242



**Plot 7-1693. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 1 – RU242)**



**Plot 7-1694. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11ax – Ch. 1 – RU242)**


<b>FCC ID:</b> BCGA2925 <b>IC:</b> 579C-A2925	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270069-14-R2.BCG		<b>Test Dates:</b> 11/29/23-04/05/2024

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
* 11910.00	Peak	H	-	-	-74.11	20.12	53.01	73.98	-20.97
* 11910.00	Average	H	-	-	-85.28	20.12	41.84	53.98	-12.14
* 17865.00	Peak	H	-	-	-74.61	22.53	54.92	73.98	-19.06
* 17865.00	Average	H	-	-	-86.30	22.53	43.23	53.98	-10.75

**Table 7-268. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 513 of 596




**Plot 7-1695. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 45 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6175MHz  
 Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 12350.00	Peak	H	-	-	-74.21	20.73	53.52	73.98	-20.46
* 12350.00	Average	H	-	-	-85.85	20.86	42.02	53.98	-11.96

**Table 7-269. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 514 of 596




**Plot 7-1696. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 93 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6415MHz  
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
12830.00	Peak	V	-	-	-74.58	22.26	54.68	88.23	-33.55
12830.00	Average	V	-	-	-85.84	22.23	43.40	68.23	-24.83

**Table 7-270. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 515 of 596




**Plot 7-1697. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 97 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6435MHz  
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
12870.00	Peak	H	-	-	-74.50	21.68	54.17	88.23	-34.06
12870.00	Average	H	-	-	-85.71	21.90	43.18	68.23	-25.05

**Table 7-271. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device		Page 516 of 596




**Plot 7-1698. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 105 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6475MHz  
 Channel: 105


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
12950.00	Peak	H	-	-	-73.53	21.81	55.28	88.23	-32.95
12950.00	Average	H	-	-	-85.68	21.81	43.13	68.23	-25.10

**Table 7-272. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 517 of 596



**Plot 7-1699. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 113 – RU242)**



**Plot 7-1700. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11ax – Ch. 113 – RU242)**


<b>FCC ID:</b> BCGA2925 <b>IC:</b> 579C-A2925	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270069-14-R2.BCG		<b>Test Dates:</b> 11/29/23-04/05/2024

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6515MHz  
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Peak	V	-	-	-74.44	22.06	54.62	88.23	-33.61
13030.00	Average	V	-	-	-84.39	22.06	44.67	68.23	-23.56
* 19545.00	Peak	V	-	-	-51.89	-7.75	47.36	73.98	-26.62
* 19545.00	Average	V	-	-	-62.13	-7.75	37.12	53.98	-16.86

**Table 7-273. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 519 of 596




**Plot 7-1701. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 117 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6535MHz  
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13070.00	Peak	V	-	-	-75.05	21.65	53.60	88.23	-34.63
13070.00	Average	V	-	-	-84.76	21.65	43.89	68.23	-24.34

**Table 7-274. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 520 of 596




**Plot 7-1702. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 149 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6695MHz  
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Peak	V	-	-	-74.59	22.37	54.78	73.98	-19.20
* 13390.00	Average	V	-	-	-85.13	22.37	44.24	53.98	-9.74

**Table 7-275. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 521 of 596



**Plot 7-1703. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 185 – RU242)**



**Plot 7-1704. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11ax – Ch. 185 – RU242)**


<b>FCC ID:</b> BCGA2925 <b>IC:</b> 579C-A2925	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270069-14-R2.BCG		<b>Test Dates:</b> 11/29/23-04/05/2024

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6875MHz  
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13750.00	Peak	V	-	-	-73.85	21.67	54.83	88.23	-33.40
13750.00	Average	V	-	-	-84.84	21.67	43.83	68.23	-24.40

**Table 7-276. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 523 of 596




**Plot 7-1705. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 189 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6895MHz  
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13790.00	Peak	V	-	-	-74.17	21.69	54.53	88.23	-33.70
13790.00	Average	V	-	-	-85.16	21.69	43.53	68.23	-24.70

**Table 7-277. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 524 of 596




**Plot 7-1706. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 209 – RU242)**

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6995MHz  
 Channel: 209


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13990.00	Peak	V	-	-	-74.78	22.05	54.28	88.23	-33.95
13990.00	Average	V	-	-	-85.77	22.05	43.28	68.23	-24.95

**Table 7-278. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 525 of 596



**Plot 7-1707. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11ax – Ch. 233 – RU242)**



**Plot 7-1708. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11ax – Ch. 233 – RU242)**

FCC ID: BCGA2925 IC: 579C-A2925	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG		Test Dates: 11/29/23-04/05/2024

Mode: 802.11ax  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7115MHz  
 Channel: 233

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
5320.00	Peak	H	258	119	-64.01	18.95	61.94	88.23	-26.29
5320.00	Average	H	258	119	-71.89	18.95	54.06	68.23	-14.17
14230.00	Peak	H	-	-	-74.56	21.93	54.37	88.23	-33.86
14230.00	Average	H	-	-	-84.93	21.93	44.00	68.23	-24.23


**Table 7-279. Radiated Spurious Emission Measurements SDM Diversity – RU242**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 527 of 596

### 7.7.6 Antenna WF5B Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


#### RU26

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-1709. Antenna WF5B Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU26)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229




**Plot 7-1710. Antenna WF5B Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU26)**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 528 of 596


## RU242

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-1711. Antenna WF5B Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU242)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229



**Plot 7-1712. Antenna WF5B Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU242)**

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-14-R2.BCG	Test Dates: 11/29/23-04/05/2024	EUT Type: Tablet Device	Page 529 of 596