

Plot 7-964. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 48)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5240MHz


Channel: 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10480.00	Peak	Н	-	-	-68.51	10.21	48.69	68.23	-19.54
*	15720.00	Average	Н	-	-	-80.82	15.01	41.19	53.98	-12.79
*	15720.00	Peak	Н	-	-	-69.90	15.01	52.10	73.98	-21.88

Table 7-320. Radiated Measurements CDD Primary

FCC ID: BCGA2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N: Test Dates:		EUT Type:	Page 358 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	raye 330 01 388	





Plot 7-965. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 52)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5260MHz


Channel: 52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10520.00	Peak	Н	-	-	-69.35	10.48	48.13	68.23	-20.10
*	15780.00	Average	٧	-	-	-81.16	14.74	40.58	53.98	-13.40
*	15780.00	Peak	V	-	-	-69.64	14.67	52.03	73.98	-21.95


Table 7-321. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 359 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	rage 359 01 566





Plot 7-966. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 56)



Plot 7-967. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n - Ch.56)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5280MHz


Channel: 56

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10560.00	Peak	Н	-	-	-68.02	10.01	48.99	68.23	-19.24
*	15840.00	Average	Н	-	-	-81.23	14.86	40.62	53.98	-13.36
*	15840.00	Peak	Н	-	-	-70.09	14.86	51.76	73.98	-22.22

Table 7-322. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 360 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 360 01 366	





Plot 7-968. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 64)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5320MHz


Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	10640.00	Average	Н	-	-	-80.43	10.58	37.15	53.98	-16.83
*	10640.00	Peak	Н	-	-	-68.21	10.22	49.01	73.98	-24.97
*	15960.00	Average	Н	-	-	-81.20	15.18	40.98	53.98	-13.00
*	15960.00	Peak	Н	-	-	-69.69	15.18	52.48	73.98	-21.50

Table 7-323. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 361 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	rage 301 01 388





Plot 7-969. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 100)

 Mode:
 802.11n

 Data Rate:
 MCS8

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5500MHz


 Channel:
 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11000.00	Average	Н	-	-	-81.15	11.02	36.87	53.98	-17.11
*	11000.00	Peak	Н	-	-	-69.35	10.96	48.62	73.98	-25.36
	16500.00	Peak	V	-	-	-69.43	17.57	55.14	68.23	-13.09


Table 7-324. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 362 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	raye 302 01 388





Plot 7-970. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 116)



Plot 7-971. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n - Ch.116)

 Mode:
 802.11n

 Data Rate:
 MCS8

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5580MHz


 Channel:
 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11160.00	Average	٧	-	-	-80.38	10.30	36.91	53.98	-17.07
*	11160.00	Peak	٧	-	-	-68.99	10.30	48.31	73.98	-25.67
	16740.00	Peak	Н	-	-	-69.59	17.22	54.62	68.23	-13.61

Table 7-325. Radiated Measurements CDD Primary

FCC ID: BCGA2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 262 of 500	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Page 363 of 588	





Plot 7-972. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 144)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5720MHz


Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11440.00	Average	V	-	-	-80.67	10.72	37.05	53.98	-16.93
*	11440.00	Peak	V	-	-	-68.94	10.72	48.77	73.98	-25.21
	17160.00	Peak	Н	-	-	-69.55	18.26	55.71	68.23	-12.52

Table 7-326. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 364 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 304 01 588	





Plot 7-973. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 149)

 Mode:
 802.11n

 Data Rate:
 MCS8

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5745MHz


 Channel:
 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11490.00	Average	Н	-	-	-80.75	11.10	37.34	53.98	-16.64
*	11490.00	Peak	Н	-	-	-68.92	10.68	48.76	73.98	-25.22
	17235.00	Peak	V	-	-	-69.54	18.19	55.65	68.23	-12.58


Table 7-327. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 365 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	rage 303 01 388





Plot 7-974. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 157)



Plot 7-975. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n - Ch.157)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 366 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 300 01 300	



Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5785MHz


Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11570.00	Average	Н	-	-	-80.68	10.97	37.29	53.98	-16.69
*	11570.00	Peak	Н	-	-	-69.19	10.94	48.75	73.98	-25.23
	17355.00	Peak	Н	•	-	-70.26	18.78	55.52	68.23	-12.71

Table 7-328. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 367 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 367 01 366





Plot 7-976. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 165)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5825MHz


Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11650.00	Average	V	-	-	-80.34	11.16	37.82	53.98	-16.16
*	11650.00	Peak	V	-	-	-69.33	11.16	48.83	73.98	-25.15
	17475.00	Peak	V	-	-	-70.84	21.17	57.33	68.23	-10.90

Table 7-329. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 368 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 300 01 388





Plot 7-977. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 36)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5180MHz


 Channel:
 36

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10360.00	Peak	Н	-	-	-68.02	9.98	48.96	68.23	-19.27
*	15540.00	Average	٧	-	-	-81.51	16.32	41.81	53.98	-12.17
*	15540.00	Peak	٧	-	-	-69.97	16.09	53.12	73.98	-20.86


Table 7-330. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 369 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	raye 309 01 300	





Plot 7-978. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 40)



Plot 7-979. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) - Ch.40, Pol. H)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 370 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 370 01 588	



Mode: 802.11ax(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5200MHz


Channel: 40

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10400.00	Peak	Н	-	•	-68.50	9.92	48.42	68.23	-19.81
*	15600.00	Average	Н	-	-	-81.13	15.64	41.51	53.98	-12.47
*	15600.00	Peak	Н	-	-	-69.24	15.63	53.39	73.98	-20.59

Table 7-331. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 271 of 500	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Page 371 of 588	





Plot 7-980. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 48)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5240MHz


 Channel:
 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10480.00	Peak	٧	-	-	-69.02	10.24	48.22	68.23	-20.01
*	15720.00	Average	Н	-	-	-80.92	15.01	41.08	53.98	-12.90
*	15720.00	Peak	Н	-	-	-69.78	15.13	52.35	73.98	-21.63

Table 7-332. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 372 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Page 372 01 566	





Plot 7-981. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 52)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5260MHz


 Channel:
 52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10520.00	Peak	٧	-	•	-68.74	9.99	48.25	68.23	-19.98
*	15780.00	Average	٧	-	-	-81.22	14.67	40.45	53.98	-13.53
*	15780.00	Peak	V	-	-	-69.92	14.82	51.90	73.98	-22.08


Table 7-333. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 373 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	raye 3/3 UI 388





Plot 7-982. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 56)



Plot 7-983. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) - Ch.56)


Mode:802.11ax(SU)Data Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:5280MHzChannel:56

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10560.00	Peak	Н	-	-	-68.32	10.15	48.83	68.23	-19.40
*	15840.00	Average	٧	-	-	-80.96	14.86	40.90	53.98	-13.08
*	15840.00	Peak	٧	-	-	-69.93	14.70	51.77	73.98	-22.21

Table 7-334. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 274 of 500	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Page 374 of 588	





Plot 7-984. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 64)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5320MHz


 Channel:
 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	10640.00	Average	Н	-	-	-80.47	10.58	37.11	53.98	-16.87
*	10640.00	Peak	Н	-	-	-68.94	10.33	48.39	73.98	-25.59
*	15960.00	Average	Н	-	-	-81.38	15.41	41.03	53.98	-12.95
*	15960.00	Peak	Н	-	-	-69.67	15.41	52.74	73.98	-21.24

Table 7-335. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 375 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 3/3 01 588	





Plot 7-985. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 100)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5500MHz


 Channel:
 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11000.00	Average	Н	-	•	-80.97	11.02	37.04	53.98	-16.94
*	11000.00	Peak	Н	-	•	-69.46	10.96	48.51	73.98	-25.47
	16500.00	Peak	Н	-	-	-70.49	17.56	54.07	68.23	-14.16


Table 7-336. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 376 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Page 376 01 588	





Plot 7-986. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 116)



Plot 7-987. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) - Ch.116)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5580MHz


 Channel:
 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11160.00	Average	٧	-	-	-80.60	10.30	36.70	53.98	-17.28
*	11160.00	Peak	٧	-	-	-68.22	10.15	48.93	73.98	-25.05
	16740.00	Peak	٧	-	-	-69.34	17.64	55.30	68.23	-12.93

Table 7-337. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 377 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	raye 3// UI 300





Plot 7-988. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 144)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5720MHz


 Channel:
 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11440.00	Average	Н	-	•	-80.85	10.72	36.87	53.98	-17.11
*	11440.00	Peak	Н	-	-	-68.58	10.72	49.13	73.98	-24.85
	17160.00	Peak	Н	-	-	-69.77	18.44	55.67	68.23	-12.56

Table 7-338. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 378 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 376 01 588





Plot 7-989. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 149)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5745MHz


 Channel:
 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11490.00	Average	V	-	-	-80.66	11.10	37.44	53.98	-16.54
*	11490.00	Peak	٧	-	-	-69.04	10.68	48.64	73.98	-25.34
	17235.00	Peak	Н	-	-	-70.33	18.16	54.82	68.23	-13.41


Table 7-339. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 379 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	raye 3/9 01 300	





Plot 7-990. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 157)



Plot 7-991. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) - Ch.157)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 380 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	raye 300 01 388



Mode: 802.11ax(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5785MHz


Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11570.00	Average	٧	-	•	-80.59	10.97	37.37	53.98	-16.61
*	11570.00	Peak	٧	-	-	-68.58	10.97	49.39	73.98	-24.59
	17355.00	Peak	Н	-	-	-70.10	18.78	55.68	68.23	-12.55

Table 7-340. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 381 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	raye so i ul soo





Plot 7-992. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 165)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5825MHz

 Channel:
 165


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11650.00	Average	Н	-	-	-79.99	10.99	38.00	53.98	-15.98
*	11650.00	Peak	Н	-	-	-68.13	10.99	49.86	73.98	-24.12
	17475.00	Peak	٧	-	-	-70.19	21.22	58.03	68.23	-10.20

Table 7-341. Radiated Measurements CDD Primary

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 382 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Faye 302 01 588



## 7.6.5 CDD Diversity Radiated Spurious Emission



Plot 7-993. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 36)

 Mode:
 802.11n

 Data Rate:
 MCS8

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5180MHz


 Channel:
 36

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
	10360.00	Peak	٧	-	-	-68.16	9.98	48.82	68.23	-19.41
*	15540.00	Average	н	-	-	-81.90	16.32	41.42	53.98	-12.56
*	15540.00	Peak	Н	-	-	-69.94	16.32	53.38	73.98	-20.60


Table 7-342. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 383 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device		





Plot 7-994. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 40)



Plot 7-995. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n - Ch. 40)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5200MHz


Channel: 40

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10400.00	Peak	٧	-	-	-68.67	9.93	48.26	68.23	-19.97
*	15600.00	Average	٧	-	-	-81.16	15.63	41.48	53.98	-12.50
*	15600.00	Peak	٧	-	-	-69.50	15.63	53.13	73.98	-20.85

Table 7-343. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 204 of 500
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Page 384 of 588





Plot 7-996. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 48)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5240MHz


Channel: 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
	10480.00	Peak	٧	-	-	-69.34	10.24	47.90	68.23	-20.33
*	15720.00	Average	Н	-	-	-81.10	15.13	41.04	53.98	-12.94
*	15720.00	Peak	Н	-	-	-69.42	15.13	52.72	73.98	-21.26

Table 7-344. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 385 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	raye 303 01 388





Plot 7-997. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 52)

 Mode:
 802.11n

 Data Rate:
 MCS8

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5260MHz


 Channel:
 52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10520.00	Peak	Н	-	-	-68.69	10.48	48.79	68.23	-19.44
*	15780.00	Average	٧	-	-	-81.50	14.75	40.25	53.98	-13.73
*	15780.00	Peak	٧	-	-	-69.96	14.75	51.79	73.98	-22.19


Table 7-345. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: Test Dates:		EUT Type:	Page 386 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 300 01 388





Plot 7-998. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 56)



Plot 7-999. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n - Ch. 56)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5280MHz


Channel: 56

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10560.00	Peak	Н	-	-	-68.34	10.01	48.67	68.23	-19.56
*	15840.00	Average	٧	-	-	-81.16	14.86	40.70	53.98	-13.28
*	15840.00	Peak	٧	-	-	-70.08	14.88	51.80	73.98	-22.18

Table 7-346. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 387 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 307 01 388





Plot 7-1000. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 64)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5320MHz


Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	10640.00	Average	<b>V</b>	,	-	-80.11	10.22	37.11	53.98	-16.87
*	10640.00	Peak	٧	-	-	-68.82	10.16	48.35	73.98	-25.63
*	15960.00	Average	٧	-	-	-81.41	15.18	40.77	53.98	-13.21
*	15960.00	Peak	٧	-	-	-69.76	15.18	52.42	73.98	-21.56

Table 7-347. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 388 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device		





Plot 7-1001. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 100)

 Mode:
 802.11n

 Data Rate:
 MCS8

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5500MHz


 Channel:
 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
*	11000.00	Average	٧	-	-	-81.11	11.02	36.90	53.98	-17.08
*	11000.00	Peak	٧	-	-	-69.77	11.02	48.25	73.98	-25.73
	16500.00	Peak	Н	-	-	-70.77	17.57	53.80	68.23	-14.43


Table 7-348. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 389 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 369 01 366





Plot 7-1002. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 116)



Plot 7-1003. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n - Ch. 116)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 200 of 500
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Page 390 of 588



Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5580MHz


Channel: 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11160.00	Average	н	-	-	-80.64	10.29	36.66	53.98	-17.32
*	11160.00	Peak	н	-	-	-68.58	10.30	48.71	73.98	-25.27
	16740.00	Peak	٧	-	-	-69.69	17.61	54.92	68.23	-13.31

Table 7-349. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 391 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 391 01 566





Plot 7-1004. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 144)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5720MHz


Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
*	11440.00	Average	<b>V</b>	-	-	-80.77	10.72	36.94	53.98	-17.04
*	11440.00	Peak	٧	-	-	-68.99	10.64	48.65	73.98	-25.33
	17160.00	Peak	Н	-	-	-70.50	18.44	54.94	68.23	-13.29

Table 7-350. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 392 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 392 01 588





Plot 7-1005. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 149)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5745MHz


Channel: 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	I/IBIIV/mi	Margin [dB]
*	11490.00	Average	Н	-	-	-80.51	11.10	37.59	53.98	-16.39
*	11490.00	Peak	Н	-	-	-68.48	10.78	49.30	73.98	-24.68
	17235.00	Peak	٧	-	-	-69.34	18.10	55.76	68.23	-12.47


Table 7-351. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 393 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	raye 393 01 566





Plot 7-1006. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 157)



Plot 7-1007. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n - Ch.157)

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 204 of 500
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Page 394 of 588



Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5785MHz


Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]		Margin [dB]
*	11570.00	Average	V	-	-	-80.59	10.97	37.38	53.98	-16.60
*	11570.00	Peak	٧	-	-	-69.30	10.97	48.67	73.98	-25.31
	17355.00	Peak	٧	-	-	-70.13	18.74	55.62	68.23	-12.61

Table 7-352. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 395 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 393 01 366





Plot 7-1008. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 165)

 Mode:
 802.11n

 Data Rate:
 MCS8

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5825MHz


 Channel:
 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11650.00	Average	Н	-	-	-80.58	11.16	37.57	53.98	-16.41
*	11650.00	Peak	н	-	-	-68.99	11.16	49.17	73.98	-24.81
	17475.00	Peak	٧	-	-	-70.45	20.53	57.08	68.23	-11.15

Table 7-353. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 396 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 390 01 300	





Plot 7-1009. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax (SU) - Ch. 36)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5180MHz


 Channel:
 36

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10360.00	Peak	V	-	-	-68.59	9.98	48.40	68.23	-19.83
*	15540.00	Average	Н	-	-	-81.85	16.32	41.47	53.98	-12.51
*	15540.00	Peak	Н	-	-	-70.03	16.12	53.10	73.98	-20.88


Table 7-354. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 207 of 500	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Page 397 of 588	





Plot 7-1010. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 40)



Plot 7-1011. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11ax(SU) - Ch.40)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5200MHz


 Channel:
 40

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10400.00	Peak	V	-	-	-68.29	9.98	48.69	68.23	-19.54
*	15600.00	Average	Н	-	-	-80.95	15.64	41.69	53.98	-12.29
*	15600.00	Peak	Н	-	-	-69.38	15.64	53.27	73.98	-20.71

## Table 7-355. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 398 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 390 01 588	





Plot 7-1012. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 48)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5240MHz


 Channel:
 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10480.00	Peak	٧	-	-	-68.88	10.21	48.33	68.23	-19.90
*	15720.00	Average	Н	-	-	-81.04	15.13	41.09	53.98	-12.89
*	15720.00	Peak	Н	-	-	-69.73	15.13	52.41	73.98	-21.57

Table 7-356. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 399 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 399 01 300	





Plot 7-1013. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 52)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5260MHz


 Channel:
 52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10520.00	Peak	Н	-	-	-67.36	9.99	49.63	68.23	-18.60
*	15780.00	Average	Н	-	-	-81.47	14.87	40.40	53.98	-13.58
*	15780.00	Peak	Н	-	-	-69.96	14.87	51.91	73.98	-22.07


Table 7-357. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 400 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 400 01 588	





Plot 7-1014. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 56)



Plot 7-1015. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11ax(SU) - Ch.56)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5280MHz


 Channel:
 56

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10560.00	Peak	٧	-	-	-68.35	10.01	48.66	68.23	-19.57
*	15840.00	Average	Н	-	-	-81.15	14.88	40.74	53.98	-13.24
*	15840.00	Peak	Н	-	-	-69.27	14.88	52.60	73.98	-21.38

## Table 7-358. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 401 of 588
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 401 01 566





Plot 7-1016. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 64)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5320MHz


 Channel:
 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	10640.00	Average	Н	-	-	-80.37	10.58	37.21	53.98	-16.77
*	10640.00	Peak	Н	-	-	-68.82	10.16	48.34	73.98	-25.64
*	15960.00	Average	V	-	-	-81.23	15.41	41.18	53.98	-12.80
*	15960.00	Peak	٧	-	-	-69.78	15.41	52.63	73.98	-21.35

Table 7-359. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 402 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Fage 402 01 566	





Plot 7-1017. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 100)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5500MHz

 Channel:
 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11000.00	Average	Н	-	-	-81.29	11.02	36.73	53.98	-17.25
*	11000.00	Peak	Н	-	-	-69.58	10.98	48.41	73.98	-25.57
	16500.00	Peak	٧	-	-	-70.31	17.72	54.41	68.23	-13.82

Table 7-360. Radiated Measurements CDD Diversity

FCC ID: BCGA2925 IC: 579C-A2925	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 403 of 588	
1C2311270069-11-R2.BCG	11/29/2023-02/03/2024	Tablet Device	Page 403 01 566	