



Plot 7-617. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS4)




Plot 7-620. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS4)




Plot 7-618. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS4)



Plot 7-621. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS4)




Plot 7-619. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS4)




Plot 7-622. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 220 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 220 01 511







Plot 7-623. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (20MHz 802.11ax (UNII Band 8) – Ch. 209, MCS4)



Plot 7-625. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS4)



Plot 7-624. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS4)




Plot 7-626. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS4)


FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 221 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 221 01511




High Data Rate




Plot 7-627. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS11)




Plot 7-630. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)




Plot 7-628. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)



Plot 7-631. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS11)




Plot 7-629. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS11)




Plot 7-632. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 222 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 222 01511







Plot 7-633. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS11)




Plot 7-636. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS11)



Plot 7-634. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS11)



Plot 7-637. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS11)




Plot 7-635. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS11)




Plot 7-638. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 223 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Page 223 01 511







Plot 7-639. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (20MHz 802.11ax (UNII Band 8) – Ch. 209, MCS11)



Plot 7-641. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS11)



Plot 7-640. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS11)




Plot 7-642. Power Spectral Density Plot SDM Diversity Antenna 2a LPI (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS11)


FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 224 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Page 224 01 511




Low Data Rate




Plot 7-643. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS2)



Plot 7-646. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS2)




Plot 7-644. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS2)



Plot 7-647. Power Spectral Density Plot SDM Diversity Antenna 2a Standard Power (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS2)




Plot 7-645. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS2)




Plot 7-648. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS2)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 205 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Page 225 of 511





Plot 7-649. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS2)




Plot 7-650. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS2)


FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 226 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Page 226 of 511




Mid Data Rate




Plot 7-651. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS4)




Plot 7-654. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS4)



Plot 7-652. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS4)



Plot 7-655. Power Spectral Density Plot SDM Diversity Antenna 2a Standard Power (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS4)




Plot 7-653. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS4)




Plot 7-656. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 227 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Page 227 of 511





Plot 7-657. Power Spectral Density Plot S CDD Diversity Antenna 2a Standard Power (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS4)




Plot 7-658. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS4)


FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 228 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	raye 220 01 311




High Data Rate



Plot 7-659. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (20MHz 802.11ax (UNII Band 5) - Ch. 45, MCS11)




Plot 7-662. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)



Plot 7-660. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)



Plot 7-663. Power Spectral Density Plot SDM Diversity Antenna 2a Standard Power (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS11)



Plot 7-661. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (80MHz 802.11ax (UNII Band 5) - Ch. 39, MCS11)



Plot 7-664. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 220 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Page 229 of 511





Plot 7-665. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS11)



Plot 7-666. Power Spectral Density Plot CDD Diversity Antenna 2a Standard Power (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 230 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 230 01511



Note:

Per ANSI C63.10-2013 Section 14.3.2.2 and KDB 662911 v02r01 Section E)2), the power spectral density at Antenna WF5B and Antenna 4a were first measured separately as shown in the section above. The measured values were then summed in linear power units then converted back to dBm.

Sample Directional Gain Calculation:

For correlated signals, assuming the antenna gain is 4.2 dBi for Antenna WF5B and -0.7 dBi for Antenna 4a.

Directional gain =
$$10 \log[(10^{G_1/20} + 10^{G_2/20} + ... + 10^{G_N/20})^2 / N_{ANT}] dBi$$

= $10 \log[(10^{4.7/20} + 10^{0.6/20} / 2] dBi$
= $5.10 dBi$

For uncorrelated signals, assuming the antenna gain is 4.2 dBi for Antenna WF5B and -0.7 dBi for Antenna 4a.

Directional gain =
$$10 \log[(10^{G_1/10} + 10^{G_2/10} + ... + 10^{G_N/10}) / N_{ANT}] dBi$$

= $10 \log[(10^{4.7/10} + 10^{0.6/10} / 2] dBi$
= $2.41 dBi$

Sample CDD/SDM Calculation:

At 5955MHz in 802.11ax (20MHz BW) mode, the average conducted power spectral density was measured to be -7.79 dBm for Antenna WF5B and -8.56 dBm for Antenna 4a.

$$(-7.79 \text{ dBm} + -8.56 \text{ dBm}) = (0.166 \text{ mW} + 0.139 \text{ mW}) = 0.305 \text{ mW} = -5.15 \text{ dBm}$$

Sample e.i.r.p Power Spectral Density Calculation:

At 5955MHz in 802.11ax (20MHz BW) mode, the average CDD/SDM power density was calculated to be -5.15 dBm with directional gain of 1.66 dBi.

$$-5.15 \text{ dBm} + 1.66 \text{ dBi} = -3.48 \text{ dBm}$$

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 231 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 231 01 511



7.5 In-Band Emissions – 802.11a/ax(SU) §15.407(b)(7), RSS-248 [4.7.2]

Test Overview and Limit

The spectrum analyzer was connected to the antenna terminal while the EUT was operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2013 and KDB 789033 D02 v02r01, and at the appropriate frequencies.

For transmitters operating within the 5.925-7.125 GHz bands: Power spectral density must be suppressed by 20 dB at 1 MHz outside of channel edge, by 28 dB at one channel bandwidth from the channel center, and by 40 dB at one- and one-half times the channel bandwidth away from channel center. At frequencies between one megahertz outside an unlicensed device's channel edge and one channel bandwidth from the center of the channel, the limits must be linearly interpolated between 20 dB and 28 dB suppression, and at frequencies between one and one- and one-half times an unlicensed device's channel bandwidth, the limits must be linearly interpolated between 28 dB and 40 dB suppression. Emissions removed from the channel center by more than one- and one-half times the channel bandwidth must be suppressed by at least 40 dB.

Test Procedure Used

ANSI C63.10-2013 – Section 12.3.2.2 KDB 987594 D02 v01r01

Test Settings

- 1. Connect output of the antenna port to a spectrum analyzer or EMI receiver, with appropriate attenuation, as to not damage the instrumentation.
- 2. Set the reference level of the measuring equipment in accordance with procedure 4.1.5.2 of ANSI C63.10-2013.
- 3. Measure the 26 dB EBW using the test procedure 12.4.1 of ANSI C63.10-2013. (This will be used to determine the channel edge.)
- 4. Measure the power spectral density (which will be used for emissions mask reference) using the following procedure:
 - Set the span to encompass the entire 26 dB EBW of the signal.
 - b) Set RBW = same RBW used for 26 dB EBW measurement.
 - c) Set VBW ≥ 3 X RBW
 - d) Number of points in sweep ≥ [2 X span / RBW].
 - e) Sweep time = auto.
 - f) Detector = RMS (i.e., power averaging)
 - g) Trace average at least 100 traces in power averaging (rms) mode.
 - h) Use the peak search function on the instrument to find the peak of the spectrum.
- 5. For the purposes of developing the emission mask, the channel bandwidth is defined as the 26 dB EBW.
- 6. Using the measuring equipment limit line function, develop the emissions mask based on the following requirements. The emissions power spectral density must be reduced below the peak power spectral density (in dB) as follows:
 - Suppressed by 20 dB at 1 MHz outside of the channel edge. (The channel edge is defined as the 26-dB point on either side of the carrier center frequency.)
 - Suppressed by 28 dB at one channel bandwidth from the channel center.
 - k) Suppressed by 40 dB at one- and one-half times the channel bandwidth from the channel center.
- 7. Adjust the span to encompass the entire mask as necessary.
- Clear trace.
- 9. Trace average at least 100 traces in power averaging (rms) mode.
- 10. Adjust the reference level as necessary so that the crest of the channel touches the top of the emission mask.

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 232 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 232 01511



Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-4. Test Instrument & Measurement Setup


Test Notes

None


FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 233 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 233 01 511




7.5.1 Antenna WF5B In-Band Emission Measurements Low Data Rate




Plot 7-667. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11a (UNII Band 5) – Ch. 45, 12Mbps)




Plot 7-670. LPI In-Band Emission Plot Antenna WF5B (80MHz 802.11ax (UNII Band 5) - Ch. 39, MCS2)




Plot 7-668. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11ax (UNII Band 5) - Ch. 45, MCS2)



Plot 7-671. LPI In-Band Emission Plot Antenna WF5B (160MHz 802.11ax (UNII Band 5) - Ch. 47, MCS2)




Plot 7-669. LPI In-Band Emission Plot Antenna WF5B (40MHz 802.11ax (UNII Band 5) - Ch. 43, MCS2)




Plot 7-672. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11a (UNII Band 6) – Ch. 105, 12Mbps)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 234 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 234 01 511







Plot 7-673. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS2)




Plot 7-676. LPI In-Band Emission Plot Antenna WF5B (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS2)




Plot 7-674. LPI In-Band Emission Plot Antenna WF5B (40MHz 802.11ax (UNII Band 6) - Ch. 107, MCS2)



Plot 7-677. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11a (UNII Band 7) – Ch. 149, 12Mbps)




Plot 7-675. LPI In-Band Emission Plot Antenna WF5B (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS2)




Plot 7-678. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11ax (UNII Band 7) - Ch. 149, MCS2)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 235 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 255 01 511







Plot 7-679. LPI In-Band Emission Plot Antenna WF5B (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS2)



Plot 7-682. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11a (UNII Band 8) – Ch. 209, 12Mbps)




Plot 7-680. LPI In-Band Emission Plot Antenna WF5B (80MHz 802.11ax (UNII Band 7) - Ch. 151, MCS2)



Plot 7-683. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11ax (UNII Band 8) - Ch. 209, MCS2)




Plot 7-681. LPI In-Band Emission Plot Antenna WF5B (160MHz 802.11ax (UNII Band 7) - Ch. 143, MCS2)




Plot 7-684. LPI In-Band Emission Plot Antenna WF5B (40MHz 802.11ax (UNII Band 8) - Ch. 211, MCS2)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 236 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 230 01 511










Plot 7-686. LPI In-Band Emission Plot Antenna WF5B (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS2)


FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 237 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 237 01511




Mid Data Rate



Plot 7-687. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11a (UNII Band 5) - Ch. 45, 24Mbps)




Plot 7-690. LPI In-Band Emission Plot Antenna WF5B (80MHz 802.11ax (UNII Band 5) - Ch. 39, MCS4)




Plot 7-688. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11ax (UNII Band 5) - Ch. 45, MCS4)



Plot 7-691. LPI In-Band Emission Plot Antenna WF5B (160MHz 802.11ax (UNII Band 5) - Ch. 47, MCS4)




Plot 7-689. LPI In-Band Emission Plot Antenna WF5B (40MHz 802.11ax (UNII Band 5) - Ch. 43, MCS4)




Plot 7-692. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11a (UNII Band 6) – Ch. 105, 24Mbps)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 238 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 230 01 511







Plot 7-693. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS4)




Plot 7-696. LPI In-Band Emission Plot Antenna WF5B (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS4)




Plot 7-694. LPI In-Band Emission Plot Antenna WF5B (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS4)



Plot 7-697. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11a (UNII Band 7) – Ch. 149, 24Mbps)




Plot 7-695. LPI In-Band Emission Plot Antenna WF5B (80MHz 802.11ax (UNII Band 6) - Ch. 103, MCS4)




Plot 7-698. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 239 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 239 01 511







Plot 7-699. LPI In-Band Emission Plot Antenna WF5B (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS4)




Plot 7-702. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11a (UNII Band 8) - Ch. 209, 24Mbps)




Plot 7-700. LPI In-Band Emission Plot Antenna WF5B (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS4)



Plot 7-703. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11ax (UNII Band 8) - Ch. 209, MCS4)




Plot 7-701. LPI In-Band Emission Plot Antenna WF5B (160MHz 802.11ax (UNII Band 7) - Ch. 143, MCS4)





Plot 7-704. LPI In-Band Emission Plot Antenna WF5B (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 240 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 240 01 511










Plot 7-706. LPI In-Band Emission Plot Antenna WF5B (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS4)


FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 241 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 241 01511




High Data Rate



Plot 7-707. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11a (UNII Band 5) – Ch. 45, 54Mbps)




Plot 7-710. LPI In-Band Emission Plot Antenna WF5B (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS11)




Plot 7-708. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS11)



Plot 7-711. LPI In-Band Emission Plot Antenna WF5B (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)




Plot 7-709. LPI In-Band Emission Plot Antenna WF5B (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)




Plot 7-712. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11a (UNII Band 6) – Ch. 105, 54Mbps)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 242 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 242 01511







Plot 7-713. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS11)




Plot 7-716. LPI In-Band Emission Plot Antenna WF5B (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS11)




Plot 7-714. LPI In-Band Emission Plot Antenna WF5B (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS11)



Plot 7-717. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11a (UNII Band 7) – Ch. 149, 54Mbps)




Plot 7-715. LPI In-Band Emission Plot Antenna WF5B (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS11)




Plot 7-718. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 243 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 243 01511






Plot 7-719. LPI In-Band Emission Plot Antenna WF5B (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS11)




Plot 7-722. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11a (UNII Band 8) - Ch. 209, 54Mbps)




Plot 7-720. LPI In-Band Emission Plot Antenna WF5B (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS11)



Plot 7-723. LPI In-Band Emission Plot Antenna WF5B (20MHz 802.11ax (UNII Band 8) - Ch. 209, MCS11)



Plot 7-721. LPI In-Band Emission Plot Antenna WF5B (160MHz 802.11ax (UNII Band 7) - Ch. 143, MCS11)



Plot 7-724. LPI In-Band Emission Plot Antenna WF5B (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 244 of 511
1C2311270070-24-R1.BCG	11/30/2023 - 04/05/2024	Tablet Device	Fage 244 01511