


Plot 7-1606. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax – Ch. 189 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	H	-	-	-86.40	21.78	42.38	68.23	-25.85
13790.00	Peak	H	-	-	-74.60	21.78	54.18	88.23	-34.05

Table 7-193. Radiated Spurious Emission Measurements Antenna 4a – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 429 of 600




Plot 7-1607. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax – Ch. 209 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
5245.00	Average	V	121	163	-75.91	20.25	51.34	68.23	-16.89
5245.00	Peak	V	121	163	-65.43	20.25	61.82	88.23	-26.41
13990.00	Average	H	-	-	-86.64	21.77	42.13	68.23	-26.10
13990.00	Peak	H	-	-	-74.33	21.81	54.48	88.23	-33.75

Table 7-194. Radiated Spurious Emission Measurements Antenna 4a – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 430 of 600



Plot 7-1608. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax – Ch. 229 – RU26)


Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
5322.00	Average	V	125	159	-71.64	19.94	55.30	68.23	-12.93
5322.00	Peak	V	125	159	-65.11	19.94	61.83	88.23	-26.40
14190.00	Average	H	-	-	-85.96	22.53	43.57	68.23	-24.66
14190.00	Peak	H	-	-	-74.02	22.53	55.51	88.23	-32.72

Table 7-195. Radiated Spurious Emission Measurements Antenna 4a – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 431 of 600

RU242




Plot 7-1609. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax – Ch. 1 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11910.00	Average	H	-	-	-85.67	20.35	41.68	53.98	-12.30
* 11910.00	Peak	H	-	-	-74.16	20.35	53.19	73.98	-20.79
* 17865.00	Average	H	-	-	-86.16	22.53	43.37	53.98	-10.61
* 17865.00	Peak	H	-	-	-74.70	22.53	54.83	73.98	-19.15

Table 7-196. Radiated Spurious Emission Measurements Antenna 4a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 432 of 600




Plot 7-1610. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax – Ch. 45 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6175MHz
 Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 12350.00	Average	H	-	-	-85.84	20.67	41.83	53.98	-12.15
* 12350.00	Peak	H	-	-	-74.49	20.67	53.18	73.98	-20.80

Table 7-197. Radiated Spurious Emission Measurements Antenna 4a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 433 of 600




Plot 7-1611. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax – Ch. 93 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6415MHz
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	H	-	-	-86.25	22.01	42.76	68.23	-25.47
12830.00	Peak	H	-	-	-74.28	21.72	54.44	88.23	-33.79

Table 7-198. Radiated Spurious Emission Measurements Antenna 4a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 434 of 600




Plot 7-1612. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax – Ch. 97 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6435MHz
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12870.00	Average	H	-	-	-85.85	21.49	42.64	68.23	-25.59
12870.00	Peak	H	-	-	-73.70	21.36	54.66	88.23	-33.57

Table 7-199. Radiated Spurious Emission Measurements Antenna 4a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 435 of 600




Plot 7-1613. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax – Ch. 105 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6475MHz
 Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Average	H	-	-	-85.63	21.57	42.94	68.23	-25.29
12950.00	Peak	H	-	-	-73.84	21.47	54.63	88.23	-33.60

Table 7-200. Radiated Spurious Emission Measurements Antenna 4a – RU242

FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 436 of 600




Plot 7-1614. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax – Ch. 113 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	H	-	-	-85.64	21.92	43.28	68.23	-24.95
13030.00	Peak	H	-	-	-73.74	21.92	55.18	88.23	-33.05

Table 7-201. Radiated Spurious Emission Measurements Antenna 4a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 437 of 600




Plot 7-1615. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax – Ch. 117 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13070.00	Average	H	-	-	-85.72	21.81	43.09	68.23	-25.14
13070.00	Peak	H	-	-	-74.22	21.81	54.60	88.23	-33.63

Table 7-202. Radiated Spurious Emission Measurements Antenna 4a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 438 of 600




Plot 7-1616. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax – Ch. 149 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-86.10	21.88	42.78	53.98	-11.20
* 13390.00	Peak	H	-	-	-73.59	21.88	55.29	73.98	-18.69

Table 7-203. Radiated Spurious Emission Measurements Antenna 4a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 439 of 600




Plot 7-1617. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax – Ch. 185 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Average	H	-	-	-86.28	21.35	42.07	68.23	-26.16
13750.00	Peak	H	-	-	-74.26	21.34	54.09	88.23	-34.14

Table 7-204. Radiated Spurious Emission Measurements Antenna 4a – RU242

FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 440 of 600




Plot 7-1618. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax – Ch. 189 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	H	-	-	-86.21	21.49	42.28	68.23	-25.95
13790.00	Peak	H	-	-	-73.83	21.78	54.95	88.23	-33.28

Table 7-205. Radiated Spurious Emission Measurements Antenna 4a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 441 of 600




Plot 7-1619. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax – Ch. 209 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13990.00	Average	H	-	-	-86.69	21.93	42.24	68.23	-25.99
13990.00	Peak	H	-	-	-75.01	21.84	53.82	88.23	-34.41

Table 7-206. Radiated Spurious Emission Measurements Antenna 4a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 442 of 600



Plot 7-1620. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax – Ch. 233 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7115MHz
 Channel: 233


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
5335.00	Average	V	129	161	-78.38	19.94	48.56	68.23	-19.67
5335.00	Peak	V	129	161	-67.87	19.94	59.07	88.23	-29.16
14230.00	Average	H	-	-	-86.29	22.04	42.75	68.23	-25.48
14230.00	Peak	H	-	-	-75.06	22.31	54.25	88.23	-33.98

Table 7-207. Radiated Spurious Emission Measurements Antenna 4a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 443 of 600

7.7.3 Antenna 2a Radiated Spurious Emission

RU26




Plot 7-1621. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 1 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11910.00	Average	H	-	-	-84.92	20.05	42.13	53.98	-11.85
* 11910.00	Peak	H	-	-	-73.36	20.35	53.99	73.98	-19.99
* 17865.00	Average	H	-	-	-85.24	22.53	44.30	53.98	-9.68
* 17865.00	Peak	H	-	-	-73.74	22.53	55.79	73.98	-18.19

Table 7-208. Radiated Spurious Emission Measurements Antenna 2a – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 444 of 600




Plot 7-1622. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 45 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6175MHz
 Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 12350.00	Average	H	-	-	-84.98	20.69	42.71	53.98	-11.27
* 12350.00	Peak	H	-	-	-73.50	20.67	54.17	73.98	-19.81

Table 7-209. Radiated Spurious Emission Measurements Antenna 2a – RU26

FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 445 of 600




Plot 7-1623. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 93 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6415MHz
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	H	-	-	-85.67	21.68	43.01	68.23	-25.22
12830.00	Peak	H	-	-	-74.52	21.72	54.21	88.23	-34.02

Table 7-210. Radiated Spurious Emission Measurements Antenna 2a – RU26

FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 446 of 600




Plot 7-1624. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 97 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6435MHz
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12870.00	Average	H	-	-	-85.72	21.49	42.77	68.23	-25.46
12870.00	Peak	H	-	-	-74.10	21.36	54.26	88.23	-33.97

Table 7-211. Radiated Spurious Emission Measurements Antenna 2a – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 447 of 600




Plot 7-1625. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 105 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6475MHz
 Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Average	H	-	-	-85.71	21.47	42.76	68.23	-25.47
12950.00	Peak	H	-	-	-74.20	21.56	54.36	88.23	-33.87

Table 7-212. Radiated Spurious Emission Measurements Antenna 2a – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 448 of 600




Plot 7-1626. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 113 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	H	-	-	-85.40	21.92	43.52	68.23	-24.71
13030.00	Peak	H	-	-	-73.03	21.84	55.82	88.23	-32.41

Table 7-213. Radiated Spurious Emission Measurements Antenna 2a – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 449 of 600




Plot 7-1627. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 117 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13070.00	Average	H	-	-	-85.70	21.60	42.90	68.23	-25.33
13070.00	Peak	H	-	-	-74.52	21.60	54.08	88.23	-34.15

Table 7-214. Radiated Spurious Emission Measurements Antenna 2a – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 450 of 600




Plot 7-1628. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 149 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-85.99	21.78	42.79	53.98	-11.19
* 13390.00	Peak	H	-	-	-74.43	21.78	54.36	73.98	-19.62

Table 7-215. Radiated Spurious Emission Measurements Antenna 2a – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 451 of 600




Plot 7-1629. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 185 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Average	H	-	-	-86.24	21.35	42.11	68.23	-26.12
13750.00	Peak	H	-	-	-74.58	21.35	53.77	88.23	-34.46

Table 7-216. Radiated Spurious Emission Measurements Antenna 2a – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 452 of 600




Plot 7-1630. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 189 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13790.00	Average	H	-	-	-86.32	21.78	42.46	68.23	-25.77
13790.00	Peak	H	-	-	-74.28	21.49	54.21	88.23	-34.02

Table 7-217. Radiated Spurious Emission Measurements Antenna 2a – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 453 of 600




Plot 7-1631. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 209 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13990.00	Average	H	-	-	-86.60	21.84	42.23	68.23	-26.00
13990.00	Peak	H	-	-	-75.39	21.81	53.42	88.23	-34.81

Table 7-218. Radiated Spurious Emission Measurements Antenna 2a – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 454 of 600



Plot 7-1632. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 229 – RU26)


Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
14190.00	Average	H	-	-	-85.79	22.40	43.62	68.23	-24.61
14190.00	Peak	H	-	-	-74.20	22.40	55.21	88.23	-33.02

Table 7-219. Radiated Spurious Emission Measurements Antenna 2a – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 455 of 600

RU242




Plot 7-1633. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 1 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11910.00	Average	H	-	-	-84.89	20.01	42.11	53.98	-11.87
* 11910.00	Peak	H	-	-	-72.80	20.05	54.26	73.98	-19.72
* 17865.00	Average	H	-	-	-85.20	22.53	44.33	53.98	-9.65
* 17865.00	Peak	H	-	-	-73.50	22.53	56.03	73.98	-17.95

Table 7-220. Radiated Spurious Emission Measurements Antenna 2a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 456 of 600




Plot 7-1634. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 45 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6175MHz
 Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 12350.00	Average	H	-	-	-84.92	20.67	42.75	53.98	-11.23
* 12350.00	Peak	H	-	-	-72.91	20.67	54.75	73.98	-19.23

Table 7-221. Radiated Spurious Emission Measurements Antenna 2a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 457 of 600




Plot 7-1635. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 93 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6415MHz
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	H	-	-	-85.80	21.68	42.87	68.23	-25.36
12830.00	Peak	H	-	-	-73.30	21.68	55.38	88.23	-32.85

Table 7-222. Radiated Spurious Emission Measurements Antenna 2a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 458 of 600




Plot 7-1636. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 97 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6435MHz
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Average	H	-	-	-85.75	21.47	42.72	68.23	-25.51
12950.00	Peak	H	-	-	-73.71	21.47	54.77	88.23	-33.46

Table 7-223. Radiated Spurious Emission Measurements Antenna 2a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 459 of 600




Plot 7-1637. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 105 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6475MHz
 Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Average	H	-	-	-85.75	21.47	42.72	68.23	-25.51
12950.00	Peak	H	-	-	-73.71	21.47	54.77	88.23	-33.46

Table 7-224. Radiated Spurious Emission Measurements Antenna 2a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 460 of 600




Plot 7-1638. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 113 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13030.00	Average	H	-	-	-85.26	21.92	43.67	68.23	-24.56
13030.00	Peak	H	-	-	-73.90	21.89	54.99	88.23	-33.24

Table 7-225. Radiated Spurious Emission Measurements Antenna 2a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 461 of 600




Plot 7-1639. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 117 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13070.00	Average	H	-	-	-85.77	21.60	42.83	68.23	-25.40
13070.00	Peak	H	-	-	-74.26	21.60	54.34	88.23	-33.89

Table 7-226. Radiated Spurious Emission Measurements Antenna 2a – RU242

FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 462 of 600




Plot 7-1640. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 149 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-86.00	21.78	42.78	53.98	-11.20
* 13390.00	Peak	H	-	-	-74.50	21.78	54.28	73.98	-19.70

Table 7-227. Radiated Spurious Emission Measurements Antenna 2a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 463 of 600




Plot 7-1641. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 185 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13750.00	Average	H	-	-	-85.97	21.49	42.52	68.23	-25.71
13750.00	Peak	H	-	-	-74.60	21.35	53.75	88.23	-34.48

Table 7-228. Radiated Spurious Emission Measurements Antenna 2a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 464 of 600




Plot 7-1642. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 189 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	H	-	-	-86.34	21.78	42.44	68.23	-25.79
13790.00	Peak	H	-	-	-74.87	21.49	53.62	88.23	-34.61

Table 7-229. Radiated Spurious Emission Measurements Antenna 2a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 465 of 600




Plot 7-1643. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 209 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13990.00	Average	H	-	-	-86.63	21.84	42.21	68.23	-26.02
13990.00	Peak	H	-	-	-74.78	21.81	54.03	88.23	-34.20

Table 7-230. Radiated Spurious Emission Measurements Antenna 2a – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 466 of 600



Plot 7-1644. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax – Ch. 233 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7115MHz
 Channel: 233


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14230.00	Average	H	-	-	-86.50	22.31	42.81	68.23	-25.42
14230.00	Peak	H	-	-	-75.48	22.31	53.84	88.23	-34.39

Table 7-231. Radiated Spurious Emission Measurements Antenna 2a – RU242


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 467 of 600

7.7.4 SDM Primary Radiated Spurious Emission

RU26



Plot 7-1645. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 1 – RU26)



Plot 7-1646. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax – Ch. 1 – RU26)


FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG		Test Dates: 1/3/2024 - 2/28/2024

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
* 11910.00	Average	H	-	-	-85.71	20.05	41.34	53.98	-12.64
* 11910.00	Peak	H	-	-	-74.18	20.02	52.84	73.98	-21.14
* 17865.00	Average	H	-	-	-86.11	22.53	43.43	53.98	-10.55
* 17865.00	Peak	H	-	-	-74.87	22.53	54.66	73.98	-19.32

Table 7-232. Radiated Spurious Emission Measurements SDM Primary – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 469 of 600




Plot 7-1647. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 45 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6175MHz
 Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 12350.00	Average	H	-	-	-85.95	20.69	41.74	53.98	-12.24
* 12350.00	Peak	H	-	-	-74.14	20.69	53.54	73.98	-20.44

Table 7-233. Radiated Spurious Emission Measurements SDM Primary – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 470 of 600




Plot 7-1648. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 93 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6415MHz
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	H	-	-	-85.95	21.72	42.77	68.23	-25.46
12830.00	Peak	H	-	-	-74.40	21.72	54.32	88.23	-33.91

Table 7-234. Radiated Spurious Emission Measurements SDM Primary – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 471 of 600




Plot 7-1649. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 97 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6435MHz
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12870.00	Average	H	-	-	-85.56	21.49	42.93	68.23	-25.30
12870.00	Peak	H	-	-	-74.13	21.49	54.36	88.23	-33.87

Table 7-235. Radiated Spurious Emission Measurements SDM Primary – RU26

FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 472 of 600




Plot 7-1650. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 105 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6475MHz
 Channel: 105


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Average	H	-	-	-85.67	21.56	42.89	68.23	-25.34
12950.00	Peak	H	-	-	-73.91	21.47	54.56	88.23	-33.67

Table 7-236. Radiated Spurious Emission Measurements SDM Primary – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 473 of 600



Plot 7-1651. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 113 – RU26)



Plot 7-1652. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax – Ch. 113 – RU26)


FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 474 of 600

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13030.00	Average	H	-	-	-85.97	21.92	42.95	68.23	-25.28
13030.00	Peak	H	-	-	-74.29	21.84	54.56	88.23	-33.67

Table 7-237. Radiated Spurious Emission Measurements SDM Primary – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 475 of 600




Plot 7-1653. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 117 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13070.00	Average	H	-	-	-85.73	21.60	42.87	68.23	-25.36
13070.00	Peak	H	-	-	-74.13	21.60	54.48	88.23	-33.75

Table 7-238. Radiated Spurious Emission Measurements SDM Primary – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 476 of 600




Plot 7-1654. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 149 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-85.87	21.78	42.92	53.98	-11.06
* 13390.00	Peak	H	-	-	-74.45	21.78	54.34	73.98	-19.64

Table 7-239. Radiated Spurious Emission Measurements SDM Primary – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 477 of 600



Plot 7-1655. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 185 – RU26)



Plot 7-1656. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax – Ch. 185 – RU26)


FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG		Test Dates: 1/3/2024 - 2/28/2024

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13750.00	Average	H	-	-	-86.32	21.35	42.03	68.23	-26.20
13750.00	Peak	H	-	-	-74.69	21.34	53.65	88.23	-34.58

Table 7-240. Radiated Spurious Emission Measurements SDM Primary – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 479 of 600




Plot 7-1657. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 189 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	H	-	-	-86.51	21.94	42.43	68.23	-25.80
13790.00	Peak	H	-	-	-74.98	21.78	53.81	88.23	-34.42

Table 7-241. Radiated Spurious Emission Measurements SDM Primary – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 480 of 600




Plot 7-1658. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 209 – RU26)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
5245.00	Average	H	134	248	-73.68	20.25	53.57	68.23	-14.66
5245.00	Peak	H	134	248	-64.12	20.25	63.13	88.23	-25.10
13990.00	Average	H	-	-	-86.77	21.84	42.06	68.23	-26.17
13990.00	Peak	H	-	-	-75.37	21.81	53.44	88.23	-34.79

Table 7-242. Radiated Spurious Emission Measurements SDM Primary – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 481 of 600



Plot 7-1659. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 229 – RU26)



Plot 7-1660. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax – Ch. 229 – RU26)

FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG		Test Dates: 1/3/2024 - 2/28/2024


Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
5322.00	Peak	H	132	252	-72.57	19.94	54.37	68.23	-13.86
5322.00	Average	H	132	252	-65.04	19.94	61.90	88.23	-26.33
14190.00	Peak	H	-	-	-85.80	22.53	43.73	68.23	-24.50
14190.00	Average	H	-	-	-73.81	22.46	55.65	88.23	-32.58


Table 7-243. Radiated Spurious Emission Measurements SDM Primary – RU26

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 483 of 600

RU242



Plot 7-1661. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 1 – RU242)



Plot 7-1662. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax – Ch. 1 – RU242)


FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG		Test Dates: 1/3/2024 - 2/28/2024

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
* 11910.00	Average	H	-	-	-85.93	20.35	41.42	53.98	-12.56
* 11910.00	Peak	H	-	-	-74.35	20.02	52.67	73.98	-21.31
* 17865.00	Average	H	-	-	-86.22	22.53	43.31	53.98	-10.67
* 17865.00	Peak	H	-	-	-74.57	22.53	54.96	73.98	-19.02

Table 7-244. Radiated Spurious Emission Measurements SDM Primary – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 485 of 600




Plot 7-1663. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 45 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6175MHz
 Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 12350.00	Average	H	-	-	-86.09	20.69	41.59	53.98	-12.39
* 12350.00	Peak	H	-	-	-74.21	20.69	53.47	73.98	-20.51

Table 7-245. Radiated Spurious Emission Measurements SDM Primary – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 486 of 600




Plot 7-1664. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 93 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6415MHz
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	H	-	-	-86.21	21.97	42.76	68.23	-25.47
12830.00	Peak	H	-	-	-73.92	21.97	55.05	88.23	-33.18

Table 7-246. Radiated Spurious Emission Measurements SDM PRIMARY – RU242

FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 487 of 600




Plot 7-1665. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 97 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6435MHz
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12870.00	Average	H	-	-	-85.26	21.49	43.23	68.23	-25.00
12870.00	Peak	H	-	-	-74.32	21.75	54.43	88.23	-33.80

Table 7-247. Radiated Spurious Emission Measurements SDM Primary – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 488 of 600




Plot 7-1666. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 105 – RU242)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6475MHz
 Channel: 105


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Average	H	-	-	-85.53	21.47	42.94	68.23	-25.29
12950.00	Peak	H	-	-	-74.02	21.47	54.45	88.23	-33.78

Table 7-248. Radiated Spurious Emission Measurements SDM Primary – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 489 of 600



Plot 7-1667. Radiated Spurious Emissions above 1GHz SDM Primary (802.11ax – Ch. 113 – RU242)



Plot 7-1668. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax – Ch. 113 – RU242)

FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG		Test Dates: 1/3/2024 - 2/28/2024

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13030.00	Average	H	-	-	-85.88	21.89	43.02	68.23	-25.21
13030.00	Peak	H	-	-	-73.36	21.89	55.53	88.23	-32.70

Table 7-249. Radiated Spurious Emission Measurements SDM Primary – RU242

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 491 of 600