


**Plot 7-388. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 1)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Avg	-	-	-	-78.25	4.60	33.35	53.98	-20.63
4824.00	Peak	-	-	-	-66.62	4.60	44.98	73.98	-29.00
12060.00	Avg	-	-	-	-80.63	12.83	39.20	53.98	-14.78
12060.00	Peak	-	-	-	-69.20	12.83	50.63	73.98	-23.35

**Table 7-51. Radiated Measurements Antenna 4a**

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 247 of 376




**Plot 7-389. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 6)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 6

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4874.00	Avg	-	-	-	-78.53	4.56	33.03	53.98	-20.95
4874.00	Peak	-	-	-	-66.56	4.56	45.00	73.98	-28.98
7311.00	Avg	-	-	-	-79.60	8.37	35.77	53.98	-18.21
7311.00	Peak	-	-	-	-67.77	8.37	47.60	73.98	-26.38
12185.00	Avg	-	-	-	-81.02	13.16	39.14	53.98	-14.84
12185.00	Peak	-	-	-	-69.50	13.16	50.66	73.98	-23.32

**Table 7-52. Radiated Measurements Antenna 4a**

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 248 of 376



**Plot 7-390. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 11)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4924.00	Avg	-	-	-	-78.22	4.64	33.42	53.98	-20.56
4924.00	Peak	-	-	-	-66.81	4.64	44.83	73.98	-29.15
7386.00	Avg	-	-	-	-79.45	8.37	35.92	53.98	-18.06
7386.00	Peak	-	-	-	-67.12	8.37	48.25	73.98	-25.73
12310.00	Avg	-	-	-	-81.18	13.64	39.46	53.98	-14.52
12310.00	Peak	-	-	-	-69.62	13.64	51.02	73.98	-22.96

**Table 7-53. Radiated Measurements Antenna 4a**

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 249 of 376

## 7.7.2 Antenna 2a Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




**Plot 7-391. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11b – Ch. 1)**

Mode: 802.11b  
 Data Rate: 1Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Avg	-	-	-	-78.38	4.60	33.22	53.98	-20.76
4824.00	Peak	-	-	-	-66.11	4.60	45.49	73.98	-28.49
12060.00	Avg	-	-	-	-80.98	12.83	38.85	53.98	-15.13
12060.00	Peak	-	-	-	-69.18	12.83	50.65	73.98	-23.33

**Table 7-54. Radiated Measurements Antenna 2a**

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 250 of 376




**Plot 7-392. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11b – Ch. 6)**

Mode: 802.11b  
 Data Rate: 1Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 6

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Avg	-	-	-	-78.46	4.56	33.10	53.98	-20.88
4874.00	Peak	-	-	-	-67.07	4.56	44.49	73.98	-29.49
7311.00	Avg	-	-	-	-79.64	8.37	35.73	53.98	-18.25
7311.00	Peak	-	-	-	-67.85	8.37	47.52	73.98	-26.46
12185.00	Avg	-	-	-	-80.92	13.16	39.24	53.98	-14.74
12185.00	Peak	-	-	-	-69.55	13.16	50.61	73.98	-23.37

**Table 7-55. Radiated Measurements Antenna 2a**

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 251 of 376




**Plot 7-393. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11b – Ch. 11)**

Mode: 802.11b  
 Data Rate: 1Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4924.00	Avg	-	-	-	-78.27	4.64	33.37	53.98	-20.61
4924.00	Peak	-	-	-	-66.70	4.64	44.94	73.98	-29.04
7386.00	Avg	-	-	-	-79.38	8.37	35.99	53.98	-17.99
7386.00	Peak	-	-	-	-67.69	8.37	47.68	73.98	-26.30
12310.00	Avg	-	-	-	-81.03	13.64	39.61	53.98	-14.37
12310.00	Peak	-	-	-	-69.40	13.64	51.24	73.98	-22.74

**Table 7-56. Radiated Measurements Antenna 2a**

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 252 of 376




**Plot 7-394. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) – Ch. 1)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Avg	-	-	-	-78.12	4.60	33.48	53.98	-20.50
4824.00	Peak	-	-	-	-65.68	4.60	45.92	73.98	-28.06
12060.00	Avg	-	-	-	-80.80	12.83	39.03	53.98	-14.95
12060.00	Peak	-	-	-	-68.99	12.83	50.84	73.98	-23.14

**Table 7-57. Radiated Measurements Antenna 2a**

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 253 of 376



**Plot 7-395. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) – Ch. 6)**


Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 6

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4874.00	Avg	-	-	-	-78.59	4.56	32.97	53.98	-21.01
4874.00	Peak	-	-	-	-67.33	4.56	44.23	73.98	-29.75
7311.00	Avg	-	-	-	-79.60	8.37	35.77	53.98	-18.21
7311.00	Peak	-	-	-	-67.85	8.37	47.52	73.98	-26.46
12185.00	Avg	-	-	-	-81.03	13.16	39.13	53.98	-14.85
12185.00	Peak	-	-	-	-69.81	13.16	50.35	73.98	-23.63

**Table 7-58. Radiated Measurements Antenna 2a**

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 254 of 376





**Plot 7-396. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) – Ch. 11)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Avg	-	-	-	-78.20	4.64	33.44	53.98	-20.54
4924.00	Peak	-	-	-	-66.79	4.64	44.85	73.98	-29.13
7386.00	Avg	-	-	-	-79.59	8.37	35.78	53.98	-18.20
7386.00	Peak	-	-	-	-67.65	8.37	47.72	73.98	-26.26
12310.00	Avg	-	-	-	-80.86	13.64	39.78	53.98	-14.20
12310.00	Peak	-	-	-	-69.55	13.64	51.09	73.98	-22.89

**Table 7-59. Radiated Measurements Antenna 2a**

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 255 of 376

### 7.7.3 CDD Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




**Plot 7-397. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 1)**

Mode: 802.11n  
 Data Rate: MCS10  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Avg	-	-	-	-78.39	4.60	33.21	53.98	-20.77
4824.00	Peak	-	-	-	-66.09	4.60	45.51	73.98	-28.47
12060.00	Avg	-	-	-	-80.78	12.83	39.05	53.98	-14.93
12060.00	Peak	-	-	-	-68.82	12.83	51.01	73.98	-22.97

**Table 7-60. Radiated Measurements CDD**

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 256 of 376



**Plot 7-398. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 6)**



**Plot 7-399. Radiated Spurious Emissions above 18GHz CDD (802.11n – Ch.6)**

<b>FCC ID:</b> BCGA2926 <b>IC:</b> 579C-A2926	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270070-14.BCG	<b>Test Dates:</b> 11/30/2023 - 2/23/2024	<b>EUT Type:</b> Tablet Device	Page 257 of 376



Mode: 802.11n  
 Data Rate: MCS10  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 6


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Avg	-	-	-	-78.57	4.56	32.99	53.98	-20.99
4874.00	Peak	-	-	-	-66.18	4.56	45.38	73.98	-28.60
7311.00	Avg	-	-	-	-79.71	8.37	35.66	53.98	-18.32
7311.00	Peak	-	-	-	-68.14	8.37	47.23	73.98	-26.75
12185.00	Avg	-	-	-	-80.96	13.16	39.20	53.98	-14.78
12185.00	Peak	-	-	-	-68.99	13.16	51.17	73.98	-22.81

**Table 7-61. Radiated Measurements CDD**

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 258 of 376

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




**Plot 7-400. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 11)**

Mode: 802.11n  
Data Rate: MCS10  
Distance of Measurements: 3 Meters  
Operating Frequency: 2462MHz  
Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Avg	-	-	-	-78.20	4.64	33.44	53.98	-20.54
4924.00	Peak	-	-	-	-66.50	4.64	45.14	73.98	-28.84
7386.00	Avg	-	-	-	-79.32	8.37	36.05	53.98	-17.93
7386.00	Peak	-	-	-	-67.76	8.37	47.61	73.98	-26.37
12310.00	Avg	-	-	-	-81.19	13.64	39.45	53.98	-14.53
12310.00	Peak	-	-	-	-69.87	13.64	50.77	73.98	-23.21

**Table 7-62. Radiated Measurements CDD**

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 259 of 376




**Plot 7-401. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 1)**

Mode: 802.11ax (SU)  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4824.00	Avg	-	-	-	-78.24	4.60	33.36	53.98	-20.62
4824.00	Peak	-	-	-	-66.78	4.60	44.82	73.98	-29.16
12060.00	Avg	-	-	-	-80.94	12.83	38.89	53.98	-15.09
12060.00	Peak	-	-	-	-69.24	12.83	50.59	73.98	-23.39

**Table 7-63. Radiated Measurements CDD**

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 260 of 376



**Plot 7-402. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 6)**



**Plot 7-403. Radiated Spurious Emissions above 18GHz CDD (802.11ax (SU) – Ch.6)**

<b>FCC ID:</b> BCGA2926 <b>IC:</b> 579C-A2926	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270070-14.BCG		<b>Test Dates:</b> 11/30/2023 - 2/23/2024


Mode: 802.11ax (SU)  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 6

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Avg	-	-	-	-78.59	4.56	32.97	53.98	-21.01
4874.00	Peak	-	-	-	-66.51	4.56	45.05	73.98	-28.93
7311.00	Avg	-	-	-	-79.66	8.37	35.71	53.98	-18.27
7311.00	Peak	-	-	-	-67.70	8.37	47.67	73.98	-26.31
12185.00	Avg	-	-	-	-80.99	13.16	39.17	53.98	-14.81
12185.00	Peak	-	-	-	-69.60	13.16	50.56	73.98	-23.42

**Table 7-64. Radiated Measurements CDD**

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 262 of 376





**Plot 7-404. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 11)**

Mode: 802.11ax (SU)  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Avg	-	-	-	-78.20	4.64	33.44	53.98	-20.54
4924.00	Peak	-	-	-	-66.32	4.64	45.32	73.98	-28.66
7386.00	Avg	-	-	-	-79.52	8.37	35.85	53.98	-18.13
7386.00	Peak	-	-	-	-68.08	8.37	47.29	73.98	-26.69
12310.00	Avg	-	-	-	-81.14	13.64	39.50	53.98	-14.48
12310.00	Peak	-	-	-	-69.63	13.64	51.01	73.98	-22.97


**Table 7-65. Radiated Measurements CDD**

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 263 of 376

## 7.7.4 Antenna 4a Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2412MHz
Channel	1



Plot 7-405 Radiated Restricted Lower Band Edge Measurement Antenna 4a


Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11



Plot 7-406 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 264 of 376

Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2467MHz
Channel	12



Plot 7-407 Radiated Restricted Upper Band Edge Measurement Antenna 4a


Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2472MHz
Channel	13



Plot 7-408 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 265 of 376

**Mode** 802.11n  
**Data Rate** MCS2  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2412MHz  
**Channel** 1



Plot 7-409 Radiated Restricted Lower Band Edge Measurement Antenna 4a


**Mode** 802.11n  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2412MHz  
**Channel** 1



Plot 7-410 Radiated Restricted Lower Band Edge Measurement Antenna 4a


<b>FCC ID:</b> BCGA2926 <b>IC:</b> 579C-A2926		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270070-14.BCG	<b>Test Dates:</b> 11/30/2023 - 2/23/2024	<b>EUT Type:</b> Tablet Device	Page 266 of 376

**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2412MHz  
**Channel** 1



Plot 7-411 Radiated Restricted Lower Band Edge Measurement Antenna 4a


**Mode** 802.11n  
**Data Rate** MCS2  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2417MHz  
**Channel** 2



Plot 7-412 Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 267 of 376

**Mode** 802.11n  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2417MHz  
**Channel** 2



Plot 7-413 Radiated Restricted Lower Band Edge Measurement Antenna 4a


**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2417MHz  
**Channel** 2



Plot 7-414 Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 268 of 376

**Mode** 802.11n  
**Data Rate** MCS2  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2422MHz  
**Channel** 3



Plot 7-415 Radiated Restricted Lower Band Edge Measurement Antenna 4a


**Mode** 802.11n  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2422MHz  
**Channel** 3



Plot 7-416 Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 269 of 376

**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2422MHz  
**Channel** 3



Plot 7-417 Radiated Restricted Lower Band Edge Measurement Antenna 4a

**Mode** 802.11n  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2427MHz  
**Channel** 4




Plot 7-418 Radiated Restricted Lower Band Edge Measurement Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 270 of 376




**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2427MHz  
**Channel** 4



Plot 7-419 Radiated Restricted Lower Band Edge Measurement Antenna 4a


**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2432MHz  
**Channel** 5



Plot 7-420 Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 271 of 376

**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2442MHz  
**Channel** 7



Plot 7-421 Radiated Restricted Upper Band Edge Measurement Antenna 4a


**Mode** 802.11n  
**Data Rate** MCS2  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2447MHz  
**Channel** 8



Plot 7-422 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 272 of 376

Mode	802.11n
Data Rate	MCS4
Distance of Measurement	3 Meters
Operating Frequency	2447MHz
Channel	8



Plot 7-423 Radiated Restricted Upper Band Edge Measurement Antenna 4a


Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2447MHz
Channel	8



Plot 7-424 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 273 of 376

Mode	802.11n
Data Rate	MCS2
Distance of Measurement	3 Meters
Operating Frequency	2452MHz
Channel	9



Plot 7-425 Radiated Restricted Upper Band Edge Measurement Antenna 4a


Mode	802.11n
Data Rate	MCS4
Distance of Measurement	3 Meters
Operating Frequency	2452MHz
Channel	9



Plot 7-426 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 274 of 376

**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2452MHz  
**Channel** 9



Plot 7-427 Radiated Restricted Upper Band Edge Measurement Antenna 4a


**Mode** 802.11n  
**Data Rate** MCS2  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2457MHz  
**Channel** 10



Plot 7-428 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 275 of 376

**Mode** 802.11n  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2457MHz  
**Channel** 10



Plot 7-429 Radiated Restricted Upper Band Edge Measurement Antenna 4a


**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2457MHz  
**Channel** 10



Plot 7-430 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 276 of 376

Mode	802.11n
Data Rate	MCS2
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11



Plot 7-431 Radiated Restricted Upper Band Edge Measurement Antenna 4a


Mode	802.11n
Data Rate	MCS4
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11



Plot 7-432 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 277 of 376

**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2462MHz  
**Channel** 11



Plot 7-433 Radiated Restricted Upper Band Edge Measurement Antenna 4a

**Mode** 802.11n  
**Data Rate** MCS2  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2467MHz  
**Channel** 12




Plot 7-434 Radiated Restricted Upper Band Edge Measurement Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 278 of 376




Mode	802.11n
Data Rate	MCS4
Distance of Measurement	3 Meters
Operating Frequency	2467MHz
Channel	12



Plot 7-435 Radiated Restricted Upper Band Edge Measurement Antenna 4a


Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2467MHz
Channel	12



Plot 7-436 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 279 of 376

Mode	802.11n
Data Rate	MCS2
Distance of Measurement	3 Meters
Operating Frequency	2472MHz
Channel	13



Plot 7-437 Radiated Restricted Upper Band Edge Measurement Antenna 4a


Mode	802.11n
Data Rate	MCS4
Distance of Measurement	3 Meters
Operating Frequency	2472MHz
Channel	13



Plot 7-438 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 280 of 376

**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2472MHz  
**Channel** 13



Plot 7-439 Radiated Restricted Upper Band Edge Measurement Antenna 4a


**Mode** 802.11ax-SU  
**Data Rate** MCS2  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2412MHz  
**Channel** 1



Plot 7-440 Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270070-14.BCG	<b>Test Dates:</b> 11/30/2023 - 2/23/2024	<b>EUT Type:</b> Tablet Device	Page 281 of 376

**Mode** 802.11ax-SU  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2412MHz  
**Channel** 1



Plot 7-441 Radiated Restricted Lower Band Edge Measurement Antenna 4a


**Mode** 802.11ax-SU  
**Data Rate** MCS9  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2412MHz  
**Channel** 1



Plot 7-442 Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 282 of 376

**Mode** 802.11ax-SU  
**Data Rate** MCS2  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2417MHz  
**Channel** 2



Plot 7-443 Radiated Restricted Lower Band Edge Measurement Antenna 4a


**Mode** 802.11ax-SU  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2417MHz  
**Channel** 2



Plot 7-444 Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 283 of 376

**Mode** 802.11ax-SU  
**Data Rate** MCS9  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2417MHz  
**Channel** 2



Plot 7-445 Radiated Restricted Lower Band Edge Measurement Antenna 4a


**Mode** 802.11ax-SU  
**Data Rate** MCS2  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2422MHz  
**Channel** 3



Plot 7-446 Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 284 of 376

**Mode** 802.11ax-SU  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2422MHz  
**Channel** 3



Plot 7-447 Radiated Restricted Lower Band Edge Measurement Antenna 4a


**Mode** 802.11ax-SU  
**Data Rate** MCS9  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2422MHz  
**Channel** 3



Plot 7-448 Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 285 of 376

**Mode** 802.11ax-SU  
**Data Rate** MCS2  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2427MHz  
**Channel** 4



Plot 7-449 Radiated Restricted Lower Band Edge Measurement Antenna 4a

**Mode** 802.11ax-SU  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2427MHz  
**Channel** 4




Plot 7-450 Radiated Restricted Lower Band Edge Measurement Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 286 of 376




**Mode** 802.11ax-SU  
**Data Rate** MCS9  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2427MHz  
**Channel** 4



Plot 7-451 Radiated Restricted Lower Band Edge Measurement Antenna 4a


**Mode** 802.11ax-SU  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2432MHz  
**Channel** 5



Plot 7-452 Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 287 of 376

**Mode** 802.11ax-SU  
**Data Rate** MCS9  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2432MHz  
**Channel** 5



Plot 7-453 Radiated Restricted Lower Band Edge Measurement Antenna 4a


**Mode** 802.11ax-SU  
**Data Rate** MCS9  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2437MHz  
**Channel** 6



Plot 7-454 Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 288 of 376

**Mode** 802.11ax-SU  
**Data Rate** MCS9  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2437MHz  
**Channel** 6



Plot 7-455 Radiated Restricted Upper Band Edge Measurement Antenna 4a


**Mode** 802.11ax-SU  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2442MHz  
**Channel** 7



Plot 7-456 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 289 of 376

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2442MHz
Channel	7



Plot 7-457 Radiated Restricted Upper Band Edge Measurement Antenna 4a


Mode	802.11ax-SU
Data Rate	MCS2
Distance of Measurement	3 Meters
Operating Frequency	2447MHz
Channel	8



Plot 7-458 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 290 of 376

Mode	802.11ax-SU
Data Rate	MCS4
Distance of Measurement	3 Meters
Operating Frequency	2447MHz
Channel	8



Plot 7-459 Radiated Restricted Upper Band Edge Measurement Antenna 4a


Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2447MHz
Channel	8



Plot 7-460 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 291 of 376

Mode	802.11ax-SU
Data Rate	MCS2
Distance of Measurement	3 Meters
Operating Frequency	2452MHz
Channel	9



Plot 7-461 Radiated Restricted Upper Band Edge Measurement Antenna 4a


Mode	802.11ax-SU
Data Rate	MCS4
Distance of Measurement	3 Meters
Operating Frequency	2452MHz
Channel	9



Plot 7-462 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 292 of 376

**Mode** 802.11ax-SU  
**Data Rate** MCS9  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2452MHz  
**Channel** 9



Plot 7-463 Radiated Restricted Upper Band Edge Measurement Antenna 4a


**Mode** 802.11ax-SU  
**Data Rate** MCS2  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2457MHz  
**Channel** 10



Plot 7-464 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 293 of 376

**Mode** 802.11ax-SU  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2457MHz  
**Channel** 10



Plot 7-465 Radiated Restricted Upper Band Edge Measurement Antenna 4a

**Mode** 802.11ax-SU  
**Data Rate** MCS9  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2457MHz  
**Channel** 10




Plot 7-466 Radiated Restricted Upper Band Edge Measurement Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 294 of 376




Mode	802.11ax-SU
Data Rate	MCS2
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11



Plot 7-467 Radiated Restricted Upper Band Edge Measurement Antenna 4a


Mode	802.11ax-SU
Data Rate	MCS4
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11



Plot 7-468 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 295 of 376

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11



Plot 7-469 Radiated Restricted Upper Band Edge Measurement Antenna 4a


Mode	802.11ax-SU
Data Rate	MCS2
Distance of Measurement	3 Meters
Operating Frequency	2467MHz
Channel	12



Plot 7-470 Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 296 of 376

**Mode** 802.11ax-SU  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2467MHz  
**Channel** 12



Plot 7-471 Radiated Restricted Upper Band Edge Measurement Antenna 4a

**Mode** 802.11ax-SU  
**Data Rate** MCS9  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2467MHz  
**Channel** 12




Plot 7-472 Radiated Restricted Upper Band Edge Measurement Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 297 of 376

### 7.7.5 Antenna 2a Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2412MHz
Channel	1



Plot 7-473 Radiated Restricted Lower Band Edge Measurement Antenna 2a


Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11



Plot 7-474 Radiated Restricted Upper Band Edge Measurement Antenna 2a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 298 of 376

**Mode** 802.11b  
**Data Rate** MCS11  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2467MHz  
**Channel** 12



Plot 7-475 Radiated Restricted Upper Band Edge Measurement Antenna 2a


**Mode** 802.11b  
**Data Rate** MCS11  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2472MHz  
**Channel** 13



Plot 7-476 Radiated Restricted Upper Band Edge Measurement Antenna 2a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 299 of 376

**Mode** 802.11n  
**Data Rate** MCS2  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2412MHz  
**Channel** 1



Plot 7-477 Radiated Restricted Lower Band Edge Measurement Antenna 2a


**Mode** 802.11n  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2412MHz  
**Channel** 1



Plot 7-478 Radiated Restricted Lower Band Edge Measurement Antenna 2a


<b>FCC ID:</b> BCGA2926 <b>IC:</b> 579C-A2926		<b>MEASUREMENT REPORT</b> <b>(CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270070-14.BCG	<b>Test Dates:</b> 11/30/2023 - 2/23/2024	<b>EUT Type:</b> Tablet Device	Page 300 of 376

**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2412MHz  
**Channel** 1



Plot 7-479 Radiated Restricted Lower Band Edge Measurement Antenna 2a


**Mode** 802.11n  
**Data Rate** MCS2  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2417MHz  
**Channel** 2



Plot 7-480 Radiated Restricted Lower Band Edge Measurement Antenna 2a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 301 of 376

**Mode** 802.11n  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2417MHz  
**Channel** 2



Plot 7-481 Radiated Restricted Lower Band Edge Measurement Antenna 2a

**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2417MHz  
**Channel** 2




Plot 7-482 Radiated Restricted Lower Band Edge Measurement Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 302 of 376




**Mode** 802.11n  
**Data Rate** MCS2  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2422MHz  
**Channel** 3



Plot 7-483 Radiated Restricted Lower Band Edge Measurement Antenna 2a


**Mode** 802.11n  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2422MHz  
**Channel** 3



Plot 7-484 Radiated Restricted Lower Band Edge Measurement Antenna 2a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 303 of 376

**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2422MHz  
**Channel** 3



Plot 7-485 Radiated Restricted Lower Band Edge Measurement Antenna 2a


**Mode** 802.11n  
**Data Rate** MCS4  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2427MHz  
**Channel** 4



Plot 7-486 Radiated Restricted Lower Band Edge Measurement Antenna 2a


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 304 of 376

**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2427MHz  
**Channel** 4



Plot 7-487 Radiated Restricted Lower Band Edge Measurement Antenna 2a

**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2432MHz  
**Channel** 5



Plot 7-488 Radiated Restricted Lower Band Edge Measurement Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-14.BCG	Test Dates: 11/30/2023 - 2/23/2024	EUT Type: Tablet Device	Page 305 of 376