




Plot 7-199. PSD Antenna WF5B (20MHz BW 11ax Index 40 - RU52 - Ch.116)




Plot 7-202. PSD Antenna WF5B (40MHz BW 11ax Index 40 - RU52 - Ch.110)




Plot 7-200. PSD Antenna WF5B (20MHz BW 11ax - RU242 - Ch.116)



Plot 7-203. PSD Antenna WF5B (40MHz BW 11ax Index 44 - RU52 - Ch.110)




Plot 7-201. PSD Antenna WF5B (40MHz BW 11ax Index 37 - RU52 - Ch.110)




Plot 7-204. PSD Antenna WF5B (40MHz BW 11ax - RU484 - Ch.110)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 130 of 450




Plot 7-205. PSD Antenna WF5B (80MHz BW 11ax Index 37 - RU52 - Ch.122)




Plot 7-208. PSD Antenna WF5B (80MHz BW 11ax - RU996 - Ch.122)




Plot 7-206. PSD Antenna WF5B (80MHz BW 11ax Index 44 - RU52 - Ch.122)



Plot 7-209. PSD Antenna WF5B (160MHz BW 11ax Index 37 - RU52 - Ch.114 (L))




Plot 7-207. PSD Antenna WF5B (80MHz BW 11ax Index 52 - RU52 - Ch.122)




Plot 7-210. PSD Antenna WF5B (160MHz BW 11ax Index 52 - RU52 - Ch.114 (L))

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 131 of 450



Plot 7-211. PSD Antenna WF5B (160MHz BW 11ax Index 52 - RU52 - Ch.114 (U))



Plot 7-212. PSD Antenna WF5B (160MHz BW 11ax - RU996x2 - Ch.114)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 132 of 450







	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26	0	12.5/14.7 (MCS11)	2.79	30.0	-27.21
				26	4	12.5/14.7 (MCS11)	2.95	30.0	-27.06
				26	8	12.5/14.7 (MCS11)	2.50	30.0	-27.50
	5785	157	ax (20MHz)	26	0	12.5/14.7 (MCS11)	2.84	30.0	-27.16
				26	4	12.5/14.7 (MCS11)	2.82	30.0	-27.18
				26	8	12.5/14.7 (MCS11)	2.36	30.0	-27.64
	5825	165	ax (20MHz)	26	0	12.5/14.7 (MCS11)	2.55	30.0	-27.45
				26	4	12.5/14.7 (MCS11)	2.98	30.0	-27.02
				26	8	12.5/14.7 (MCS11)	2.56	30.0	-27.44
	5755	151	ax (40MHz)	26	0	12.5/14.7 (MCS11)	1.66	30.0	-28.34
				26	8	12.5/14.7 (MCS11)	2.87	30.0	-27.13
				26	17	12.5/14.7 (MCS11)	1.74	30.0	-28.26
	5795	159	ax (40MHz)	26	0	12.5/14.7 (MCS11)	2.40	30.0	-27.60
				26	8	12.5/14.7 (MCS11)	2.76	30.0	-27.24
				26	17	12.5/14.7 (MCS11)	2.37	30.0	-27.63
5775	155	ax (80MHz)	26	0	12.5/14.7 (MCS11)	2.47	30.0	-27.53	
			26	18	12.5/14.7 (MCS11)	2.01	30.0	-27.99	
			26	36	12.5/14.7 (MCS11)	2.43	30.0	-27.57	

**Table 7-170. Band 3 Power Spectral Density Measurements Antenna WF5B (RU26)**


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	2.94	30.0	-27.06
	5785	157	ax (20MHz)	242	61	121.9/143.4 (MCS11)	3.01	30.0	-26.99
	5825	165	ax (20MHz)	242	61	121.9/143.4 (MCS11)	2.91	30.0	-27.10
	5755	151	ax (40MHz)	484	65	243.8/286.8 (MCS11)	0.33	30.0	-29.67
	5795	159	ax (40MHz)	484	65	243.8/286.8 (MCS11)	0.13	30.0	-29.87
	5775	155	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-4.84	30.0	-34.84

**Table 7-171. Band 3 Power Spectral Density Measurements Antenna WF5B (Fully-loaded RU)**


FCC ID: BCGA2926 IC: 579C-A2926		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270070-23-R2.BCG	<b>Test Dates:</b> 1/3/2024 - 3/24/2024	<b>EUT Type:</b> Tablet Device	Page 133 of 450




FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 134 of 450




Plot 7-219. PSD Antenna WF5B (40MHz BW 11ax Index 17 – RU26 – Ch.151)




Plot 7-222. PSD Antenna WF5B (80MHz BW 11ax Index 18 – RU26 – Ch.155)




Plot 7-220. PSD Antenna WF5B (40MHz BW 11ax - RU484 - Ch.151)



Plot 7-223. PSD Antenna WF5B (80MHz BW 11ax Index 36 – RU26 – Ch.155)



Plot 7-221. PSD Antenna WF5B (80MHz BW 11ax Index 0 – RU26 – Ch.155)



Plot 7-224. PSD Antenna WF5B (80MHz BW 11ax - RU996 – Ch.155)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 135 of 450


	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.69	1.40	8.09	10.0	-1.91
				26	4	12.5/14.7 (MCS11)	5.80	1.40	7.20	10.0	-2.81
				26	8	12.5/14.7 (MCS11)	5.67	1.40	7.07	10.0	-2.93
	5200	40	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.60	1.40	8.00	10.0	-2.00
				26	4	12.5/14.7 (MCS11)	5.56	1.40	6.96	10.0	-3.04
				26	8	12.5/14.7 (MCS11)	5.82	1.40	7.22	10.0	-2.78
	5240	48	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.24	1.40	7.64	10.0	-2.36
				26	4	12.5/14.7 (MCS11)	5.67	1.40	7.07	10.0	-2.93
				26	8	12.5/14.7 (MCS11)	6.15	1.40	7.55	10.0	-2.45
	5190	38	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.51	1.40	7.91	10.0	-2.10
				26	8	12.5/14.7 (MCS11)	6.34	1.40	7.74	10.0	-2.26
				26	17	12.5/14.7 (MCS11)	6.02	1.40	7.42	10.0	-2.59
	5230	46	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.03	1.40	7.43	10.0	-2.57
				26	8	12.5/14.7 (MCS11)	6.38	1.40	7.78	10.0	-2.22
				26	17	12.5/14.7 (MCS11)	5.47	1.40	6.87	10.0	-3.13
	5210	42	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.34	1.40	7.74	10.0	-2.26
				26	18	12.5/14.7 (MCS11)	4.74	1.40	6.14	10.0	-3.86
				26	36	12.5/14.7 (MCS11)	6.18	1.40	7.58	10.0	-2.42
	5250	50 (L)	ax (160MHz)	52	37	25/29.4 (MCS11)	6.19	1.40	7.59	10.0	-2.41
				52	52	25/29.4 (MCS11)	5.45	1.40	6.85	10.0	-3.15

Table 7-172. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF5B (RU26/RU52)


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.30	1.40	5.70	10.0	-4.30
	5200	40	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.25	1.40	7.65	10.0	-2.35
	5240	48	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.32	1.40	7.72	10.0	-2.28
	5190	38	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-0.80	1.40	0.60	10.0	-9.40
	5230	46	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.21	1.40	5.61	10.0	-4.39
	5210	42	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-4.71	1.40	-3.31	10.0	-13.31
	5250	50	ax (160MHz)	996	68	1020.8/1201 (MCS11)	-7.32	1.40	-5.92	10.0	-15.92

Table 7-173. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF5B (Fully-loaded RU)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 136 of 450




Plot 7-225. ISED PSD Antenna WF5B (20MHz BW 11ax Index 0 - RU26 - Ch.40)




Plot 7-228. ISED PSD Antenna WF5B (20MHz BW 11ax - RU242 - Ch.40)




Plot 7-226. ISED PSD Antenna WF5B (20MHz BW 11ax Index 4 - RU26 - Ch.40)



Plot 7-229. ISED PSD Antenna WF5B (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-227. ISED PSD Antenna WF5B (20MHz BW 11ax Index 8 - RU26 - Ch.40)



Plot 7-230. ISED PSD Antenna WF5B (40MHz BW 11ax Index 8 - RU26 - Ch.46)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 137 of 450







Plot 7-231. ISED PSD Antenna WF5B (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-234. ISED PSD Antenna WF5B (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-232. ISED PSD Antenna WF5B (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-235. ISED PSD Antenna WF5B (80MHz BW 11ax Index 36 – RU26 – Ch.42)




Plot 7-233. ISED PSD Antenna WF5B (80MHz BW 11ax Index 0 – RU26 – Ch.42)




Plot 7-236. ISED PSD Antenna WF5B (80MHz BW 11ax – RU996 – Ch.42)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 138 of 450



Plot 7-237. ISED PSD Antenna WF5B (160MHz BW 11ax Index 37 – RU52 – Ch.50 (L))



Plot 7-239. ISED PSD Antenna WF5B (160MHz BW 11ax – RU996x2 – Ch.50)



Plot 7-238. ISED PSD Antenna WF5B (160MHz BW 11ax Index 52 – RU52 – Ch.50 (L))

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 139 of 450

## Antenna 4a Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	12.5/14.7 (MCS11)	5.74	11.0	-5.26
				26	4	12.5/14.7 (MCS11)	5.32	11.0	-5.68
				26	8	12.5/14.7 (MCS11)	6.02	11.0	-4.98
	5200	40	ax (20MHz)	26	0	12.5/14.7 (MCS11)	5.48	11.0	-5.52
				26	4	12.5/14.7 (MCS11)	4.84	11.0	-6.16
				26	8	12.5/14.7 (MCS11)	5.99	11.0	-5.01
	5240	48	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.02	11.0	-4.99
				26	4	12.5/14.7 (MCS11)	5.12	11.0	-5.88
				26	8	12.5/14.7 (MCS11)	6.00	11.0	-5.00
	5190	38	ax (40MHz)	26	0	12.5/14.7 (MCS11)	5.51	11.0	-5.49
				26	8	12.5/14.7 (MCS11)	5.98	11.0	-5.02
				26	17	12.5/14.7 (MCS11)	5.75	11.0	-5.25
	5230	46	ax (40MHz)	26	0	12.5/14.7 (MCS11)	5.43	11.0	-5.57
				26	8	12.5/14.7 (MCS11)	5.96	11.0	-5.04
				26	17	12.5/14.7 (MCS11)	6.09	11.0	-4.92
	5210	42	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.01	11.0	-4.99
				26	18	12.5/14.7 (MCS11)	5.42	11.0	-5.59
				26	36	12.5/14.7 (MCS11)	6.04	11.0	-4.96

Table 7-174. Bands 1 Power Spectral Density Measurements Antenna 4a (RU26)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 140 of 450

	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]	
Band 1/2A	5250	50 (L)	ax (160MHz)	52	37	25/29.4 (MCS11)	4.16	11.0	-6.84	
				52	52	25/29.4 (MCS11)	4.12	11.0	-6.88	
		50 (U)		52	52	25/29.4 (MCS11)	4.60	11.0	-6.40	
Band 2A	5260	52	ax (20MHz)	52	37	25/29.4 (MCS11)	6.43	11.0	-4.57	
					52	38	25/29.4 (MCS11)	6.64	11.0	-4.36
					52	40	25/29.4 (MCS11)	6.36	11.0	-4.64
	5300	60	ax (20MHz)	52	37	25/29.4 (MCS11)	6.81	11.0	-4.19	
					52	38	25/29.4 (MCS11)	6.60	11.0	-4.41
					52	40	25/29.4 (MCS11)	6.74	11.0	-4.27
	5320	64	ax (20MHz)	52	37	25/29.4 (MCS11)	6.45	11.0	-4.55	
					52	38	25/29.4 (MCS11)	6.80	11.0	-4.21
					52	40	25/29.4 (MCS11)	6.46	11.0	-4.54
	5270	54	ax (40MHz)	52	37	25/29.4 (MCS11)	6.21	11.0	-4.80	
					52	40	25/29.4 (MCS11)	6.56	11.0	-4.44
					52	44	25/29.4 (MCS11)	6.07	11.0	-4.93
	5310	62	ax (40MHz)	52	37	25/29.4 (MCS11)	6.77	11.0	-4.23	
					52	40	25/29.4 (MCS11)	6.15	11.0	-4.85
					52	44	25/29.4 (MCS11)	6.40	11.0	-4.60
5290	58	ax (80MHz)	52	37	25/29.4 (MCS11)	7.29	11.0	-3.71		
				52	44	25/29.4 (MCS11)	6.17	11.0	-4.83	
				52	52	25/29.4 (MCS11)	5.99	11.0	-5.02	
Band 2C	5500	100	ax (20MHz)	52	37	25/29.4 (MCS11)	6.62	11.0	-4.38	
					52	38	25/29.4 (MCS11)	6.65	11.0	-4.36
					52	40	25/29.4 (MCS11)	6.40	11.0	-4.60
	5580	116	ax (20MHz)	52	37	25/29.4 (MCS11)	6.60	11.0	-4.40	
					52	38	25/29.4 (MCS11)	6.98	11.0	-4.03
					52	40	25/29.4 (MCS11)	6.78	11.0	-4.22
	5720	144	ax (20MHz)	52	37	25/29.4 (MCS11)	6.59	11.0	-4.41	
					52	38	25/29.4 (MCS11)	7.18	11.0	-3.82
					52	40	25/29.4 (MCS11)	6.64	11.0	-4.36
	5510	102	ax (40MHz)	52	37	25/29.4 (MCS11)	5.99	11.0	-5.01	
					52	40	25/29.4 (MCS11)	6.44	11.0	-4.56
					52	44	25/29.4 (MCS11)	6.01	11.0	-4.99
	5550	110	ax (40MHz)	52	37	25/29.4 (MCS11)	6.18	11.0	-4.83	
					52	40	25/29.4 (MCS11)	6.63	11.0	-4.37
					52	44	25/29.4 (MCS11)	6.37	11.0	-4.63
	5710	142	ax (40MHz)	52	37	25/29.4 (MCS11)	6.09	11.0	-4.91	
					52	40	25/29.4 (MCS11)	6.65	11.0	-4.35
					52	44	25/29.4 (MCS11)	6.05	11.0	-4.95
5530	106	ax (80MHz)	52	37	25/29.4 (MCS11)	6.02	11.0	-4.98		
				52	44	25/29.4 (MCS11)	5.99	11.0	-5.01	
				52	52	25/29.4 (MCS11)	5.93	11.0	-5.08	
5610*	122	ax (80MHz)	52	37	25/29.4 (MCS11)	6.46	11.0	-4.55		
				52	44	25/29.4 (MCS11)	6.33	11.0	-4.67	
				52	52	25/29.4 (MCS11)	6.23	11.0	-4.78	
5690	138	ax (80MHz)	52	37	25/29.4 (MCS11)	6.17	11.0	-4.83		
				52	44	25/29.4 (MCS11)	6.41	11.0	-4.59	
				52	52	25/29.4 (MCS11)	5.98	11.0	-5.02	
5570*	114 (L)	ax (160MHz)	52	37	25/29.4 (MCS11)	3.42	11.0	-7.58		
			52	52	25/29.4 (MCS11)	3.28	11.0	-7.72		
	114 (U)		52	52	25/29.4 (MCS11)	3.32	11.0	-7.68		

**Table 7-175. Bands 2A, 2C Power Spectral Density Measurements Antenna 4a (RU52)**

\*TDWR channel is not supported for ISED (denoted by a \* next to the frequency)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 141 of 450

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	121.9/143.4 (MCS11)	3.03	11.0	-7.97
	5200	40	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.45	11.0	-4.55
	5240	48	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.53	11.0	-4.48
	5190	38	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-1.82	11.0	-12.82
	5230	46	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.23	11.0	-6.77
	5210	42	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-5.38	11.0	-16.38
Band 1/2A	5250	50	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-10.13	11.0	-21.13
Band 2A	5260	52	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.73	11.0	-4.27
	5300	60	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.19	11.0	-4.81
	5320	64	ax (20MHz)	242	61	121.9/143.4 (MCS11)	3.82	11.0	-7.18
	5270	54	ax (40MHz)	484	65	243.8/286.8 (MCS11)	3.59	11.0	-7.42
	5310	62	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-0.68	11.0	-11.68
	5290	58	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-4.45	11.0	-15.45
Band 2C	5500	100	ax (20MHz)	242	61	121.9/143.4 (MCS11)	2.22	11.0	-8.78
	5580	116	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.98	11.0	-4.03
	5720	144	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.49	11.0	-4.51
	5510	102	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-2.27	11.0	-13.27
	5550	110	ax (40MHz)	484	65	243.8/286.8 (MCS11)	1.63	11.0	-9.37
	5710	142	ax (40MHz)	484	65	243.8/286.8 (MCS11)	3.95	11.0	-7.05
	5530	106	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-5.56	11.0	-16.56
	5610*	122	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-1.55	11.0	-12.55
	5690	138	ax (80MHz)	996	67	510.4/600.5 (MCS11)	0.68	11.0	-10.32
	5570*	114	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-10.86	11.0	-21.86


**Table 7-176. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 4a (Fully-loaded RU)**

\*TDWR channel is not supported for ISED (denoted by a \* next to the frequency)


FCC ID: BCGA2926 IC: 579C-A2926		<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2311270070-23-R2.BCG	<b>Test Dates:</b> 1/3/2024 - 3/24/2024	<b>EUT Type:</b> Tablet Device	Page 142 of 450




Plot 7-240. PSD Antenna 4a (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-243. PSD Antenna 4a (20MHz BW 11ax – RU242 – Ch.40)




Plot 7-241. PSD Antenna 4a (20MHz BW 11ax Index 4 – RU26 – Ch.40)



Plot 7-244. PSD Antenna 4a (40MHz BW 11ax Index 0 – RU26 – Ch.46)




Plot 7-242. PSD Antenna 4a (20MHz BW 11ax Index 8 – RU26 – Ch.40)




Plot 7-245. PSD Antenna 4a (40MHz BW 11ax Index 8 – RU26 – Ch.46)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 143 of 450




Plot 7-246. PSD Antenna 4a (40MHz BW 11ax Index 17 - RU26 - Ch.46)




Plot 7-249. PSD Antenna 4a (80MHz BW 11ax Index 18 - RU26 - Ch.42)




Plot 7-247. PSD Antenna 4a (40MHz BW 11ax - RU484 - Ch.46)



Plot 7-250. PSD Antenna 4a (80MHz BW 11ax Index 36 - RU26 - Ch.42)




Plot 7-248. PSD Antenna 4a (80MHz BW 11ax Index 0 - RU26 - Ch.42)




Plot 7-251. PSD Antenna 4a (80MHz BW 11ax - RU996 - Ch.42)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 144 of 450



Plot 7-252. PSD Antenna 4a (160MHz BW 11ax Index 37 - RU52 - Ch.50) (L)




Plot 7-255. PSD Antenna 4a (160MHz BW 11ax - RU996x2 - Ch.50)




Plot 7-253. PSD Antenna 4a (160MHz BW 11ax Index 52 - RU52 - Ch.50) (L)



Plot 7-256. PSD Antenna 4a (20MHz BW 11ax Index 37 - RU52 - Ch.60)




Plot 7-254. PSD Antenna 4a (160MHz BW 11ax Index 52 - RU52 - Ch.50) (U)




Plot 7-257. PSD Antenna 4a (20MHz BW 11ax Index 38 - RU52 - Ch.60)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 145 of 450







Plot 7-258. PSD Antenna 4a (20MHz BW 11ax Index 40 - RU52 - Ch.60)




Plot 7-261. PSD Antenna 4a (40MHz BW 11ax Index 40 - RU52 - Ch.54)




Plot 7-259. PSD Antenna 4a (20MHz BW 11ax - RU242 - Ch.60)



Plot 7-262. PSD Antenna 4a (40MHz BW 11ax Index 44 - RU52 - Ch.54)




Plot 7-260. PSD Antenna 4a (40MHz BW 11ax Index 37 - RU52 - Ch.54)




Plot 7-263. PSD Antenna 4a (40MHz BW 11ax - RU484 - Ch.54)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 146 of 450




Plot 7-264. PSD Antenna 4a (80MHz BW 11ax Index 37 - RU52 - Ch.58)




Plot 7-267. PSD Antenna 4a (80MHz BW 11ax - RU996 - Ch.58)




Plot 7-265. PSD Antenna 4a (80MHz BW 11ax Index 44 - RU52 - Ch.58)



Plot 7-268. PSD Antenna 4a (20MHz BW 11ax Index 37 - RU52 - Ch.116)



Plot 7-266. PSD Antenna 4a (80MHz BW 11ax Index 52 - RU52 - Ch.58)



Plot 7-269. PSD Antenna 4a (20MHz BW 11ax Index 38 - RU52 - Ch.116)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 147 of 450