




Plot 7-270. PSD Antenna 4a (20MHz BW 11ax Index 40 - RU52 - Ch.116)




Plot 7-273. PSD Antenna 4a (40MHz BW 11ax Index 40 - RU52 - Ch.110)




Plot 7-271. PSD Antenna 4a (20MHz BW 11ax- RU242 - Ch.116)



Plot 7-274. PSD Antenna 4a (40MHz BW 11ax Index 44 - RU52 - Ch.110)




Plot 7-272. PSD Antenna 4a (40MHz BW 11ax Index 37 - RU52 - Ch.110)




Plot 7-275. PSD Antenna 4a (40MHz BW 11ax - RU484 - Ch.110)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 148 of 450




Plot 7-276. PSD Antenna 4a (80MHz BW 11ax Index 37 - RU52 - Ch.122)




Plot 7-279. PSD Antenna 4a (80MHz BW 11ax - RU996 - Ch.122)




Plot 7-277. PSD Antenna 4a (80MHz BW 11ax Index 44 - RU52 - Ch.122)



Plot 7-280. PSD Antenna 4a (160MHz BW 11ax Index 37 - RU52 - Ch.114 (L))




Plot 7-278. PSD Antenna 4a (80MHz BW 11ax Index 52 - RU52 - Ch.122)




Plot 7-281. PSD Antenna 4a (160MHz BW 11ax Index 52 - RU52 - Ch.114 (L))

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 149 of 450



Plot 7-282. PSD Antenna 4a (160MHz BW 11ax Index 52 – RU52 – Ch.114 (U))



Plot 7-283. PSD Antenna 4a (160MHz BW 11ax – RU996x2 – Ch.114)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 150 of 450


	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26	0	12.5/14.7 (MCS11)	3.12	30.0	-26.88
				26	4	12.5/14.7 (MCS11)	3.55	30.0	-26.45
				26	8	12.5/14.7 (MCS11)	3.48	30.0	-26.52
	5785	157	ax (20MHz)	26	0	12.5/14.7 (MCS11)	2.81	30.0	-27.19
				26	4	12.5/14.7 (MCS11)	2.90	30.0	-27.10
				26	8	12.5/14.7 (MCS11)	2.70	30.0	-27.30
	5825	165	ax (20MHz)	26	0	12.5/14.7 (MCS11)	3.22	30.0	-26.78
				26	4	12.5/14.7 (MCS11)	3.51	30.0	-26.49
				26	8	12.5/14.7 (MCS11)	3.72	30.0	-26.28
	5755	151	ax (40MHz)	26	0	12.5/14.7 (MCS11)	2.89	30.0	-27.11
				26	8	12.5/14.7 (MCS11)	3.33	30.0	-26.67
				26	17	12.5/14.7 (MCS11)	3.11	30.0	-26.89
	5795	159	ax (40MHz)	26	0	12.5/14.7 (MCS11)	2.46	30.0	-27.54
				26	8	12.5/14.7 (MCS11)	3.42	30.0	-26.58
				26	17	12.5/14.7 (MCS11)	2.68	30.0	-27.32
5775	155	ax (80MHz)	26	0	12.5/14.7 (MCS11)	3.06	30.0	-26.94	
			26	18	12.5/14.7 (MCS11)	2.55	30.0	-27.45	
			26	36	12.5/14.7 (MCS11)	2.51	30.0	-27.50	

Table 7-177. Band 3 Power Spectral Density Measurements Antenna 4a (RU26)


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.04	30.0	-25.97
	5785	157	ax (20MHz)	242	61	121.9/143.4 (MCS11)	3.62	30.0	-26.38
	5825	165	ax (20MHz)	242	61	121.9/143.4 (MCS11)	3.74	30.0	-26.26
	5755	151	ax (40MHz)	484	65	243.8/286.8 (MCS11)	0.76	30.0	-29.24
	5795	159	ax (40MHz)	484	65	243.8/286.8 (MCS11)	0.47	30.0	-29.53
	5775	155	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-4.19	30.0	-34.19

Table 7-178. Band 3 Power Spectral Density Measurements Antenna 4a (Fully-loaded RU)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 151 of 450




Plot 7-284. PSD Antenna 4a (20MHz BW 11ax Index 0 - RU26 - Ch.157)




Plot 7-287. PSD Antenna 4a (20MHz BW 11ax - RU242 - Ch.157)



Plot 7-285. PSD Antenna 4a (20MHz BW 11ax Index 4 - RU26 - Ch.157)



Plot 7-288. PSD Antenna 4a (40MHz BW 11ax Index 0 - RU26 - Ch.151)




Plot 7-286. PSD Antenna 4a (20MHz BW 11ax Index 8 - RU26 - Ch.157)




Plot 7-289. PSD Antenna 4a (40MHz BW 11ax Index 8 - RU26 - Ch.151)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 152 of 450




Plot 7-290. PSD Antenna 4a (40MHz BW 11ax Index 17 - RU26 - Ch.151)




Plot 7-293. PSD Antenna 4a (80MHz BW 11ax Index 18 - RU26 - Ch.155)




Plot 7-291. PSD Antenna 4a (40MHz BW 11ax - RU484 - Ch.151)



Plot 7-294. PSD Antenna 4a (80MHz BW 11ax Index 36 - RU26 - Ch.155)



Plot 7-292. PSD Antenna 4a (80MHz BW 11ax Index 0 - RU26 - Ch.155)



Plot 7-295. PSD Antenna 4a (80MHz BW 11ax - RU996 - Ch.155)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 153 of 450







	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.35	-1.10	5.25	10.0	-4.75
				26	4	12.5/14.7 (MCS11)	5.51	-1.10	4.41	10.0	-5.60
				26	8	12.5/14.7 (MCS11)	6.36	-1.10	5.26	10.0	-4.74
	5200	40	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.42	-1.10	5.32	10.0	-4.68
				26	4	12.5/14.7 (MCS11)	5.25	-1.10	4.15	10.0	-5.85
				26	8	12.5/14.7 (MCS11)	6.15	-1.10	5.05	10.0	-4.95
	5240	48	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.69	-1.10	5.59	10.0	-4.41
				26	4	12.5/14.7 (MCS11)	5.07	-1.10	3.97	10.0	-6.03
				26	8	12.5/14.7 (MCS11)	6.50	-1.10	5.40	10.0	-4.60
	5190	38	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.26	-1.10	5.16	10.0	-4.84
				26	8	12.5/14.7 (MCS11)	6.11	-1.10	5.01	10.0	-4.99
				26	17	12.5/14.7 (MCS11)	6.31	-1.10	5.21	10.0	-4.79
	5230	46	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.42	-1.10	5.32	10.0	-4.68
				26	8	12.5/14.7 (MCS11)	6.30	-1.10	5.20	10.0	-4.80
				26	17	12.5/14.7 (MCS11)	6.50	-1.10	5.40	10.0	-4.60
	5210	42	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.64	-1.10	5.54	10.0	-4.46
				26	18	12.5/14.7 (MCS11)	4.78	-1.10	3.68	10.0	-6.32
				26	36	12.5/14.7 (MCS11)	6.17	-1.10	5.07	10.0	-4.93
	5250	50 (L)	ax (160MHz)	52	37	25/29.4 (MCS11)	5.48	-1.10	4.38	10.0	-5.62
				52	52	25/29.4 (MCS11)	5.00	-1.10	3.90	10.0	-6.10

Table 7-179. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 4a (RU26/RU52)


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.33	-1.10	3.23	10.0	-6.77
	5200	40	ax (20MHz)	242	61	121.9/143.4 (MCS11)	5.58	-1.10	4.48	10.0	-5.52
	5240	48	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.10	-1.10	5.00	10.0	-5.00
	5190	38	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-0.87	-1.10	-1.97	10.0	-11.97
	5230	46	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.16	-1.10	3.06	10.0	-6.94
	5210	42	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-4.66	-1.10	-5.76	10.0	-15.76
	5250	50	ax (160MHz)	996	68	1020.8/1201 (MCS11)	-8.53	-1.10	-9.63	10.0	-19.63

Table 7-180. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 4a (Fully-loaded RU)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 154 of 450




FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 155 of 450




Plot 7-302. ISED PSD Antenna 4a (40MHz BW 11ax Index 17 - RU26 - Ch.46)




Plot 7-305. ISED PSD Antenna 4a (80MHz BW 11ax Index 18 - RU26 - Ch.42)




Plot 7-303. ISED PSD Antenna 4a (40MHz BW 11ax - RU484 - Ch.46)



Plot 7-306. ISED PSD Antenna 4a (80MHz BW 11ax Index 36 - RU26 - Ch.42)




Plot 7-304. ISED PSD Antenna 4a (80MHz BW 11ax Index 0 - RU26 - Ch.42)




Plot 7-307. ISED PSD Antenna 4a (80MHz BW 11ax - RU996 - Ch.42)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 156 of 450



Plot 7-308. ISED PSD Antenna 4a (160MHz BW 11ax Index 37 – RU52 – Ch.50 (L))



Plot 7-310. ISED PSD Antenna 4a (160MHz BW 11ax – RU996x2 – Ch.50)



Plot 7-309. ISED PSD Antenna 4a (160MHz BW 11ax Index 52 – RU52 – Ch.50 (L))

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 157 of 450

Antenna 2a Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.03	11.0	-4.97
				26	4	12.5/14.7 (MCS11)	5.03	11.0	-5.98
				26	8	12.5/14.7 (MCS11)	6.18	11.0	-4.82
	5200	40	ax (20MHz)	26	0	12.5/14.7 (MCS11)	5.76	11.0	-5.25
				26	4	12.5/14.7 (MCS11)	5.05	11.0	-5.95
				26	8	12.5/14.7 (MCS11)	5.69	11.0	-5.31
	5240	48	ax (20MHz)	26	0	12.5/14.7 (MCS11)	5.82	11.0	-5.18
				26	4	12.5/14.7 (MCS11)	4.76	11.0	-6.24
				26	8	12.5/14.7 (MCS11)	5.82	11.0	-5.18
	5190	38	ax (40MHz)	26	0	12.5/14.7 (MCS11)	5.70	11.0	-5.30
				26	8	12.5/14.7 (MCS11)	6.03	11.0	-4.97
				26	17	12.5/14.7 (MCS11)	5.75	11.0	-5.25
	5230	46	ax (40MHz)	26	0	12.5/14.7 (MCS11)	5.96	11.0	-5.04
				26	8	12.5/14.7 (MCS11)	6.18	11.0	-4.82
				26	17	12.5/14.7 (MCS11)	5.93	11.0	-5.07
	5210	42	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.24	11.0	-4.76
				26	18	12.5/14.7 (MCS11)	4.94	11.0	-6.06
				26	36	12.5/14.7 (MCS11)	5.93	11.0	-5.08

Table 7-181. Bands 1 Power Spectral Density Measurements Antenna 2a (RU26)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 158 of 450

	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1/2A	5250	50 (L)	ax (160MHz)	52	37	25/29.4 (MCS11)	3.96	11.0	-7.04
		50 (U)		52	52	25/29.4 (MCS11)	4.12	11.0	-6.88
					52	52	25/29.4 (MCS11)	4.13	11.0
Band 2A	5260	52	ax (20MHz)	52	37	25/29.4 (MCS11)	6.27	11.0	-4.73
				52	38	25/29.4 (MCS11)	6.27	11.0	-4.73
				52	40	25/29.4 (MCS11)	5.97	11.0	-5.03
	5300	60	ax (20MHz)	52	37	25/29.4 (MCS11)	5.88	11.0	-5.12
				52	38	25/29.4 (MCS11)	5.97	11.0	-5.03
				52	40	25/29.4 (MCS11)	5.75	11.0	-5.25
	5320	64	ax (20MHz)	52	37	25/29.4 (MCS11)	5.97	11.0	-5.03
				52	38	25/29.4 (MCS11)	6.32	11.0	-4.68
				52	40	25/29.4 (MCS11)	5.98	11.0	-5.02
	5270	54	ax (40MHz)	52	37	25/29.4 (MCS11)	6.27	11.0	-4.73
				52	40	25/29.4 (MCS11)	6.28	11.0	-4.72
				52	44	25/29.4 (MCS11)	5.55	11.0	-5.46
	5310	62	ax (40MHz)	52	37	25/29.4 (MCS11)	5.56	11.0	-5.44
				52	40	25/29.4 (MCS11)	6.07	11.0	-4.94
				52	44	25/29.4 (MCS11)	5.73	11.0	-5.27
5290	58	ax (80MHz)	52	37	25/29.4 (MCS11)	5.68	11.0	-5.32	
			52	44	25/29.4 (MCS11)	6.07	11.0	-4.94	
			52	52	25/29.4 (MCS11)	5.84	11.0	-5.16	
Band 2C	5500	100	ax (20MHz)	52	37	25/29.4 (MCS11)	6.03	11.0	-4.97
				52	38	25/29.4 (MCS11)	6.46	11.0	-4.54
				52	40	25/29.4 (MCS11)	5.73	11.0	-5.27
	5580	116	ax (20MHz)	52	37	25/29.4 (MCS11)	6.23	11.0	-4.77
				52	38	25/29.4 (MCS11)	6.11	11.0	-4.89
				52	40	25/29.4 (MCS11)	5.97	11.0	-5.03
	5720	144	ax (20MHz)	52	37	25/29.4 (MCS11)	6.21	11.0	-4.79
				52	38	25/29.4 (MCS11)	6.63	11.0	-4.37
				52	40	25/29.4 (MCS11)	6.19	11.0	-4.81
	5510	102	ax (40MHz)	52	37	25/29.4 (MCS11)	5.57	11.0	-5.43
				52	40	25/29.4 (MCS11)	5.90	11.0	-5.10
				52	44	25/29.4 (MCS11)	5.70	11.0	-5.30
	5550	110	ax (40MHz)	52	37	25/29.4 (MCS11)	5.74	11.0	-5.26
				52	40	25/29.4 (MCS11)	5.66	11.0	-5.34
				52	44	25/29.4 (MCS11)	5.76	11.0	-5.24
5710	142	ax (40MHz)	52	37	25/29.4 (MCS11)	5.87	11.0	-5.13	
			52	40	25/29.4 (MCS11)	5.78	11.0	-5.22	
			52	44	25/29.4 (MCS11)	5.68	11.0	-5.32	
5530	106	ax (80MHz)	52	37	25/29.4 (MCS11)	5.16	11.0	-5.84	
			52	44	25/29.4 (MCS11)	5.33	11.0	-5.67	
			52	52	25/29.4 (MCS11)	5.31	11.0	-5.69	
5610*	122	ax (80MHz)	52	37	25/29.4 (MCS11)	5.57	11.0	-5.43	
			52	44	25/29.4 (MCS11)	6.43	11.0	-4.57	
			52	52	25/29.4 (MCS11)	5.91	11.0	-5.09	
5690	138	ax (80MHz)	52	37	25/29.4 (MCS11)	5.87	11.0	-5.14	
			52	44	25/29.4 (MCS11)	5.49	11.0	-5.51	
			52	52	25/29.4 (MCS11)	5.65	11.0	-5.36	
5570*	114 (L)	ax (160MHz)	52	37	25/29.4 (MCS11)	3.35	11.0	-7.65	
	114 (U)		52	52	25/29.4 (MCS11)	2.77	11.0	-8.23	
				52	52	25/29.4 (MCS11)	3.16	11.0	-7.84

Table 7-182. Bands 2A, 2C Power Spectral Density Measurements Antenna 2a (RU52)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 159 of 450

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	121.9/143.4 (MCS11)	3.34	11.0	-7.66
	5200	40	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.39	11.0	-4.61
	5240	48	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.29	11.0	-4.71
	5190	38	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-2.02	11.0	-13.02
	5230	46	ax (40MHz)	484	65	243.8/286.8 (MCS11)	3.53	11.0	-7.47
	5210	42	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-6.13	11.0	-17.13
Band 1/2A	5250	50	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-9.31	11.0	-20.31
Band 2A	5260	52	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.19	11.0	-4.81
	5300	60	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.08	11.0	-4.92
	5320	64	ax (20MHz)	242	61	121.9/143.4 (MCS11)	3.36	11.0	-7.64
	5270	54	ax (40MHz)	484	65	243.8/286.8 (MCS11)	3.41	11.0	-7.59
	5310	62	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-1.17	11.0	-12.17
	5290	58	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-4.97	11.0	-15.97
Band 2C	5500	100	ax (20MHz)	242	61	121.9/143.4 (MCS11)	1.73	11.0	-9.27
	5580	116	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.49	11.0	-4.51
	5720	144	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.18	11.0	-4.83
	5510	102	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-2.69	11.0	-13.69
	5550	110	ax (40MHz)	484	65	243.8/286.8 (MCS11)	1.72	11.0	-9.28
	5710	142	ax (40MHz)	484	65	243.8/286.8 (MCS11)	3.69	11.0	-7.31
	5530	106	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-5.85	11.0	-16.85
	5610*	122	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-1.66	11.0	-12.66
	5690	138	ax (80MHz)	996	67	510.4/600.5 (MCS11)	0.00	11.0	-11.00
	5570*	114	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-11.40	11.0	-22.40


Table 7-183. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 2a (Fully-loaded RU)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 160 of 450




Plot 7-311. PSD Antenna 2a (20MHz BW 11ax Index 0 - RU26 - Ch.40)




Plot 7-314. PSD Antenna 2a (20MHz BW 11ax - RU242 - Ch.40)




Plot 7-312. PSD Antenna 2a (20MHz BW 11ax Index 4 - RU26 - Ch.40)



Plot 7-315. PSD Antenna 2a (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-313. PSD Antenna 2a (20MHz BW 11ax Index 8 - RU26 - Ch.40)




Plot 7-316. PSD Antenna 2a (40MHz BW 11ax Index 8 - RU26 - Ch.46)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 161 of 450




Plot 7-317. PSD Antenna 2a (40MHz BW 11ax Index 17 - RU26 - Ch.46)




Plot 7-320. PSD Antenna 2a (80MHz BW 11ax Index 18 - RU26 - Ch.42)




Plot 7-318. PSD Antenna 2a (40MHz BW 11ax - RU484 - Ch.46)



Plot 7-321. PSD Antenna 2a (80MHz BW 11ax Index 36 - RU26 - Ch.42)




Plot 7-319. PSD Antenna 2a (80MHz BW 11ax Index 0 - RU26 - Ch.42)




Plot 7-322. PSD Antenna 2a (80MHz BW 11ax - RU996 - Ch.42)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 162 of 450




Plot 7-323. PSD Antenna 2a (160MHz BW 11ax Index 37 - RU52 - Ch.50 (L))




Plot 7-326. PSD Antenna 2a (160MHz BW 11ax - RU996x2 - Ch.50)




Plot 7-324. PSD Antenna 2a (160MHz BW 11ax Index 52 - RU52 - Ch.50 (L))



Plot 7-327. PSD Antenna 2a (20MHz BW 11ax Index 37 - RU52 - Ch.60)




Plot 7-325. PSD Antenna 2a (160MHz BW 11ax Index 52 - RU52 - Ch.50 (U))




Plot 7-328. PSD Antenna 2a (20MHz BW 11ax Index 38 - RU52 - Ch.60)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 163 of 450




Plot 7-329. PSD Antenna 2a (20MHz BW 11ax Index 40 - RU52 - Ch.60)




Plot 7-332. PSD Antenna 2a (40MHz BW 11ax Index 40 - RU52 - Ch.54)




Plot 7-330. PSD Antenna 2a (20MHz BW 11ax - RU242 - Ch.60)



Plot 7-333. PSD Antenna 2a (40MHz BW 11ax Index 44 - RU52 - Ch.54)




Plot 7-331. PSD Antenna 2a (40MHz BW 11ax Index 37 - RU52 - Ch.54)




Plot 7-334. PSD Antenna 2a (40MHz BW 11ax - RU484 - Ch.54)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 164 of 450



Plot 7-335. PSD Antenna 2a (80MHz BW 11ax Index 37 – RU52 – Ch.58)




Plot 7-338. PSD Antenna 2a (80MHz BW 11ax – RU996 – Ch.58)




Plot 7-336. PSD Antenna 2a (80MHz BW 11ax Index 44 – RU52 – Ch.58)



Plot 7-339. PSD Antenna 2a (20MHz BW 11ax Index 37 – RU52 – Ch.116)



Plot 7-337. PSD Antenna 2a (80MHz BW 11ax Index 52 – RU52 – Ch.58)



Plot 7-340. PSD Antenna 2a (20MHz BW 11ax Index 38 – RU52 – Ch.116)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 165 of 450