




Plot 7-566. PSD CDD Diversity Antenna 4a (40MHz BW 11ax Index 40 - RU52 - Ch.54)




Plot 7-569. PSD CDD Diversity Antenna 2a (40MHz BW 11ax Index 44 - RU52 - Ch.54)




Plot 7-567. PSD CDD Diversity Antenna 2a (40MHz BW 11ax Index 40 - RU52 - Ch.54)



Plot 7-570. PSD CDD Diversity Antenna 4a (40MHz BW 11ax - RU484 - Ch.54)




Plot 7-568. PSD CDD Diversity Antenna 4a (40MHz BW 11ax Index 44 - RU52 - Ch.54)




Plot 7-571. PSD CDD Diversity Antenna 2a (40MHz BW 11ax - RU484 - Ch.54)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 215 of 450




Plot 7-572. PSD CDD Diversity Antenna 4a (80MHz BW 11ax Index 37 – RU52 – Ch.58)




Plot 7-575. PSD Diversity CDD Antenna 2a (80MHz BW 11ax Index 44 – RU52 – Ch.58)




Plot 7-573. PSD CDD Diversity Antenna 2a (80MHz BW 11ax Index 37 – RU52 – Ch.58)



Plot 7-576. PSD CDD Diversity Antenna 4a (80MHz BW 11ax Index 52 – RU52 – Ch.58)




Plot 7-574. PSD CDD Diversity Antenna 4a (80MHz BW 11ax Index 44 – RU52 – Ch.58)




Plot 7-577. PSD CDD Diversity Antenna 2a (80MHz BW 11ax Index 52 – RU52 – Ch.58)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 216 of 450




Plot 7-578. PSD CDD Diversity Antenna 4a (80MHz BW 11ax - RU96 - Ch.58)




Plot 7-581. PSD CDD Diversity Antenna 2a (20MHz BW 11ax Index 37 - RU52 - Ch.116)




Plot 7-579. PSD CDD Diversity Antenna 2a (80MHz BW 11ax - RU96 - Ch.58)



Plot 7-582. PSD CDD Diversity Antenna 4a (20MHz BW 11ax Index 38 - RU52 - Ch.116)




Plot 7-580. PSD CDD Diversity Antenna 4a (20MHz BW 11ax Index 37 - RU52 - Ch.116)




Plot 7-583. PSD CDD Diversity Antenna 2a (20MHz BW 11ax Index 38 - RU52 - Ch.116)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 217 of 450




Plot 7-584. PSD CDD Diversity Antenna 4a (20MHz BW 11ax Index 40 - RU52 - Ch.116)




Plot 7-587. PSD CDD Diversity Antenna 2a (20MHz BW 11ax - RU242 - Ch.116)




Plot 7-585. PSD CDD Diversity Antenna 2a (20MHz BW 11ax Index 40 - RU52 - Ch.116)



Plot 7-588. PSD CDD Diversity Antenna 4a (40MHz BW 11ax Index 37 - RU52 - Ch.110)




Plot 7-586. PSD CDD Diversity Antenna 4a (20MHz BW 11ax - RU242 - Ch.116)




Plot 7-589. PSD CDD Diversity Antenna 2a (40MHz BW 11ax Index 37 - RU52 - Ch.110)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 218 of 450




Plot 7-590. PSD CDD Diversity Antenna 4a (40MHz BW 11ax Index 40 - RU52 - Ch.110)




Plot 7-593. PSD CDD Diversity Antenna 2a (40MHz BW 11ax Index 44 - RU52 - Ch.110)




Plot 7-591. PSD CDD Diversity Antenna 2a (40MHz BW 11ax Index 40 - RU52 - Ch.110)



Plot 7-594. PSD CDD Diversity Antenna 4a (40MHz BW 11ax - RU484 - Ch.110)




Plot 7-592. PSD CDD Diversity Antenna 4a (40MHz BW 11ax Index 44 - RU52 - Ch.110)




Plot 7-595. PSD CDD Diversity Antenna 2a (40MHz BW 11ax - RU484 - Ch.110)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 219 of 450




Plot 7-596. PSD CDD Diversity Antenna 4a (80MHz BW 11ax Index 37 - RU52 - Ch.122)




Plot 7-599. PSD CDD Diversity Antenna 2a (80MHz BW 11ax Index 44 - RU52 - Ch.122)




Plot 7-597. PSD CDD Diversity Antenna 2a (80MHz BW 11ax Index 37 - RU52 - Ch.122)



Plot 7-600. PSD CDD Diversity Antenna 4a (80MHz BW 11ax Index 52 - RU52 - Ch.122)




Plot 7-598. PSD CDD Diversity Antenna 4a (80MHz BW 11ax Index 44 - RU52 - Ch.122)




Plot 7-601. PSD CDD Diversity Antenna 2a (80MHz BW 11ax Index 52 - RU52 - Ch.122)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 220 of 450




Plot 7-602. PSD CDD Diversity Antenna 4a (80MHz BW 11ax - RU996 - Ch.122)




Plot 7-605. PSD CDD Diversity Antenna 2a (160MHz BW 11ax Index 37 - RU52 - Ch.114 (L))




Plot 7-603. PSD CDD Diversity Antenna 2a (80MHz BW 11ax - RU996 - Ch.122)



Plot 7-606. PSD CDD Diversity Antenna 4a (160MHz BW 11ax Index 52 - RU52 - Ch.114 (L))




Plot 7-604. PSD CDD Diversity Antenna 4a (160MHz BW 11ax Index 37 - RU52 - Ch.114 (L))




Plot 7-607. PSD CDD Diversity Antenna 2a (160MHz BW 11ax Index 52 - RU52 - Ch.114 (L))


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 221 of 450




Plot 7-608. PSD CDD Diversity Antenna 4a (160MHz BW 11ax Index 52 - RU52 - Ch.114 (U))



Plot 7-610. PSD CDD Diversity Antenna 4a (160MHz BW 11ax - RU996x2 - Ch.114)



Plot 7-609. PSD CDD Diversity Antenna 2a (160MHz BW 11ax Index 52 - RU52 - Ch.114 (U))



Plot 7-611. PSD CDD Diversity Antenna 2a (160MHz BW 11ax - RU996x2 - Ch.114)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 222 of 450


	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 4a Power Density [dBm/500kHz]	Antenna 2a Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	3.14	2.92	6.04	30.0	-27.08
					26	4	25/29.4 (MCS11)	3.58	2.93	6.28	30.0	-27.07
					26	8	25/29.4 (MCS11)	3.13	2.80	5.98	30.0	-27.20
	5785	157	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	2.87	2.98	5.94	30.0	-27.02
					26	4	25/29.4 (MCS11)	3.11	2.88	6.01	30.0	-27.12
					26	8	25/29.4 (MCS11)	2.81	2.60	5.72	30.0	-27.40
	5825	165	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	3.21	2.83	6.03	30.0	-27.17
					26	4	25/29.4 (MCS11)	3.62	2.95	6.31	30.0	-27.05
					26	8	25/29.4 (MCS11)	3.39	2.89	6.16	30.0	-27.11
	5755	151	ax (40MHz)	CDD	26	0	25/29.4 (MCS11)	3.16	2.76	5.98	30.0	-27.24
					26	8	25/29.4 (MCS11)	3.83	2.58	6.26	30.0	-27.42
					26	17	25/29.4 (MCS11)	3.48	2.56	6.06	30.0	-27.44
	5795	159	ax (40MHz)	CDD	26	0	25/29.4 (MCS11)	2.87	2.28	5.60	30.0	-27.72
					26	8	25/29.4 (MCS11)	3.41	3.43	6.43	30.0	-26.57
					26	17	25/29.4 (MCS11)	3.06	2.57	5.83	30.0	-27.43
	5775	155	ax (80MHz)	CDD	26	0	25/29.4 (MCS11)	3.02	2.91	5.98	30.0	-27.09
					26	18	25/29.4 (MCS11)	2.88	2.21	5.57	30.0	-27.79
					26	36	25/29.4 (MCS11)	2.86	2.64	5.76	30.0	-27.37

Table 7-198. Band 3 Power Spectral Density Measurements CDD Diversity (RU26)


	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 4a Power Density [dBm/500kHz]	Antenna 2a Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	3.89	3.23	6.58	30.0	-26.77
	5785	157	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	3.81	3.38	6.61	30.0	-26.62
	5825	165	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	4.02	3.40	6.73	30.0	-26.60
	5755	151	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	0.91	0.35	3.65	30.0	-29.65
	5795	159	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	0.64	0.46	3.56	30.0	-29.54
	5775	155	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-4.64	-4.61	-1.61	30.0	-34.61

Table 7-199. Band 3 Power Spectral Density Measurements CDD Diversity (Fully-loaded RU)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 223 of 450




Plot 7-612. PSD CDD Diversity Antenna 4a (20MHz BW 11ax Index 0 – RU26 – Ch.157)




Plot 7-615. PSD CDD Diversity Antenna 2a (20MHz BW 11ax Index 4 – RU26 – Ch.157)




Plot 7-613. PSD CDD Diversity Antenna 2a (20MHz BW 11ax Index 0 – RU26 – Ch.157)



Plot 7-616. PSD CDD Diversity Antenna 4a (20MHz BW 11ax Index 8 – RU26 – Ch.157)




Plot 7-614. PSD CDD Diversity Antenna 4a (20MHz BW 11ax Index 4 – RU26 – Ch.157)




Plot 7-617. PSD CDD Diversity Antenna 2a (20MHz BW 11ax Index 8 – RU26 – Ch.157)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 224 of 450




Plot 7-618. PSD CDD Diversity Antenna 4a (20MHz BW 11ax - RU242 - Ch.157)




Plot 7-621. PSD CDD Diversity Antenna 2a (40MHz BW 11ax Index 0 - RU26 - Ch.151)




Plot 7-619. PSD CDD Diversity Antenna 2a (20MHz BW 11ax - RU242 - Ch.157)



Plot 7-622. PSD CDD Diversity Antenna 4a (40MHz BW 11ax Index 8 - RU26 - Ch.151)








Plot 7-620. PSD CDD Diversity Antenna 4a (40MHz BW 11ax Index 0 - RU26 - Ch.151)




Plot 7-623. PSD CDD Diversity Antenna 2a (40MHz BW 11ax Index 8 - RU26 - Ch.151)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 225 of 450




FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 226 of 450




Plot 7-630. PSD CDD Diversity Antenna 4a (80MHz BW 11ax Index 18 – RU26 – Ch.155)




Plot 7-633. PSD CDD Diversity Antenna 2a (80MHz BW 11ax Index 36 – RU26 – Ch.155)




Plot 7-631. PSD CDD Diversity Antenna 2a (80MHz BW 11ax Index 18 – RU26 – Ch.155)



Plot 7-634. PSD CDD Diversity Antenna 4a (80MHz BW 11ax – RU996 – Ch.155)



Plot 7-632. PSD CDD Diversity Antenna 4a (80MHz BW 11ax Index 36 – RU26 – Ch.155)



Plot 7-635. PSD CDD Diversity Antenna 2a (80MHz BW 11ax – RU996 – Ch.155)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 227 of 450


	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 4a Power Density [dBm/MHz]	Antenna 2a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	4.11	4.97	7.57	-1.34	6.23	10.0	-3.77
					26	4	25/29.4 (MCS11)	3.22	3.76	6.51	-1.34	5.17	10.0	-4.83
					26	8	25/29.4 (MCS11)	4.35	4.39	7.38	-1.34	6.04	10.0	-3.96
	5200	40	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	3.95	4.36	7.17	-1.34	5.83	10.0	-4.17
					26	4	25/29.4 (MCS11)	3.34	3.66	6.51	-1.34	5.17	10.0	-4.83
					26	8	25/29.4 (MCS11)	4.16	4.13	7.15	-1.34	5.81	10.0	-4.19
	5240	48	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	4.30	4.46	7.39	-1.34	6.05	10.0	-3.95
					26	4	25/29.4 (MCS11)	3.16	3.57	6.38	-1.34	5.04	10.0	-4.96
					26	8	25/29.4 (MCS11)	4.04	4.57	7.32	-1.34	5.98	10.0	-4.02
	5190	38	ax (40MHz)	SDM	26	0	25/29.4 (MCS11)	4.74	4.61	7.68	-1.34	6.34	10.0	-3.66
					26	8	25/29.4 (MCS11)	3.82	4.88	7.39	-1.34	6.05	10.0	-3.95
					26	17	25/29.4 (MCS11)	4.42	4.81	7.63	-1.34	6.28	10.0	-3.72
	5230	46	ax (40MHz)	SDM	26	0	25/29.4 (MCS11)	3.97	5.22	7.65	-1.34	6.31	10.0	-3.69
					26	8	25/29.4 (MCS11)	4.44	4.83	7.65	-1.34	6.30	10.0	-3.70
					26	17	25/29.4 (MCS11)	4.14	5.10	7.66	-1.34	6.31	10.0	-3.69
	5210	42	ax (80MHz)	SDM	26	0	25/29.4 (MCS11)	4.12	5.07	7.63	-1.34	6.29	10.0	-3.71
					26	18	25/29.4 (MCS11)	3.30	3.92	6.63	-1.34	5.29	10.0	-4.71
					26	36	25/29.4 (MCS11)	4.16	4.39	7.28	-1.34	5.94	10.0	-4.06
	5250	50 (L)	ax (160MHz)	SDM	52	37	50/58.8 (MCS11)	4.91	4.75	7.84	-1.34	6.50	10.0	-3.50
					52	52	50/58.8 (MCS11)	4.68	4.69	7.70	-1.34	6.35	10.0	-3.65

Table 7-200. ISED Band 1 e.i.r.p. Power Spectral Density Measurements SDM Diversity (RU26/RU52)


	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 4a Power Density [dBm/MHz]	Antenna 2a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	3.74	3.52	6.64	-1.34	5.30	10.0	-4.70
	5200	40	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	3.44	4.16	6.82	-1.34	5.48	10.0	-4.52
	5240	48	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	3.47	4.08	6.79	-1.34	5.45	10.0	-4.55
	5190	38	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-1.19	-1.94	1.46	1.66	3.12	10.0	-6.88
	5230	46	ax (40MHz)	SDM	484	65	487.5/573.5 (MCS11)	3.14	4.45	6.86	-1.34	5.51	10.0	-4.49
	5210	42	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-5.25	-5.47	-2.35	1.66	-0.68	10.0	-10.68
	5250	50	ax (160MHz)	CDD	996x2	68	2041.6/2402 (MCS11)	-9.76	-8.51	-6.08	1.76	-4.32	10.0	-14.32

Table 7-201. ISED Band 1 e.i.r.p. Power Spectral Density Measurements SDM Diversity (Fully-loaded RU)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 228 of 450




Plot 7-636. ISED PSD SDM Diversity Antenna 4a (20MHz BW 11ax Index 0 - RU26 - Ch.40)




Plot 7-639. ISED PSD SDM Diversity Antenna 2a (20MHz BW 11ax Index 4 - RU26 - Ch.40)




Plot 7-637. ISED PSD SDM Diversity Antenna 2a (20MHz BW 11ax Index 0 - RU26 - Ch.40)



Plot 7-640. ISED PSD SDM Diversity Antenna 4a (20MHz BW 11ax Index 8 - RU26 - Ch.40)



Plot 7-638. ISED PSD SDM Diversity Antenna 4a (20MHz BW 11ax Index 4 - RU26 - Ch.40)



Plot 7-641. ISED PSD SDM Diversity Antenna 2a (20MHz BW 11ax Index 8 - RU26 - Ch.40)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-23-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 229 of 450