



Plot 7-278. PSD Antenna WF5b (40MHz BW 802.11ax(SU) - Ch. 46, MCS4)




Plot 7-276. PSD Antenna WF5b (20MHz BW 802.11ax(SU) - Ch. 40, MCS4)



Plot 7-279. PSD Antenna WF5b (80MHz BW 802.11ac - Ch. 42, MCS4)



Plot 7-277. PSD Antenna WF5b (40MHz BW 802.11n - Ch. 46, MCS4)




Plot 7-280. PSD Antenna WF5b (80MHz BW 802.11ax(SU) - Ch. 42, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 140 of 597	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 149 of 587	






Plot 7-281. PSD Antenna WF5b (160MHz BW 802.11ac - Ch. 50, MCS4)



Plot 7-284. PSD Antenna WF5b (20MHz BW 802.11ax(SU) - Ch. 60, MCS4)




Plot 7-282. PSD Antenna WF5b (160MHz BW 802.11ax(SU) - Ch. 50, MCS4)



Plot 7-285. PSD Antenna WF5b (40MHz BW 802.11n - Ch. 54, MCS4)



Plot 7-283. PSD Antenna WF5b (20MHz BW 802.11n - Ch. 60, MCS4)




Plot 7-286. PSD Antenna WF5b (40MHz BW 802.11ax(SU) - Ch. 54, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 150 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 150 01 587









Plot 7-290. PSD Antenna WF5b (20MHz BW 802.11ax(SU) - Ch. 116, MCS4)



Plot 7-288. PSD Antenna WF5b (80MHz BW 802.11ax(SU) - Ch. 58, MCS4)



Plot 7-291. PSD Antenna WF5b (40MHz BW 802.11n - Ch. 110, MCS4)




Plot 7-289. PSD Antenna WF5b (20MHz BW 802.11n - Ch. 116, MCS4)



Plot 7-292. PSD Antenna WF5b (40MHz BW 802.11ax(SU) - Ch. 110, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 151 of 597
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 151 of 587





Plot 7-293. PSD Antenna WF5b (80MHz BW 802.11ac - Ch. 122, MCS4)



Plot 7-294. PSD Antenna WF5b (80MHz BW 802.11ax(SU) - Ch. 122, MCS4)



Plot 7-295. PSD Antenna WF5b (160MHz BW 802.11ac - Ch. 114, MCS4)


X R T	RF 50 Ω	AC CORREC PNO: Fast ↔	SENSE:INT SO	#Avg Type: RMS Avg Hold: 100/100	09:41:33 AM Feb 21, 2024 TRACE 2 3 4 5 6 TYPE A WWW.WW	Frequency
		IFGain:Low	#Atten: 26 dB	-	DET A N N N N N	Auto Tun
10 dB/div Log	Ref Offset 0.23 Ref 20.23 di	dB 3m		IVIK	r1 5.585 12 GHz -8.911 dBm	
1			Ĭ			Center Fre
10.2						5.570000000 GH
1.230			2			Start Fre
-9.77						5.450000000 GI
			Ĭ			
-19.8						Stop Fre 5.690000000 Gi
-29.8						0.050000000
-39.8						CF Ste 24,000000 Mi
-49.8					\ \ \ \ \	Auto M
						Freq Offs
-59.8						01
-69.8						
						Scale Typ
Center 5.	5700 GHz	#VRM	3.0 MHz*	Swaan	Span 240.0 MHz 1.000 ms (1001 pts)	Log <u>L</u>

Plot 7-296. PSD Antenna WF5b (160MHz BW 802.11ax(SU) - Ch. 114, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 152 of 597
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 152 of 587










Plot 7-300. PSD Antenna WF5b (40MHz BW 802.11ax(SU) - Ch. 46, MCS11)



Plot 7-298. PSD Antenna WF5b (20MHz BW 802.11ax(SU) - Ch. 40, MCS11)



Plot 7-301. PSD Antenna WF5b (80MHz BW 802.11ac - Ch. 42, MCS9)



Plot 7-299. PSD Antenna WF5b (40MHz BW 802.11n - Ch. 46, MCS7)




Plot 7-302. PSD Antenna WF5b (80MHz BW 802.11ax(SU) - Ch. 42, MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 153 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	rage 155 01 567





Plot 7-303. PSD Antenna WF5b (160MHz BW 802.11ac - Ch. 50, MCS9)



Plot 7-306. PSD Antenna WF5b (20MHz BW 802.11ax(SU) - Ch. 60, MCS11)



Plot 7-304. PSD Antenna WF5b (160MHz BW 802.11ax(SU) - Ch. 50, MCS11)



Plot 7-307. PSD Antenna WF5b (40MHz BW 802.11n - Ch. 54, MCS7)




Plot 7-305. PSD Antenna WF5b (20MHz BW 802.11n - Ch. 60, MCS7)




Plot 7-308. PSD Antenna WF5b (40MHz BW 802.11ax(SU) - Ch. 54, MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 454 of 507
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 154 of 587






Plot 7-309. PSD Antenna WF5b (80MHz BW 802.11ac - Ch. 58, MCS9)



Plot 7-312. PSD Antenna WF5b (20MHz BW 802.11ax(SU) - Ch. 116, MCS11)




Plot 7-310. PSD Antenna WF5b (80MHz BW 802.11ax(SU) - Ch. 58, MCS11)



Plot 7-313. PSD Antenna WF5b (40MHz BW 802.11n - Ch. 110, MCS7)




Plot 7-311. PSD Antenna WF5b (20MHz BW 802.11n - Ch. 116, MCS7)




Plot 7-314. PSD Antenna WF5b (40MHz BW 802.11ax(SU) - Ch. 110, MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 155 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 155 01 567





Plot 7-315. PSD Antenna WF5b (80MHz BW 802.11ac - Ch. 122, MCS9)



Plot 7-317. PSD Antenna WF5b (160MHz BW 802.11ac - Ch. 114, MCS9)



Plot 7-316. PSD Antenna WF5b (80MHz BW 802.11ax(SU) - Ch. 122, MCS11)



Plot 7-318. PSD Antenna WF5b (160MHz BW 802.11ax(SU) - Ch. 114, MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 156 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 130 01 587



	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
	5745	149	n (20MHz)	19.5/21.7 (MCS2)	4.29	30.0	-25.71
	5785	157	n (20MHz)	19.5/21.7 (MCS2)	4.17	30.0	-25.83
	5825	165	n (20MHz)	19.5/21.7 (MCS2)	4.39	30.0	-25.61
	5745	149	ax (SU) (20MHz)	24/25.8 (MCS2)	2.97	30.0	-27.03
က	5785	157	ax (SU) (20MHz)	24/25.8 (MCS2)	2.76	30.0	-27.24
	5825	165	ax (SU) (20MHz)	24/25.8 (MCS2)	3.11	30.0	-26.89
Band	5755	151	n (40MHz)	40/40.5 (MCS2)	1.24	30.0	-28.76
_	5795	159	n (40MHz)	40/40.5 (MCS2)	1.41	30.0	-28.59
	5755	151	ax (SU) (40MHz)	49/51.6 (MCS2)	-0.05	30.0	-30.05
	5795	159	ax (SU) (40MHz)	49/51.6 (MCS2)	0.07	30.0	-29.93
	5775	155	ac (80MHz)	87.8/97.5 (MCS2)	-1.35	30.0	-31.35
	5775	155	ax (SU) (80MHz)	102/108.1 (MCS2)	-2.97	30.0	-32.97

Table 7-203. Band 3 Power Spectral Density Measurements Antenna WF5b (Low Data Rate)

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
	5745	149	n (20MHz)	39/43.3 (MCS4)	4.19	30.0	-25.81
	5785	157	n (20MHz)	39/43.3 (MCS4)	4.06	30.0	-25.94
	5825	165	n (20MHz)	39/43.3 (MCS4)	4.58	30.0	-25.42
	5745	149	ax (SU) (20MHz)	49/51.6 (MCS4)	3.09	30.0	-26.91
m	5785	157	ax (SU) (20MHz)	49/51.6 (MCS4)	3.07	30.0	-26.93
	5825	165	ax (SU) (20MHz)	49/51.6 (MCS4)	3.16	30.0	-26.84
Band	5755	151	n (40MHz)	81/90 (MCS4)	1.43	30.0	-28.57
	5795	159	n (40MHz)	81/90 (MCS4)	1.58	30.0	-28.42
	5755	151	ax (SU) (40MHz)	98/103.2 (MCS4)	0.20	30.0	-29.81
	5795	159	ax (SU) (40MHz)	98/103.2 (MCS4)	0.30	30.0	-29.70
	5775	155	ac (80MHz)	175.5/195 (MCS4)	-1.30	30.0	-31.30
	5775	155	ax (SU) (80MHz)	204/216.2 (MCS4)	-4.02	30.0	-34.02

Table 7-204. Band 3 Power Spectral Density Measurements Antenna WF5b (Mid Data Rate)


	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
	5745	149	n (20MHz)	65/72.2 (MCS7)	3.37	30.0	-26.63
	5785	157	n (20MHz)	65/72.2 (MCS7)	3.08	30.0	-26.92
	5825	165	n (20MHz)	65/72.2 (MCS7)	3.20	30.0	-26.80
	5745	149	ax (SU) (20MHz)	135/143.4 (MCS11)	3.37	30.0	-26.64
က	5785	157	ax (SU) (20MHz)	135/143.4 (MCS11)	2.92	30.0	-27.08
	5825	165	ax (SU) (20MHz)	135/143.4 (MCS11)	3.27	30.0	-26.73
Band	5755	151	n (40MHz)	135/150 (MCS7)	0.55	30.0	-29.46
_	5795	159	n (40MHz)	135/150 (MCS7)	0.18	30.0	-29.82
	5755	151	ax (SU) (40MHz)	271/286 (MCS11)	0.46	30.0	-29.54
	5795	159	ax (SU) (40MHz)	271/286 (MCS11)	1.62	30.0	-28.39
	5775	155	ac (80MHz)	390/433.3 (MCS9)	-3.07	30.0	-33.07
	5775	155	ax (SU) (80MHz)	567/600.5 (MCS11)	-4.11	30.0	-34.11

Table 7-205. Band 3 Power Spectral Density Measurements Antenna WF5b (High Data Rate)

FCC ID: BCGA2926 IC: 579C-A2926	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 157 of 597
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 157 of 587









Plot 7-322. PSD Antenna WF5b (40MHz BW 802.11ax(SU) - Ch. 151, MCS2)




Plot 7-320. PSD Antenna WF5b (20MHz BW 802.11ax(SU) - Ch. 157, MCS2)



Plot 7-323. PSD Antenna WF5b (80MHz BW 802.11ac - Ch. 155, MCS2)



Plot 7-321. PSD Antenna WF5b (40MHz BW 802.11n - Ch. 151, MCS2)




Plot 7-324. PSD Antenna WF5b (80MHz BW 802.11ax(SU) - Ch. 155, MCS2)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 450 of 507
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 158 of 587






Plot 7-325. PSD Antenna WF5b (20MHz BW 802.11n - Ch. 157, MCS4)



Plot 7-328. PSD Antenna WF5b (40MHz BW 802.11ax(SU) - Ch. 151, MCS4)



Plot 7-326. PSD Antenna WF5b (20MHz BW 802.11ax(SU) - Ch. 157, MCS4)



Plot 7-329. PSD Antenna WF5b (80MHz BW 802.11ac - Ch. 155, MCS4)



Plot 7-327. PSD Antenna WF5b (40MHz BW 802.11n - Ch. 151, MCS4)




Plot 7-330. PSD Antenna WF5b (80MHz BW 802.11ax(SU) - Ch. 155, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	ement MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Page 159 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 139 01 587






Plot 7-331. PSD Antenna WF5b (20MHz BW 802.11n - Ch. 157, MCS7)



Plot 7-334. PSD Antenna WF5b (40MHz BW 802.11ax(SU) - Ch. 151, MCS11)



Plot 7-332. PSD Antenna WF5b (20MHz BW 802.11ax(SU) - Ch. 157, MCS11)



Plot 7-335. PSD Antenna WF5b (80MHz BW 802.11ac - Ch. 155, MCS9)





Plot 7-336. PSD Antenna WF5b (80MHz BW 802.11ax(SU) - Ch. 155, MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 160 of 597
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 160 of 587



	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
	5180	36	n (20MHz)	19.5/21.7 (MCS2)	7.05	1.40	8.45	10.0	-1.55
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	7.89	1.40	9.29	10.0	-0.71
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	7.80	1.40	9.20	10.0	-0.80
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	5.60	1.40	7.00	10.0	-3.00
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	6.15	1.40	7.55	10.0	-2.45
<u>d</u>	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	6.43	1.40	7.83	10.0	-2.17
Band	5190	38	n (40MHz)	40/40.5 (MCS2)	2.03	1.40	3.43	10.0	-6.57
_	5230	46	n (40MHz)	40/40.5 (MCS2)	5.26	1.40	6.66	10.0	-3.34
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	0.19	1.40	1.59	10.0	-8.41
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	4.23	1.40	5.63	10.0	-4.38
	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-2.18	1.40	-0.78	10.0	-10.78
	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-3.56	1.40	-2.16	10.0	-12.16
Band 1/2	5250	50	ac (160MHz)	87.8/97.5 (MCS2)	-6.47	1.40	-5.07	10.0	-15.07
Ba 1/	5250	50	ax (SU) (160MHz)	102/108.1 (MCS2)	-6.01	1.40	-4.61	10.0	-14.61

Table 7-206. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF5b (Low Data Rate)

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
	5180	36	n (20MHz)	39/43.3 (MCS4)	6.97	1.40	8.37	10.0	-1.63
	5200	40	n (20MHz)	39/43.3 (MCS4)	7.76	1.40	9.16	10.0	-0.84
	5240	48	n (20MHz)	39/43.3 (MCS4)	7.80	1.40	9.20	10.0	-0.80
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	4.55	1.40	5.95	10.0	-4.05
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	6.16	1.40	7.56	10.0	-2.44
<u>d</u>	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	5.93	1.40	7.33	10.0	-2.67
Band	5190	38	n (40MHz)	81/90 (MCS4)	2.16	1.40	3.56	10.0	-6.45
_	5230	46	n (40MHz)	81/90 (MCS4)	5.48	1.40	6.88	10.0	-3.12
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	-0.24	1.40	1.16	10.0	-8.84
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	4.20	1.40	5.60	10.0	-4.40
	5210	42	ac (80MHz)	175.5/195 (MCS4)	-2.44	1.40	-1.04	10.0	-11.04
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-4.26	1.40	-2.86	10.0	-12.86
Band 1/2	5250	50	ac (160MHz)	175.5/195 (MCS4)	-6.70	1.40	-5.30	10.0	-15.30
Ba 1/	5250	50	ax (SU) (160MHz)	204/216.2 (MCS4)	-7.86	1.40	-6.46	10.0	-16.46

Table 7-207. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF5b (Mid Data Rate)

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
	5180	36	n (20MHz)	65/72.2 (MCS7)	4.73	1.40	6.13	10.0	-3.87
	5200	40	n (20MHz)	65/72.2 (MCS7)	6.48	1.40	7.88	10.0	-2.12
	5240	48	n (20MHz)	65/72.2 (MCS7)	6.82	1.40	8.22	10.0	-1.78
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	4.60	1.40	6.00	10.0	-4.00
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	6.16	1.40	7.56	10.0	-2.44
Band 1	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	6.30	1.40	7.70	10.0	-2.31
Ban	5190	38	n (40MHz)	135/150 (MCS7)	0.04	1.40	1.44	10.0	-8.56
_	5230	46	n (40MHz)	135/150 (MCS7)	4.20	1.40	5.60	10.0	-4.40
	5190	38	ax (SU) (40MHz)	271/286 (MCS11)	-0.64	1.40	0.76	10.0	-9.24
	5230	46	ax (SU) (40MHz)	271/286 (MCS11)	4.11	1.40	5.51	10.0	-4.49
	5210	42	ac (80MHz)	390/433.3 (MCS9)	-4.50	1.40	-3.10	10.0	-13.10
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-4.40	1.40	-3.00	10.0	-13.00
Band 1/2	5250	50	ac (160MHz)	390/433.3 (MCS9)	-7.63	1.40	-6.23	10.0	-16.23
Ba 1/	5250	50	ax (SU) (160MHz)	567/600.5 (MCS11)	-7.51	1.40	-6.11	10.0	-16.11

Table 7-208. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF5b (High Data Rate)

FCC ID: BCGA2926 IC: 579C-A2926	element	ement MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Page 161 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 161 01 367










Plot 7-340. ISED PSD Antenna WF5b (40MHz BW 11ax(SU) - Ch.46, MCS2)



Plot 7-338. ISED PSD Antenna WF5b (20MHz BW 11ax(SU) - Ch.40, MCS2)



Plot 7-341. ISED PSD Antenna WF5b (80MHz BW 11ac - Ch.42, MCS2)




Plot 7-339. ISED PSD Antenna WF5b (40MHz BW 11n - Ch.46, MCS2)




Plot 7-342. ISED PSD Antenna WF5b (80MHz BW 11ax (SU) - Ch.42, MCS2)

FCC ID: BCGA2926 IC: 579C-A2926	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 162 of 597
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 162 of 587





Plot 7-343. ISED PSD Antenna WF5b (160MHz BW 11ac - Ch.50, MCS2)





Plot 7-344. ISED PSD Antenna WF5b (160MHz BW 11ax (SU) - Ch.50, MCS2)

FCC ID: BCGA2926 IC: 579C-A2926	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 462 of 507
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 163 of 587










Plot 7-348. ISED PSD Antenna WF5b (40MHz BW 11ax(SU) - Ch.46, MCS4)



Plot 7-346. ISED PSD Antenna WF5b (20MHz BW 11ax(SU) - Ch.40, MCS4)



Plot 7-349. ISED PSD Antenna WF5b (80MHz BW 11ac - Ch.42, MCS4)



Plot 7-347. ISED PSD Antenna WF5b (40MHz BW 11n - Ch.46, MCS4)



Plot 7-350. ISED PSD Antenna WF5b (80MHz BW 11ax (SU) - Ch.42, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	ement MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 164 of 597
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 164 of 587