




Plot 7-497. PSD Antenna 2a (160MHz BW 802.11ac – Ch. 50, MCS4)




Plot 7-500. PSD Antenna 2a (20MHz BW 802.11ax(SU) – Ch. 60, MCS4)




Plot 7-498. PSD Antenna 2a (160MHz BW 802.11ax(SU) – Ch. 50, MCS4)



Plot 7-501. PSD Antenna 2a (40MHz BW 802.11n – Ch. 54, MCS4)




Plot 7-499. PSD Antenna 2a (20MHz BW 802.11n – Ch. 60, MCS4)




Plot 7-502. PSD Antenna 2a (40MHz BW 802.11ax(SU) – Ch. 54, MCS4)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 202 of 587




Plot 7-503. PSD Antenna 2a (80MHz BW 802.11ac – Ch. 58, MCS4)




Plot 7-506. PSD Antenna 2a (20MHz BW 802.11ax(SU) – Ch. 116, MCS4)




Plot 7-504. PSD Antenna 2a (80MHz BW 802.11ax(SU) – Ch. 58, MCS4)



Plot 7-507. PSD Antenna 2a (40MHz BW 802.11n – Ch. 110, MCS4)







Plot 7-505. PSD Antenna 2a (20MHz BW 802.11n – Ch. 116, MCS4)




Plot 7-508. PSD Antenna 2a (40MHz BW 802.11ax(SU) – Ch. 110, MCS4)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 203 of 587




FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 204 of 587




Plot 7-513. PSD Antenna 2a (20MHz BW 802.11n – Ch. 40, MCS7)




Plot 7-516. PSD Antenna 2a (40MHz BW 802.11ax(SU) – Ch. 46, MCS11)




Plot 7-514. PSD Antenna 2a (20MHz BW 802.11ax(SU) – Ch. 40, MCS11)



Plot 7-517. PSD Antenna 2a (80MHz BW 802.11ac – Ch. 42, MCS9)




Plot 7-515. PSD Antenna 2a (40MHz BW 802.11n – Ch. 46, MCS7)




Plot 7-518. PSD Antenna 2a (80MHz BW 802.11ax(SU) – Ch. 42, MCS11)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 205 of 587




Plot 7-519. PSD Antenna 2a (160MHz BW 802.11ac – Ch. 50, MCS9)




Plot 7-522. PSD Antenna 2a (20MHz BW 802.11ax(SU) – Ch. 60, MCS11)



Plot 7-520. PSD Antenna 2a (160MHz BW 802.11ax(SU) – Ch. 50, MCS11)



Plot 7-523. PSD Antenna 2a (40MHz BW 802.11n – Ch. 54, MCS7)




Plot 7-521. PSD Antenna 2a (20MHz BW 802.11n – Ch. 60, MCS7)




Plot 7-524. PSD Antenna 2a (40MHz BW 802.11ax(SU) – Ch. 54, MCS11)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 206 of 587




Plot 7-525. PSD Antenna 2a (80MHz BW 802.11ac – Ch. 58, MCS9)




Plot 7-528. PSD Antenna 2a (20MHz BW 802.11ax(SU) – Ch. 116, MCS11)




Plot 7-526. PSD Antenna 2a (80MHz BW 802.11ax(SU) – Ch. 58, MCS11)



Plot 7-529. PSD Antenna 2a (40MHz BW 802.11n – Ch. 110, MCS7)







Plot 7-527. PSD Antenna 2a (20MHz BW 802.11n – Ch. 116, MCS7)



Plot 7-530. PSD Antenna 2a (40MHz BW 802.11ax(SU) – Ch. 110, MCS11)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 207 of 587



FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 208 of 587

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	19.5/21.7 (MCS2)	4.71	30.0	-25.3
	5785	157	n (20MHz)	19.5/21.7 (MCS2)	4.50	30.0	-25.5
	5825	165	n (20MHz)	19.5/21.7 (MCS2)	4.61	30.0	-25.4
	5745	149	ax (SU) (20MHz)	24/25.8 (MCS2)	3.54	30.0	-26.5
	5785	157	ax (SU) (20MHz)	24/25.8 (MCS2)	3.10	30.0	-26.9
	5825	165	ax (SU) (20MHz)	24/25.8 (MCS2)	3.36	30.0	-26.6
	5755	151	n (40MHz)	40/40.5 (MCS2)	1.70	30.0	-28.3
	5795	159	n (40MHz)	40/40.5 (MCS2)	1.54	30.0	-28.5
	5755	151	ax (SU) (40MHz)	49/51.6 (MCS2)	0.59	30.0	-29.4
	5795	159	ax (SU) (40MHz)	49/51.6 (MCS2)	0.26	30.0	-29.7
	5775	155	ac (80MHz)	87.8/97.5 (MCS2)	-1.18	30.0	-31.2
	5775	155	ax (SU) (80MHz)	102/108.1 (MCS2)	-2.84	30.0	-32.8

Table 7-221. Band 3 Power Spectral Density Measurements Antenna 2a (Low Data Rate)


	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	39/43.3 (MCS4)	5.00	30.0	-25.0
	5785	157	n (20MHz)	39/43.3 (MCS4)	4.67	30.0	-25.3
	5825	165	n (20MHz)	39/43.3 (MCS4)	4.67	30.0	-25.3
	5745	149	ax (SU) (20MHz)	49/51.6 (MCS4)	3.54	30.0	-26.5
	5785	157	ax (SU) (20MHz)	49/51.6 (MCS4)	3.25	30.0	-26.8
	5825	165	ax (SU) (20MHz)	49/51.6 (MCS4)	3.71	30.0	-26.3
	5755	151	n (40MHz)	81/90 (MCS4)	1.76	30.0	-28.2
	5795	159	n (40MHz)	81/90 (MCS4)	1.74	30.0	-28.3
	5755	151	ax (SU) (40MHz)	98/103.2 (MCS4)	0.89	30.0	-29.1
	5795	159	ax (SU) (40MHz)	98/103.2 (MCS4)	0.28	30.0	-29.7
	5775	155	ac (80MHz)	175.5/195 (MCS4)	-1.13	30.0	-31.1
	5775	155	ax (SU) (80MHz)	204/216.2 (MCS4)	-3.66	30.0	-33.7

Table 7-222. Band 3 Power Spectral Density Measurements Antenna 2a (Mid Data Rate)


	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	65/72.2 (MCS7)	3.55	30.0	-26.5
	5785	157	n (20MHz)	65/72.2 (MCS7)	3.26	30.0	-26.7
	5825	165	n (20MHz)	65/72.2 (MCS7)	3.47	30.0	-26.5
	5745	149	ax (SU) (20MHz)	135/143.4 (MCS11)	3.71	30.0	-26.3
	5785	157	ax (SU) (20MHz)	135/143.4 (MCS11)	3.17	30.0	-26.8
	5825	165	ax (SU) (20MHz)	135/143.4 (MCS11)	3.51	30.0	-26.5
	5755	151	n (40MHz)	135/150 (MCS7)	0.64	30.0	-29.4
	5795	159	n (40MHz)	135/150 (MCS7)	0.88	30.0	-29.1
	5755	151	ax (SU) (40MHz)	271/286 (MCS11)	0.74	30.0	-29.3
	5795	159	ax (SU) (40MHz)	271/286 (MCS11)	0.75	30.0	-29.3
	5775	155	ac (80MHz)	390/433.3 (MCS9)	-2.75	30.0	-32.7
	5775	155	ax (SU) (80MHz)	567/600.5 (MCS11)	-3.84	30.0	-33.8

Table 7-223. Band 3 Power Spectral Density Measurements Antenna 2a (High Data Rate)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 209 of 587




Plot 7-535. PSD Antenna 2a (20MHz BW 802.11n – Ch. 157, MCS2)




Plot 7-538. PSD Antenna 2a (40MHz BW 802.11ax(SU) – Ch. 151, MCS2)




Plot 7-536. PSD Antenna 2a (20MHz BW 802.11ax(SU) – Ch. 157, MCS2)



Plot 7-539. PSD Antenna 2a (80MHz BW 802.11ac – Ch. 155, MCS2)




Plot 7-537. PSD Antenna 2a (40MHz BW 802.11n – Ch. 151, MCS2)




Plot 7-540. PSD Antenna 2a (80MHz BW 802.11ax SU – Ch. 155, MCS2)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 210 of 587




Plot 7-541. PSD Antenna 2a (20MHz BW 802.11n – Ch. 157, MCS4)




Plot 7-544. PSD Antenna 2a (40MHz BW 802.11ax(SU) – Ch. 151, MCS4)




Plot 7-542. PSD Antenna 2a (20MHz BW 802.11ax(SU) – Ch. 157, MCS4)



Plot 7-545. PSD Antenna 2a (80MHz BW 802.11ac – Ch. 155, MCS4)









Plot 7-543. PSD Antenna 2a (40MHz BW 802.11n – Ch. 151, MCS4)



Plot 7-546. PSD Antenna 2a (80MHz BW 802.11ax SU – Ch. 155, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 211 of 587



FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 212 of 587

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	7.64	-1.60	6.04	10.0	-3.96
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	7.55	-1.60	5.95	10.0	-4.05
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	7.22	-1.60	5.62	10.0	-4.39
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	5.41	-1.60	3.81	10.0	-6.19
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	5.97	-1.60	4.37	10.0	-5.64
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	6.18	-1.60	4.58	10.0	-5.42
	5190	38	n (40MHz)	40/40.5 (MCS2)	2.11	-1.60	0.51	10.0	-9.49
	5230	46	n (40MHz)	40/40.5 (MCS2)	6.41	-1.60	4.81	10.0	-5.19
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	0.21	-1.60	-1.40	10.0	-11.40
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	5.11	-1.60	3.51	10.0	-6.49
	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-1.88	-1.60	-3.48	10.0	-13.48
5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-3.63	-1.60	-5.23	10.0	-15.23	
Band 1/2	5250	50	ac (160MHz)	87.8/97.5 (MCS2)	-6.32	-1.60	-7.92	10.0	-17.92
	5250	50	ax (SU) (160MHz)	102/108.1 (MCS2)	-5.58	-1.60	-7.18	10.0	-17.18

Table 7-224. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 2a (Low Data Rate)


	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	6.74	-1.60	5.14	10.0	-4.86
	5200	40	n (20MHz)	39/43.3 (MCS4)	7.43	-1.60	5.83	10.0	-4.17
	5240	48	n (20MHz)	39/43.3 (MCS4)	7.43	-1.60	5.83	10.0	-4.17
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	4.52	-1.60	2.92	10.0	-7.08
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	5.93	-1.60	4.33	10.0	-5.67
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	6.09	-1.60	4.49	10.0	-5.51
	5190	38	n (40MHz)	81/90 (MCS4)	1.76	-1.60	0.16	10.0	-9.84
	5230	46	n (40MHz)	81/90 (MCS4)	6.43	-1.60	4.83	10.0	-5.17
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	-0.09	-1.60	-1.69	10.0	-11.69
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	5.47	-1.60	3.87	10.0	-6.13
	5210	42	ac (80MHz)	175.5/195 (MCS4)	-2.34	-1.60	-3.94	10.0	-13.94
5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-4.01	-1.60	-5.61	10.0	-15.61	
Band 1/2	5250	50	ac (160MHz)	175.5/195 (MCS4)	-6.99	-1.60	-8.59	10.0	-18.59
	5250	50	ax (SU) (160MHz)	204/216.2 (MCS4)	-6.51	-1.60	-8.11	10.0	-18.11

Table 7-225. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 2a (Mid Data Rate)


	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	5.12	-1.60	3.52	10.0	-6.48
	5200	40	n (20MHz)	65/72.2 (MCS7)	6.26	-1.60	4.66	10.0	-5.35
	5240	48	n (20MHz)	65/72.2 (MCS7)	6.38	-1.60	4.78	10.0	-5.22
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	4.22	-1.60	2.62	10.0	-7.38
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	6.16	-1.60	4.56	10.0	-5.44
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	6.19	-1.60	4.59	10.0	-5.41
	5190	38	n (40MHz)	135/150 (MCS7)	0.01	-1.60	-1.59	10.0	-11.59
	5230	46	n (40MHz)	135/150 (MCS7)	5.25	-1.60	3.65	10.0	-6.35
	5190	38	ax (SU) (40MHz)	271/286 (MCS11)	-0.24	-1.60	-1.84	10.0	-11.84
	5230	46	ax (SU) (40MHz)	271/286 (MCS11)	5.22	-1.60	3.62	10.0	-6.38
	5210	42	ac (80MHz)	390/433.3 (MCS9)	-4.56	-1.60	-6.16	10.0	-16.16
5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-4.51	-1.60	-6.11	10.0	-16.11	
Band 1/2	5250	50	ac (160MHz)	390/433.3 (MCS9)	-7.19	-1.60	-8.79	10.0	-18.79
	5250	50	ax (SU) (160MHz)	567/600.5 (MCS11)	-7.23	-1.60	-8.83	10.0	-18.83

Table 7-226. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 2a (High Data Rate)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 213 of 587




Plot 7-553. ISED PSD Antenna 2a (20MHz BW 11n – Ch.40, MCS2)




Plot 7-556. ISED PSD Antenna 2a (40MHz BW 11ax(SU) – Ch.46, MCS2)




Plot 7-554. ISED PSD Antenna 2a (20MHz BW 11ax(SU) – Ch.40, MCS2)



Plot 7-557. ISED PSD Antenna 2a (80MHz BW 11ac – Ch.42, MCS2)




Plot 7-555. ISED PSD Antenna 2a (40MHz BW 11n – Ch.46, MCS2)




Plot 7-558. ISED PSD Antenna 2a (80MHz BW 11ax (SU) – Ch.42, MCS2)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 214 of 587




Plot 7-559. ISED PSD Antenna 2a (160MHz BW 11ac – Ch.50, MCS2)




Plot 7-560. ISED PSD Antenna 2a (160MHz BW 11ax (SU) – Ch.50, MCS2)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 215 of 587




Plot 7-561. ISED PSD Antenna 2a (20MHz BW 11n – Ch.40, MCS4)




Plot 7-564. ISED PSD Antenna 2a (40MHz BW 11ax(SU) – Ch.46, MCS4)




Plot 7-562. ISED PSD Antenna 2a (20MHz BW 11ax(SU) – Ch.40, MCS4)



Plot 7-565. ISED PSD Antenna 2a (80MHz BW 11ac – Ch.42, MCS4)




Plot 7-563. ISED PSD Antenna 2a (40MHz BW 11n – Ch.46, MCS4)




Plot 7-566. ISED PSD Antenna 2a (80MHz BW 11ax(SU) – Ch.42, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 216 of 587




Plot 7-567. ISD PSD Antenna 2a (160MHz BW 11ac – Ch.50, MCS4)




Plot 7-568. ISD PSD Antenna 2a (160MHz BW 11ax (SU) – Ch.50, MCS4)


<p>FCC ID: BCGA2926 IC: 579C-A2926</p>		<p>MEASUREMENT REPORT (CERTIFICATION)</p>	<p>Approved by: Technical Manager</p>
<p>Test Report S/N: 1C2311270070-22-R2.BCG</p>	<p>Test Dates: 1/3/2024 - 3/24/2024</p>	<p>EUT Type: Tablet Device</p>	<p>Page 217 of 587</p>




Plot 7-569. ISED PSD Antenna 2a (20MHz BW 11n – Ch.40, MCS7)




Plot 7-572. ISED PSD Antenna 2a (40MHz BW 11ax(SU) – Ch.46, MCS11)




Plot 7-570. ISED PSD Antenna 2a (20MHz BW 11ax(SU) – Ch.40, MCS11)



Plot 7-573. ISED PSD Antenna 2a (80MHz BW 11ac – Ch.42, MCS9)




Plot 7-571. ISED PSD Antenna 2a (40MHz BW 11n – Ch.46, MCS7)




Plot 7-574. ISED PSD Antenna 2a (80MHz BW 11ax (SU) – Ch.42, MCS11)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 218 of 587



Plot 7-575. ISED PSD Antenna 2a (160MHz BW 11ac – Ch.50, MCS9)



Plot 7-576. ISED PSD Antenna 2a (160MHz BW 11ax (SU) – Ch.50, MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 219 of 587

7.5.4 Summed CDD Primary Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	Data Rate [Mbps]	Ant W5b Power Density [dBm/MHz]	Ant 4a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	39/43.3 (MCS10)	6.21	6.84	9.54	11.00	-1.46
	5200	40	n (20MHz)	CDD	39/43.3 (MCS10)	5.84	6.58	9.24	11.00	-1.76
	5240	48	n (20MHz)	CDD	39/43.3 (MCS10)	5.98	6.72	9.37	11.00	-1.63
	5180	36	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	3.73	4.67	7.24	11.00	-3.76
	5200	40	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.42	4.88	7.67	11.00	-3.33
	5240	48	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.65	5.01	7.84	11.00	-3.16
	5190	38	n (40MHz)	CDD	81/60 (MCS10)	0.57	1.32	3.97	11.00	-7.03
	5230	46	n (40MHz)	CDD	81/60 (MCS10)	4.45	5.56	8.05	11.00	-2.95
	5190	38	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	-1.78	-1.47	1.39	11.00	-9.61
	5230	46	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	3.12	3.86	6.51	11.00	-4.49
	5210	42	ac (80MHz)	CDD	175.5/195 (MCS2)	-3.21	-2.53	0.16	11.00	-10.84
	5210	42	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-4.82	-4.11	-1.44	11.00	-12.44
Band 1/2	5250	50	ac (160MHz)	CDD	175.5/195 (MCS2)	-8.65	-7.22	-4.87	11.00	-15.87
	5250	50	ax (SU) (160MHz)	CDD	204/216.2 (MCS2)	-8.21	-7.89	-5.04	11.00	-16.04
Band 2A	5260	52	n (20MHz)	CDD	39/43.3 (MCS10)	6.35	6.77	9.57	11.00	-1.43
	5300	60	n (20MHz)	CDD	39/43.3 (MCS10)	5.92	6.36	9.15	11.00	-1.85
	5320	64	n (20MHz)	CDD	39/43.3 (MCS10)	5.72	6.62	9.20	11.00	-1.80
	5260	52	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.39	5.02	7.73	11.00	-3.27
	5300	60	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.47	4.79	7.65	11.00	-3.35
	5320	64	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.36	4.80	7.60	11.00	-3.40
	5270	54	n (40MHz)	CDD	81/60 (MCS10)	4.25	5.11	7.71	11.00	-3.29
	5310	62	n (40MHz)	CDD	81/60 (MCS10)	2.83	3.65	6.27	11.00	-4.73
	5270	54	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	3.27	3.61	6.45	11.00	-4.55
	5310	62	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	0.42	0.69	3.56	11.00	-7.44
	5290	58	ac (80MHz)	CDD	175.5/195 (MCS2)	-1.59	-0.75	1.86	11.00	-9.14
	5290	58	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-3.19	-2.28	0.30	11.00	-10.70
	5500	100	n (20MHz)	CDD	39/43.3 (MCS10)	6.10	6.43	9.28	11.00	-1.72
	5580	116	n (20MHz)	CDD	39/43.3 (MCS10)	6.42	6.88	9.67	11.00	-1.33
	*5600	120	n (20MHz)	CDD	39/43.3 (MCS10)	6.19	7.23	9.75	11.00	-1.25
	5700	140	n (20MHz)	CDD	39/43.3 (MCS10)	6.32	6.90	9.63	11.00	-1.37
5720	144	n (20MHz)	CDD	39/43.3 (MCS10)	6.19	6.62	9.42	11.00	-1.58	
5500	100	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.51	4.85	7.69	11.00	-3.31	
5580	116	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.64	5.24	7.96	11.00	-3.04	
*5600	120	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.87	5.23	8.06	11.00	-2.94	
5700	140	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	2.44	2.77	5.62	11.00	-5.38	
5720	144	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.50	4.97	7.75	11.00	-3.25	
5510	102	n (40MHz)	CDD	81/60 (MCS10)	1.30	2.28	4.83	11.00	-6.17	
5550	110	n (40MHz)	CDD	81/60 (MCS10)	4.52	5.48	8.04	11.00	-2.96	
*5590	118	n (40MHz)	CDD	81/60 (MCS10)	4.52	5.17	7.87	11.00	-3.13	
5670	134	n (40MHz)	CDD	81/60 (MCS10)	4.39	5.47	7.97	11.00	-3.03	
5710	142	n (40MHz)	CDD	81/60 (MCS10)	4.35	5.19	7.80	11.00	-3.20	
5510	102	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	-0.24	0.48	3.14	11.00	-7.86	
5550	110	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	2.22	2.87	5.57	11.00	-5.43	
*5590	118	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	3.21	3.55	6.39	11.00	-4.61	
5670	134	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	2.92	3.37	6.16	11.00	-4.84	
5710	142	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	3.00	3.72	6.38	11.00	-4.62	
5530	106	ac (80MHz)	CDD	175.5/195 (MCS2)	-2.06	-1.79	1.09	11.00	-9.91	
*5610	122	ac (80MHz)	CDD	175.5/195 (MCS2)	1.30	2.08	4.71	11.00	-6.29	
5690	138	ac (80MHz)	CDD	175.5/195 (MCS2)	0.60	1.79	4.25	11.00	-6.75	
5530	106	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-3.89	-3.96	-0.91	11.00	-11.91	
*5610	122	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	0.17	0.85	3.54	11.00	-7.46	
5690	138	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-0.41	0.75	3.22	11.00	-7.78	
*5570	114	ac (160MHz)	CDD	175.5/195 (MCS2)	-7.11	-6.07	-3.54	11.00	-14.54	
*5570	114	ax (SU) (160MHz)	CDD	204/216.2 (MCS2)	-8.34	-7.54	-4.91	11.00	-15.91	

Table 7-227. Bands 1, 2A, 2C CDD Primary Power Spectral Density Measurements (Low Data Rate)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 220 of 587

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	Data Rate [Mbps]	Ant WFSb Power Density [dBm/MHz]	Ant 4a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	78/86.7 (MCS12)	5.14	6.08	8.65	11.00	-2.35
	5200	40	n (20MHz)	CDD	78/86.7 (MCS12)	5.95	6.55	9.27	11.00	-1.73
	5240	48	n (20MHz)	CDD	78/86.7 (MCS12)	6.30	6.89	9.62	11.00	-1.38
	5180	36	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	2.63	3.19	5.93	11.00	-5.07
	5200	40	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.64	4.87	7.77	11.00	-3.23
	5240	48	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.65	5.20	7.95	11.00	-3.05
	5190	38	n (40MHz)	CDD	162/180 (MCS12)	0.05	0.64	3.36	11.00	-7.64
	5230	46	n (40MHz)	CDD	162/180 (MCS12)	4.49	5.58	8.08	11.00	-2.92
	5190	38	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	-1.85	-1.38	1.40	11.00	-9.60
	5230	46	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	3.24	3.64	6.46	11.00	-4.54
	5210	42	ac (80MHz)	CDD	351/390 (MCS4)	-3.94	-3.68	-0.80	11.00	-11.80
5210	42	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-5.67	-4.71	-2.15	11.00	-13.15	
Band 1/2	5250	50	ac (160MHz)	CDD	351/390 (MCS4)	-8.95	-7.72	-5.28	11.00	-16.28
	5250	50	ax (SU) (160MHz)	CDD	408/432.4 (MCS4)	-8.43	-9.22	-5.80	11.00	-16.80
Band 2A	5260	52	n (20MHz)	CDD	78/86.7 (MCS12)	5.98	6.80	9.42	11.00	-1.58
	5300	60	n (20MHz)	CDD	78/86.7 (MCS12)	6.09	6.79	9.47	11.00	-1.53
	5320	64	n (20MHz)	CDD	78/86.7 (MCS12)	5.88	6.59	9.26	11.00	-1.74
	5260	52	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.56	4.93	7.76	11.00	-3.24
	5300	60	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.32	4.84	7.59	11.00	-3.41
	5320	64	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	3.79	4.58	7.21	11.00	-3.79
	5270	54	n (40MHz)	CDD	162/180 (MCS12)	4.56	5.32	7.97	11.00	-3.03
	5310	62	n (40MHz)	CDD	162/180 (MCS12)	1.66	2.28	4.99	11.00	-6.01
	5270	54	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	3.20	3.93	6.59	11.00	-4.41
	5310	62	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	-0.55	-0.37	2.55	11.00	-8.45
	5290	58	ac (80MHz)	CDD	351/390 (MCS4)	-2.24	-1.62	1.09	11.00	-9.91
	5290	58	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-3.37	-2.94	-0.14	11.00	-11.14
	Band 2C	5500	100	n (20MHz)	CDD	78/86.7 (MCS12)	5.67	6.21	8.96	11.00
5580		116	n (20MHz)	CDD	78/86.7 (MCS12)	6.23	7.09	9.69	11.00	-1.31
*5600		120	n (20MHz)	CDD	78/86.7 (MCS12)	6.24	7.31	9.82	11.00	-1.18
5700		140	n (20MHz)	CDD	78/86.7 (MCS12)	5.78	6.14	8.98	11.00	-2.02
5720		144	n (20MHz)	CDD	78/86.7 (MCS12)	6.38	7.12	9.77	11.00	-1.23
5500		100	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.15	4.08	7.12	11.00	-3.88
5580		116	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.42	5.13	7.80	11.00	-3.20
*5600		120	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.81	5.39	8.12	11.00	-2.88
5700		140	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	2.43	3.12	5.80	11.00	-5.20
5720		144	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.59	4.97	7.79	11.00	-3.21
5510		102	n (40MHz)	CDD	162/180 (MCS12)	1.23	1.90	4.59	11.00	-6.41
5550		110	n (40MHz)	CDD	162/180 (MCS12)	4.27	5.27	7.81	11.00	-3.19
*5590		118	n (40MHz)	CDD	162/180 (MCS12)	4.59	5.42	8.03	11.00	-2.97
5670		134	n (40MHz)	CDD	162/180 (MCS12)	3.61	4.42	7.04	11.00	-3.96
5710		142	n (40MHz)	CDD	162/180 (MCS12)	4.30	5.64	8.03	11.00	-2.97
5510		102	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	-0.46	-0.21	2.68	11.00	-8.32
5550		110	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	1.98	2.30	5.15	11.00	-5.85
*5590		118	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	3.36	3.79	6.59	11.00	-4.41
5670		134	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	1.24	1.54	4.40	11.00	-6.60
5710		142	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	3.08	3.62	6.37	11.00	-4.63
5530		106	ac (80MHz)	CDD	351/390 (MCS4)	-2.57	-2.40	0.53	11.00	-10.47
*5610		122	ac (80MHz)	CDD	351/390 (MCS4)	0.76	1.77	4.31	11.00	-6.69
5690		138	ac (80MHz)	CDD	351/390 (MCS4)	0.71	1.87	4.34	11.00	-6.66
5530		106	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-4.26	-4.15	-1.19	11.00	-12.19
*5610		122	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-0.97	-0.55	2.26	11.00	-8.74
5690		138	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-0.20	0.66	3.26	11.00	-7.74
*5570		114	ac (160MHz)	CDD	351/390 (MCS4)	-7.42	-6.52	-3.94	11.00	-14.94
*5570	114	ax (SU) (160MHz)	CDD	408/432.4 (MCS4)	-8.86	-7.91	-5.35	11.00	-16.35	

Table 7-228. Bands 1, 2A, 2C CDD Primary Power Spectral Density Measurements (Mid Data Rate)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 221 of 587

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	Data Rate [Mbps]	Ant W5b Power Density [dBm/MHz]	Ant 4a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	130/144.4 (MCS15)	2.91	3.59	6.27	11.00	-4.73
	5200	40	n (20MHz)	CDD	130/144.4 (MCS15)	4.76	5.63	8.23	11.00	-2.77
	5240	48	n (20MHz)	CDD	130/144.4 (MCS15)	5.01	5.44	8.24	11.00	-2.76
	5180	36	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	2.58	3.26	5.94	11.00	-5.06
	5200	40	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	4.95	5.10	8.04	11.00	-2.96
	5240	48	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.12	5.36	8.25	11.00	-2.75
	5190	38	n (40MHz)	CDD	270/300 (MCS15)	-1.81	-1.14	1.55	11.00	-9.45
	5230	46	n (40MHz)	CDD	270/300 (MCS15)	3.03	4.29	6.72	11.00	-4.28
	5190	38	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	-2.57	-2.23	0.61	11.00	-10.39
	5230	46	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	3.20	3.82	6.53	11.00	-4.47
	5210	42	ac (80MHz)	CDD	780/866.7 (MCS9)	-5.69	-4.81	-2.22	11.00	-13.22
Band 1/2	5210	42	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-5.93	-4.82	-2.33	11.00	-13.33
	5250	50	ac (160MHz)	CDD	780/866.7 (MCS9)	-8.59	-9.01	-5.79	11.00	-16.79
Band 2A	5250	50	ax (SU) (160MHz)	CDD	1134/1201 (MCS11)	-9.10	-9.29	-6.19	11.00	-17.19
	5260	52	n (20MHz)	CDD	130/144.4 (MCS15)	4.78	5.49	8.16	11.00	-2.84
	5300	60	n (20MHz)	CDD	130/144.4 (MCS15)	4.94	5.70	8.35	11.00	-2.65
	5320	64	n (20MHz)	CDD	130/144.4 (MCS15)	3.20	4.07	6.67	11.00	-4.33
	5260	52	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	4.29	5.17	7.76	11.00	-3.24
	5300	60	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	4.89	4.91	7.91	11.00	-3.09
	5320	64	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	2.95	3.56	6.28	11.00	-4.72
	5270	54	n (40MHz)	CDD	270/300 (MCS15)	3.04	4.08	6.60	11.00	-4.40
	5310	62	n (40MHz)	CDD	270/300 (MCS15)	-1.13	-0.38	2.27	11.00	-8.73
	5270	54	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	3.25	3.77	6.53	11.00	-4.47
	5310	62	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	-1.32	-1.04	1.83	11.00	-9.17
	5290	58	ac (80MHz)	CDD	780/866.7 (MCS9)	-3.88	-3.41	-0.63	11.00	-11.63
	5290	58	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-4.70	-4.41	-1.54	11.00	-12.54
	Band 2C	5500	100	n (20MHz)	CDD	130/144.4 (MCS15)	2.27	3.39	5.88	11.00
5580		116	n (20MHz)	CDD	130/144.4 (MCS15)	5.01	5.88	8.48	11.00	-2.52
*5600		120	n (20MHz)	CDD	130/144.4 (MCS15)	4.87	6.11	8.55	11.00	-2.45
5700		140	n (20MHz)	CDD	130/144.4 (MCS15)	1.92	2.62	5.29	11.00	-5.71
5720		144	n (20MHz)	CDD	130/144.4 (MCS15)	4.98	5.74	8.39	11.00	-2.61
5500		100	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	2.47	2.73	5.61	11.00	-5.39
5580		116	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	4.81	5.28	8.06	11.00	-2.94
*5600		120	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	4.75	5.40	8.10	11.00	-2.90
5700		140	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	1.82	2.52	5.19	11.00	-5.81
5720		144	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	4.83	5.11	7.98	11.00	-3.02
5510		102	n (40MHz)	CDD	270/300 (MCS15)	-2.13	-1.93	0.98	11.00	-10.02
5550		110	n (40MHz)	CDD	270/300 (MCS15)	1.88	2.96	5.46	11.00	-5.54
*5590		118	n (40MHz)	CDD	270/300 (MCS15)	3.11	4.23	6.71	11.00	-4.29
5670		134	n (40MHz)	CDD	270/300 (MCS15)	1.11	1.41	4.27	11.00	-6.73
5710		142	n (40MHz)	CDD	270/300 (MCS15)	3.06	4.25	6.71	11.00	-4.29
5510		102	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	-2.70	-2.21	0.56	11.00	-10.44
5550		110	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	1.89	2.88	5.43	11.00	-5.57
*5590		118	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	3.23	3.91	6.59	11.00	-4.41
5670		134	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	-0.02	0.45	3.23	11.00	-7.77
5710		142	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	3.02	3.82	6.45	11.00	-4.55
5530		106	ac (80MHz)	CDD	780/866.7 (MCS9)	-5.41	-5.63	-2.51	11.00	-13.51
*5610		122	ac (80MHz)	CDD	780/866.7 (MCS9)	-1.36	-1.32	1.67	11.00	-9.33
5690		138	ac (80MHz)	CDD	780/866.7 (MCS9)	-0.31	0.46	3.10	11.00	-7.90
5530		106	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-5.78	-5.51	-2.64	11.00	-13.64
*5610		122	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-1.56	-1.36	1.55	11.00	-9.45
5690		138	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-0.16	0.59	3.25	11.00	-7.75
*5570		114	ac (160MHz)	CDD	780/866.7 (MCS9)	-9.66	-8.92	-6.26	11.00	-17.26
*5570		114	ax (SU) (160MHz)	CDD	1134/1201 (MCS11)	-10.39	-9.77	-7.06	11.00	-18.06

Table 7-229. Bands 1, 2A, 2C CDD Primary Power Spectral Density Measurements (High Data Rate)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 222 of 587