


Plot 7-890. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11n – Ch. 40)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	H	-	-	-70.77	14.63	50.86	68.23	-17.37
* 15600.00	Average	H	-	-	-85.64	23.18	44.54	53.98	-9.44
* 15600.00	Peak	H	-	-	-74.06	22.58	55.52	73.98	-18.46

Table 7-247. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 287 of 587




Plot 7-891. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11n – Ch. 48)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	H	-	-	-71.28	15.06	50.78	68.23	-17.45
* 15720.00	Average	H	-	-	-85.38	23.51	45.12	53.98	-8.86
* 15720.00	Peak	H	-	-	-73.28	23.08	56.81	73.98	-17.17

Table 7-248. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 288 of 587




Plot 7-892. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11n – Ch. 52)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	H	-	-	-71.73	14.87	50.14	68.23	-18.09
* 15780.00	Average	H	-	-	-84.10	23.55	46.46	53.98	-7.52
* 15780.00	Peak	H	-	-	-73.68	24.18	57.50	73.98	-16.48

Table 7-249. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 289 of 587




Plot 7-893. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11n – Ch. 56)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-71.05	14.60	50.55	68.23	-17.68
* 15840.00	Average	H	-	-	-85.32	24.90	46.58	53.98	-7.40
* 15840.00	Peak	H	-	-	-74.12	24.90	57.78	73.98	-16.20

Table 7-250. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 290 of 587




Plot 7-894. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11n – Ch. 64)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	10640.00	Average	H	-	-	-82.60	15.15	39.55	53.98	-14.43
*	10640.00	Peak	H	-	-	-71.24	14.88	50.64	73.98	-23.34
*	15960.00	Average	H	-	-	-85.47	24.86	46.39	53.98	-7.59
*	15960.00	Peak	H	-	-	-72.64	24.18	58.54	73.98	-15.44

Table 7-251. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 291 of 587




Plot 7-895. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11n – Ch. 100)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-83.26	15.72	39.46	53.98	-14.52
* 11000.00	Peak	H	-	-	-72.89	16.14	50.25	73.98	-23.73
16500.00	Peak	H	-	-	-73.12	25.40	59.28	68.23	-8.95

Table 7-252. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 292 of 587




Plot 7-896. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11n – Ch. 116)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580Hz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-83.60	17.06	40.46	53.98	-13.52
* 11160.00	Peak	H	-	-	-71.86	16.42	51.56	73.98	-22.42
16740.00	Peak	H	-	-	-73.91	25.35	58.44	68.23	-9.79

Table 7-253. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device		Page 293 of 587




Plot 7-897. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11n – Ch. 144)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-82.98	16.47	40.49	53.98	-13.49
* 11440.00	Peak	H	-	-	-71.80	16.47	51.67	73.98	-22.31
17160.00	Peak	H	-	-	-73.09	24.83	58.74	68.23	-9.49

Table 7-254. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 294 of 587




Plot 7-898. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11n – Ch. 149)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11490.00	Average	V	-	-	-83.06	16.56	40.49	53.98	-13.49
*	11490.00	Peak	V	-	-	-71.40	16.50	52.10	73.98	-21.88
	17235.00	Peak	V	-	-	-74.13	24.72	57.59	68.23	-10.64

Table 7-255. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 295 of 587




Plot 7-899. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11n – Ch. 157)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	V	-	-	-83.39	16.97	40.58	53.98	-13.40
* 11570.00	Peak	V	-	-	-71.64	16.75	52.11	73.98	-21.87
17355.00	Peak	V	-	-	-72.71	23.88	58.17	68.23	-10.06

Table 7-256. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device		Page 296 of 587





Plot 7-900. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11n – Ch. 165)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	V	-	-	-83.71	17.25	40.54	53.98	-13.44
* 11650.00	Peak	V	-	-	-72.01	17.19	52.18	73.98	-21.80
17475.00	Peak	V	-	-	-73.75	24.58	57.83	68.23	-10.40

Table 7-257. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 297 of 587




Plot 7-901. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) – Ch. 36)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	H	-	-	-71.60	15.15	50.55	68.23	-17.68
* 15540.00	Average	H	-	-	-84.88	23.25	45.37	53.98	-8.61
* 15540.00	Peak	H	-	-	-71.53	23.07	58.54	73.98	-15.44

Table 7-258. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 298 of 587




Plot 7-902. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) – Ch. 40)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	H	-	-	-70.98	14.63	50.65	68.23	-17.58
* 15600.00	Average	H	-	-	-84.39	22.65	45.26	53.98	-8.72
* 15600.00	Peak	H	-	-	-73.21	22.65	56.44	73.98	-17.54

Table 7-259. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device		Page 299 of 587




Plot 7-903. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) – Ch. 48)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	H	-	-	-71.24	15.06	50.82	68.23	-17.41
* 15720.00	Average	H	-	-	-85.10	23.51	45.41	53.98	-8.57
* 15720.00	Peak	H	-	-	-73.70	23.43	56.73	73.98	-17.25

Table 7-260. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device		Page 300 of 587




Plot 7-904. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) – Ch. 52)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	V	-	-	-71.89	14.87	49.98	68.23	-18.25
* 15780.00	Average	V	-	-	-84.85	24.18	46.33	53.98	-7.65
* 15780.00	Peak	V	-	-	-73.95	24.18	57.22	73.98	-16.76

Table 7-261. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device		Page 301 of 587




Plot 7-905. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) – Ch. 56)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-70.57	14.60	51.04	68.23	-17.19
* 15840.00	Average	H	-	-	-85.11	24.14	46.03	53.98	-7.95
* 15840.00	Peak	H	-	-	-72.84	24.14	58.30	73.98	-15.68

Table 7-262. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 302 of 587





Plot 7-906. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) – Ch. 64)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	V	-	-	-82.73	15.15	39.42	53.98	-14.56
* 10640.00	Peak	V	-	-	-71.17	15.15	50.97	73.98	-23.01
* 15960.00	Average	V	-	-	-85.87	24.86	45.99	53.98	-7.99
* 15960.00	Peak	V	-	-	-74.64	24.86	57.21	73.98	-16.77

Table 7-263. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 303 of 587





Plot 7-907. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) – Ch. 100)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	V	-	-	-83.03	15.41	39.37	53.98	-14.61
* 11000.00	Peak	V	-	-	-71.84	15.41	50.56	73.98	-23.42
16500.00	Peak	V	-	-	-73.85	24.88	58.03	68.23	-10.20

Table 7-264. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 304 of 587




Plot 7-908. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) – Ch. 116)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-83.34	16.22	39.88	53.98	-14.10
* 11160.00	Peak	V	-	-	-72.20	16.22	51.02	73.98	-22.96
16740.00	Peak	V	-	-	-73.70	25.14	58.43	68.23	-9.80

Table 7-265. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 305 of 587




Plot 7-909. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) – Ch. 144)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	V	-	-	-83.45	16.87	40.42	53.98	-13.56
* 11440.00	Peak	V	-	-	-71.76	16.87	52.11	73.98	-21.87
17160.00	Peak	V	-	-	-74.20	24.83	57.63	68.23	-10.60

Table 7-266. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device		Page 306 of 587




Plot 7-910. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) – Ch. 149)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	V	-	-	-83.67	17.22	40.55	53.98	-13.43
* 11490.00	Peak	V	-	-	-72.62	17.22	51.60	73.98	-22.38
17235.00	Peak	V	-	-	-74.30	24.75	57.45	68.23	-10.78

Table 7-267. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 307 of 587




Plot 7-911. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) – Ch. 157)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-83.40	16.97	40.57	53.98	-13.41
* 11570.00	Peak	H	-	-	-72.21	16.74	51.53	73.98	-22.45
17355.00	Peak	H	-	-	-74.18	24.88	57.70	68.23	-10.53

Table 7-268. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 308 of 587



Plot 7-912. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax(SU) – Ch. 165)


Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	V	-	-	-83.77	17.25	40.48	53.98	-13.50
* 11650.00	Peak	V	-	-	-71.96	16.90	51.94	73.98	-22.04
17475.00	Peak	V	-	-	-73.83	24.58	57.75	68.23	-10.48

Table 7-269. Radiated Measurements Antenna WF5b

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 309 of 587

7.6.2 Antenna 4a Radiated Spurious Emission




Plot 7-913. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11n – Ch. 36)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10360.00	Peak	H	-	-	-71.95	15.15	50.20	68.23	-18.03
* 15540.00	Average	H	-	-	-85.05	23.25	45.20	53.98	-8.78
* 15540.00	Peak	H	-	-	-73.40	23.12	56.72	73.98	-17.26

Table 7-270. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 310 of 587





Plot 7-914. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11n – Ch. 40)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	H	-	-	-71.68	15.04	50.35	68.23	-17.88
* 15600.00	Average	H	-	-	-84.98	22.58	44.59	53.98	-9.39
* 15600.00	Peak	H	-	-	-73.46	22.58	56.12	73.98	-17.86

Table 7-271. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 311 of 587





Plot 7-915. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11n – Ch. 48)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	V	-	-	-72.12	15.06	49.94	68.23	-18.29
* 15720.00	Average	V	-	-	-85.36	23.51	45.15	53.98	-8.83
* 15720.00	Peak	V	-	-	-73.83	23.43	56.60	73.98	-17.38

Table 7-272. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 312 of 587




Plot 7-916. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11n – Ch. 52)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	H	-	-	-71.55	14.75	50.20	68.23	-18.03
* 15780.00	Average	H	-	-	-84.80	24.18	46.38	53.98	-7.60
* 15780.00	Peak	H	-	-	-74.03	24.18	57.15	73.98	-16.83

Table 7-273. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 313 of 587





Plot 7-917. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11n – Ch. 56)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	V	-	-	-71.39	14.60	50.21	68.23	-18.02
* 15840.00	Average	V	-	-	-85.20	24.14	45.94	53.98	-8.04
* 15840.00	Peak	V	-	-	-73.16	24.14	57.98	73.98	-16.00

Table 7-274. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 314 of 587




Plot 7-918. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11n – Ch. 64)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	V	-	-	-82.80	15.15	39.35	53.98	-14.63
* 10640.00	Peak	V	-	-	-71.65	15.15	50.50	73.98	-23.48
* 15960.00	Average	V	-	-	-84.93	24.26	46.33	53.98	-7.65
* 15960.00	Peak	V	-	-	-73.58	24.26	57.68	73.98	-16.30

Table 7-275. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 315 of 587




Plot 7-919. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11n – Ch. 100)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-83.40	15.72	39.33	53.98	-14.65
* 11000.00	Peak	H	-	-	-72.08	15.69	50.61	73.98	-23.37
16500.00	Peak	H	-	-	-74.29	25.40	58.11	68.23	-10.12

Table 7-276. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 316 of 587




Plot 7-920. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11n – Ch. 116)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-82.95	16.42	40.48	53.98	-13.50
* 11160.00	Peak	V	-	-	-71.61	16.42	51.82	73.98	-22.16
16740.00	Peak	V	-	-	-73.16	25.28	59.12	68.23	-9.11

Table 7-277. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 317 of 587





Plot 7-921. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11n – Ch. 144)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11440.00	Average	V	-	-	-82.93	16.47	40.53	53.98	-13.45
* 11440.00	Peak	V	-	-	-71.99	16.47	51.48	73.98	-22.50
17160.00	Peak	V	-	-	-73.65	24.49	57.84	68.23	-10.39

Table 7-278. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 318 of 587





Plot 7-922. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11n – Ch. 149)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11490.00	Average	V	-	-	-82.91	16.56	40.65	53.98	-13.33
*	11490.00	Peak	V	-	-	-71.43	16.28	51.85	73.98	-22.13
	17235.00	Peak	V	-	-	-74.08	24.31	57.23	68.23	-11.00

Table 7-279. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 319 of 587




Plot 7-923. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11n – Ch. 157)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	V	-	-	-83.73	17.35	40.62	53.98	-13.36
* 11570.00	Peak	V	-	-	-71.75	16.97	52.23	73.98	-21.75
17355.00	Peak	V	-	-	-74.18	25.06	57.88	68.23	-10.35

Table 7-280. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 320 of 587




Plot 7-924. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11n – Ch. 165)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11650.00	Average	H	-	-	-83.36	17.25	40.89	53.98	-13.09
*	11650.00	Peak	H	-	-	-72.30	17.19	51.89	73.98	-22.09
	17475.00	Peak	H	-	-	-74.21	24.58	57.38	68.23	-10.85

Table 7-281. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 321 of 587





Plot 7-925. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 36)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10360.00	Peak	V	-	-	-71.11	14.72	50.62	68.23	-17.61
* 15540.00	Average	V	-	-	-84.95	23.12	45.17	53.98	-8.81
* 15540.00	Peak	V	-	-	-74.18	23.25	56.08	73.98	-17.90

Table 7-282. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 322 of 587





Plot 7-926. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 40)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	H	-	-	-71.15	14.63	50.48	68.23	-17.75
* 15600.00	Average	H	-	-	-85.52	23.18	44.65	53.98	-9.33
* 15600.00	Peak	H	-	-	-72.87	22.58	56.71	73.98	-17.27

Table 7-283. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 323 of 587




Plot 7-927. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 48)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	H	-	-	-71.42	15.06	50.64	68.23	-17.59
* 15720.00	Average	H	-	-	-84.99	23.08	45.10	53.98	-8.88
* 15720.00	Peak	H	-	-	-73.50	23.08	56.58	73.98	-17.40

Table 7-284. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 324 of 587





Plot 7-928. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 52)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	V	-	-	-71.12	14.87	50.75	68.23	-17.48
* 15780.00	Average	V	-	-	-84.62	23.55	45.93	53.98	-8.05
* 15780.00	Peak	V	-	-	-73.41	23.55	57.14	73.98	-16.84

Table 7-285. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 325 of 587




Plot 7-929. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 56)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	V	-	-	-71.45	14.60	50.15	68.23	-18.08
* 15840.00	Average	V	-	-	-84.82	24.14	46.32	53.98	-7.66
* 15840.00	Peak	V	-	-	-73.17	24.14	57.97	73.98	-16.01

Table 7-286. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 326 of 587




Plot 7-930. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 64)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-82.42	14.88	39.46	53.98	-14.52
* 10640.00	Peak	H	-	-	-71.47	14.88	50.41	73.98	-23.57
* 15960.00	Average	H	-	-	-85.15	24.71	46.56	53.98	-7.42
* 15960.00	Peak	H	-	-	-73.72	24.71	57.99	73.98	-15.99

Table 7-287. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 327 of 587




Plot 7-931. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 100)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	V	-	-	-82.94	15.41	39.47	53.98	-14.51
* 11000.00	Peak	V	-	-	-71.61	15.63	51.02	73.98	-22.96
16500.00	Peak	V	-	-	-73.29	24.88	58.59	68.23	-9.64

Table 7-288. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 328 of 587




Plot 7-932. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 116)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-83.52	17.06	40.54	53.98	-13.44
* 11160.00	Peak	H	-	-	-72.61	17.06	51.45	73.98	-22.53
16740.00	Peak	H	-	-	-72.35	24.66	59.31	68.23	-8.92

Table 7-289. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 329 of 587





Plot 7-933. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 144)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-83.06	16.47	40.41	53.98	-13.57
* 11440.00	Peak	H	-	-	-71.44	16.47	52.03	73.98	-21.95
17160.00	Peak	H	-	-	-73.86	24.49	57.63	68.23	-10.60

Table 7-290. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 330 of 587




Plot 7-934. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 149)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-83.64	17.22	40.58	53.98	-13.40
* 11490.00	Peak	H	-	-	-72.48	17.22	51.74	73.98	-22.24
17235.00	Peak	H	-	-	-73.87	24.75	57.88	68.23	-10.35

Table 7-291. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 331 of 587





Plot 7-935. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 157)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-83.33	16.97	40.65	53.98	-13.33
* 11570.00	Peak	H	-	-	-72.58	16.97	51.39	73.98	-22.59
17355.00	Peak	H	-	-	-73.80	25.06	58.25	68.23	-9.98

Table 7-292. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 332 of 587



Plot 7-936. Radiated Spurious Emissions above 1GHz Antenna 4a (802.11ax(SU) – Ch. 165)


Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	V	-	-	-83.23	16.90	40.67	53.98	-13.31
* 11650.00	Peak	V	-	-	-71.48	16.90	52.41	73.98	-21.57
17475.00	Peak	V	-	-	-73.62	24.83	58.21	68.23	-10.02

Table 7-293. Radiated Measurements Antenna 4a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 333 of 587

7.6.3 Antenna 2a Radiated Spurious Emission





Plot 7-937. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11n – Ch. 36)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10360.00	Peak	H	-	-	-70.97	14.72	50.75	68.23	-17.48
* 15540.00	Average	H	-	-	-85.03	23.12	45.09	53.98	-8.89
* 15540.00	Peak	H	-	-	-72.96	23.12	57.16	73.98	-16.82

Table 7-294. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 334 of 587




Plot 7-938. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11n – Ch. 40)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10400.00	Peak	V	-	-	-71.76	15.04	50.28	68.23	-17.95
* 15600.00	Average	V	-	-	-85.00	22.58	44.57	53.98	-9.41
* 15600.00	Peak	V	-	-	-73.86	22.58	55.72	73.98	-18.26

Table 7-295. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 335 of 587




Plot 7-939. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11n – Ch. 48)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	H	-	-	-71.99	15.06	50.07	68.23	-18.16
* 15720.00	Average	H	-	-	-84.88	23.08	45.21	53.98	-8.77
* 15720.00	Peak	H	-	-	-73.67	23.08	56.41	73.98	-17.57

Table 7-296. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 336 of 587





Plot 7-940. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11n – Ch. 52)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	V	-	-	-71.40	14.87	50.47	68.23	-17.76
* 15780.00	Average	V	-	-	-84.74	24.18	46.44	53.98	-7.54
* 15780.00	Peak	V	-	-	-74.00	24.18	57.18	73.98	-16.80

Table 7-297. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 337 of 587




Plot 7-941. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11n – Ch. 56)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-71.05	14.78	50.74	68.23	-17.49
* 15840.00	Average	H	-	-	-85.08	24.14	46.06	53.98	-7.92
* 15840.00	Peak	H	-	-	-74.17	24.14	56.98	73.98	-17.00

Table 7-298. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 338 of 587




Plot 7-942. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11n – Ch. 64)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-82.81	15.15	39.34	53.98	-14.64
* 10640.00	Peak	H	-	-	-71.60	15.15	50.55	73.98	-23.43
* 15960.00	Average	H	-	-	-84.86	24.26	46.40	53.98	-7.58
* 15960.00	Peak	H	-	-	-73.12	24.26	58.14	73.98	-15.84

Table 7-299. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 339 of 587




Plot 7-943. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11n – Ch. 100)

Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-83.40	15.72	39.32	53.98	-14.66
* 11000.00	Peak	H	-	-	-71.78	15.72	50.94	73.98	-23.04
16500.00	Peak	H	-	-	-72.74	24.88	59.14	68.23	-9.09

Table 7-300. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 340 of 587




Plot 7-944. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11n – Ch. 116)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-83.61	17.06	40.45	53.98	-13.53
* 11160.00	Peak	H	-	-	-71.84	17.06	52.22	73.98	-21.76
16740.00	Peak	H	-	-	-73.45	25.35	58.90	68.23	-9.33

Table 7-301. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 341 of 587




Plot 7-945. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11n – Ch. 144)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	V	-	-	-82.97	16.47	40.50	53.98	-13.48
* 11440.00	Peak	V	-	-	-71.81	16.47	51.66	73.98	-22.32
17160.00	Peak	V	-	-	-73.40	24.49	58.09	68.23	-10.14

Table 7-302. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 342 of 587




Plot 7-946. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11n – Ch. 149)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	V	-	-	-82.93	16.50	40.57	53.98	-13.41
* 11490.00	Peak	V	-	-	-71.69	16.56	51.87	73.98	-22.11
17235.00	Peak	V	-	-	-73.47	24.75	58.28	68.23	-9.95

Table 7-303. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 343 of 587




Plot 7-947. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11n – Ch. 157)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11570.00	Average	H	-	-	-83.72	17.35	40.64	53.98	-13.34
*	11570.00	Peak	H	-	-	-72.60	16.97	51.37	73.98	-22.61
	17355.00	Peak	H	-	-	-72.92	25.06	59.14	68.23	-9.09

Table 7-304. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 344 of 587




Plot 7-948. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11n – Ch. 165)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11650.00	Average	H	-	-	-83.45	17.25	40.80	53.98	-13.18
*	11650.00	Peak	H	-	-	-72.53	17.19	51.66	73.98	-22.32
	17475.00	Peak	H	-	-	-73.32	24.58	58.26	68.23	-9.97

Table 7-305. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 345 of 587




Plot 7-949. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) – Ch. 36)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	V	-	-	-71.39	14.70	50.31	68.23	-17.92
* 15540.00	Average	V	-	-	-84.94	23.25	45.32	53.98	-8.66
* 15540.00	Peak	V	-	-	-73.53	23.25	56.72	73.98	-17.26

Table 7-306. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 346 of 587





Plot 7-950. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) – Ch. 40)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	V	-	-	-71.61	14.72	50.11	68.23	-18.12
* 15600.00	Average	V	-	-	-85.45	23.18	44.73	53.98	-9.25
* 15600.00	Peak	V	-	-	-74.26	23.18	55.92	73.98	-18.06

Table 7-307. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 347 of 587




Plot 7-951. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) – Ch. 48)

Mode: 802.11ax(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	H	-	-	-71.67	15.08	50.41	68.23	-17.82
* 15720.00	Average	H	-	-	-85.01	23.08	45.07	53.98	-8.91
* 15720.00	Peak	H	-	-	-73.94	23.51	56.56	73.98	-17.42

Table 7-308. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-22-R2.BCG	Test Dates: 1/3/2024 - 3/24/2024	EUT Type: Tablet Device	Page 348 of 587