

Plot 7-952. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) - Ch. 52)


Mode:802.11ax(SU)Data Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:5260MHzChannel:52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10520.00	Peak	V	-		-70.92	14.87	50.95	68.23	-17.28
*	15780.00	Average	V	-	-	-84.11	23.55	46.45	53.98	-7.53
*	15780.00	Peak	V	-	-	-73.15	23.55	57.41	73.98	-16.57

Table 7-309. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 240 of 597	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 349 of 587	





Plot 7-953. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) - Ch. 56)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5280MHz


 Channel:
 56

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10560.00	Peak	V	-	-	-71.70	14.60	49.90	68.23	-18.33
*	15840.00	Average	V	-	-	-84.56	24.14	46.58	53.98	-7.40
*	15840.00	Peak	V	-	-	-74.38	24.90	57.52	73.98	-16.46

Table 7-310. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 250 of 507	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 350 of 587	





Plot 7-954. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) - Ch. 64)


Mode:802.11ax(SU)Data Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:5320MHzChannel:64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	10640.00	Average	٧	-	-	-82.57	14.88	39.30	53.98	-14.68
*	10640.00	Peak	V	-	-	-71.09	15.15	51.05	73.98	-22.93
*	15960.00	Average	V	-	-	-84.92	24.26	46.34	53.98	-7.64
*	15960.00	Peak	V	-	-	-72.69	24.66	58.97	73.98	-15.01

Table 7-311. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 351 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 351 01 567	





Plot 7-955. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) - Ch. 100)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5500MHz


 Channel:
 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11000.00	Average	Н	-	-	-83.42	15.72	39.30	53.98	-14.68
*	11000.00	Peak	Н	-	-	-71.15	15.41	51.26	73.98	-22.72
	16500.00	Peak	Н	-	-	-72.63	24.96	59.34	68.23	-8.89

Table 7-312. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 352 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 352 01 567	





Plot 7-956. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) - Ch. 116)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5580MHz


 Channel:
 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11160.00	Average	٧	-	-	-83.40	17.06	40.66	53.98	-13.32
*	11160.00	Peak	V	-	-	-72.78	17.06	51.28	73.98	-22.70
	16740.00	Peak	٧	-	-	-73.37	25.28	58.91	68.23	-9.32

Table 7-313. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 252 of 597	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 353 of 587	





Plot 7-957. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) - Ch. 144)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5720MHz


 Channel:
 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11440.00	Average	Н	-	-	-83.01	16.47	40.46	53.98	-13.52
*	11440.00	Peak	Н	-	-	-71.71	16.47	51.76	73.98	-22.22
	17160.00	Peak	Н	-	-	-73.37	24.83	58.47	68.23	-9.76

Table 7-314. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 254 of 507	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 354 of 587	





Plot 7-958. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) - Ch. 149)


Mode:802.11ax(SU)Data Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:5745MHzChannel:149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11490.00	Average	V	-	-	-82.82	16.28	40.46	53.98	-13.52
*	11490.00	Peak	٧	-	-	-71.65	16.55	51.90	73.98	-22.08
	17235.00	Peak	V	-	-	-73.76	24.31	57.55	68.23	-10.68

Table 7-315. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 355 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 355 01 567	





Plot 7-959. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) - Ch. 157)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5785MHz


 Channel:
 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11570.00	Average	Н	-	-	-83.80	17.35	40.55	53.98	-13.43
*	11570.00	Peak	Н	-	-	-71.92	16.75	51.82	73.98	-22.16
	17355.00	Peak	Н	-	-	-72.48	23.87	58.39	68.23	-9.84

Table 7-316. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 356 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 356 01 587	





Plot 7-960. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) - Ch. 165)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5825MHz

 Channel:
 165


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11650.00	Average	V	-	-	-83.66	17.25	40.58	53.98	-13.40
*	11650.00	Peak	V	-	-	-71.57	16.90	52.33	73.98	-21.65
	17475.00	Peak	V	-	-	-74.15	24.83	57.68	68.23	-10.55

Table 7-317. Radiated Measurements Antenna 2a

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 257 of 597	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 357 of 587	



7.6.4 CDD Primary Radiated Spurious Emission



Plot 7-961. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 36)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5180MHz


Channel: 36

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10360.00	Peak	Н	-	-	-70.82	14.72	50.90	68.23	-17.33
*	15540.00	Average	Н	-	-	-85.21	23.25	45.04	53.98	-8.94
*	15540.00	Peak	Н	-	-	-73.52	23.12	56.60	73.98	-17.38


Table 7-318. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 358 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 358 01 587	





Plot 7-962. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 40)



Plot 7-963. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n - Ch.40)

 Mode:
 802.11n

 Data Rate:
 MCS8

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5200MHz


 Channel:
 40

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10400.00	Peak	Н	-	-	-71.23	14.63	50.40	68.23	-17.83
*	15600.00	Average	Н	-	-	-84.91	22.58	44.67	53.98	-9.31
*	15600.00	Peak	Н	-	-	-73.96	22.60	55.64	73.98	-18.34

Table 7-319. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 359 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 359 01 567





Plot 7-964. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 48)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5240MHz


Channel: 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10480.00	Peak	П	-	-	-71.84	15.08	50.24	68.23	-17.99
*	15720.00	Average	Н	-	-	-85.35	23.51	45.15	53.98	-8.83
*	15720.00	Peak	Н	-	-	-73.99	23.51	56.52	73.98	-17.46

Table 7-320. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 360 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 360 01 587	





Plot 7-965. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 52)


Mode:802.11nData Rate:MCS8Distance of Measurements:3 MetersOperating Frequency:5260MHzChannel:52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10520.00	Peak	Н	-	-	-71.59	14.87	50.28	68.23	-17.95
*	15780.00	Average	Н	-	-	-84.05	23.55	46.50	53.98	-7.48
*	15780.00	Peak	Н	-	-	-73.33	23.55	57.22	73.98	-16.76


Table 7-321. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 361 of 587	
1C2311270070-22-R2.BCG 1/3/2024 - 3/24/2024		Tablet Device	Page 361 01 587	





Plot 7-966. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 56)



Plot 7-967. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n - Ch.56)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5280MHz


Channel: 56

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10560.00	Peak	Ι	-	-	-71.49	14.84	50.34	68.23	-17.89
*	15840.00	Average	Н	-	-	-86.89	24.90	45.01	53.98	-8.97
*	15840.00	Peak	Н	-	-	-73.81	24.90	58.09	73.98	-15.89

Table 7-322. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 362 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 302 01 587





Plot 7-968. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 64)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5320MHz


Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	10640.00	Average	Н	-	-	-82.75	15.15	39.40	53.98	-14.58
*	10640.00	Peak	Н	-	-	-70.84	14.88	51.04	73.98	-22.94
*	15960.00	Average	Н	-	-	-86.81	24.26	44.45	53.98	-9.53
*	15960.00	Peak	Н	-	-	-73.84	24.86	58.02	73.98	-15.96

Table 7-323. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 363 of 587	
1C2311270070-22-R2.BCG 1/3/2024 - 3/24/2024		Tablet Device	Page 363 01 587	





Plot 7-969. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 100)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5500MHz


Channel: 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11000.00	Average	V	-	-	-83.27	15.72	39.45	53.98	-14.53
*	11000.00	Peak	V	-	-	-71.48	15.41	50.93	73.98	-23.05
•	16500.00	Peak	V	-	-	-72.99	24.88	58.90	68.23	-9.33


Table 7-324. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 364 of 587	
1C2311270070-22-R2.BCG 1/3/2024 - 3/24/2024		Tablet Device	Page 364 01 587	





Plot 7-970. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 116)



Plot 7-971. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n - Ch.116)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5580MHz


Channel: 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11160.00	Average	V	-	-	-83.50	17.06	40.56	53.98	-13.42
*	11160.00	Peak	V	-	-	-72.13	17.06	51.93	73.98	-22.05
	16740.00	Peak	V	-	-	-73.78	25.35	58.56	68.23	-9.67

Table 7-325. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 365 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	rage 303 01 387





Plot 7-972. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 144)

 Mode:
 802.11n

 Data Rate:
 MCS8

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5720MHz


 Channel:
 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11440.00	Average	Н	-	-	-82.89	16.47	40.58	53.98	-13.40
*	11440.00	Peak	Н	-	-	-72.11	16.93	51.82	73.98	-22.16
	17160.00	Peak	Н	-	-	-73.31	24.49	58.18	68.23	-10.05

Table 7-326. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 366 of 587	
C2311270070-22-R2.BCG 1/3/2024 - 3/24/2024		Tablet Device	Page 366 01 587	





Plot 7-973. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 149)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5745MHz


Channel: 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11490.00	Average	V	-	-	-83.05	16.56	40.50	53.98	-13.48
*	11490.00	Peak	V	-	-	-71.42	16.28	51.85	73.98	-22.13
	17235.00	Peak	V	-	-	-73.10	24.31	58.21	68.23	-10.02


Table 7-327. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 367 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 367 01 367	





Plot 7-974. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 157)



Plot 7-975. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n - Ch.157)

 Mode:
 802.11n

 Data Rate:
 MCS8

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5785MHz


 Channel:
 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11570.00	Average	V	-	-	-83.44	16.97	40.54	53.98	-13.44
*	11570.00	Peak	V	-	-	-71.80	16.97	52.17	73.98	-21.81
	17355.00	Peak	V	-	-	-72.34	23.88	58.54	68.23	-9.69

Table 7-328. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 368 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 300 01 587	





Plot 7-976. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n - Ch. 165)


Mode:802.11nData Rate:MCS8Distance of Measurements:3 MetersOperating Frequency:5825MHzChannel:165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11650.00	Average	٧	-	-	-83.49	17.19	40.70	53.98	-13.28
*	11650.00	Peak	V	-	-	-71.98	17.25	52.27	73.98	-21.71
	17475.00	Peak	V	-	-	-73.21	24.83	58.62	68.23	-9.61

Table 7-329. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 200 of 507	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 369 of 587	





Plot 7-977. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 36)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5180MHz


 Channel:
 36

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10360.00	Peak	Н	-	-	-71.26	14.63	50.37	68.23	-17.86
*	15540.00	Average	Н	-	-	-84.61	22.65	45.04	53.98	-8.94
*	15540.00	Peak	Н	-	-	-73.95	22.65	55.70	73.98	-18.28


Table 7-330. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 370 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	rage 370 01 587





Plot 7-978. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 40)



Plot 7-979. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) - Ch.40)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5200MHz


 Channel:
 40

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10400.00	Peak	Н	-	-	-70.79	14.63	50.84	68.23	-17.39
*	15600.00	Average	Н	-	-	-84.92	22.58	44.66	53.98	-9.32
*	15600.00	Peak	Н	-	-	-73.65	22.58	55.93	73.98	-18.05

Table 7-331. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 271 of 597
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 371 of 587





Plot 7-980. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 48)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5240MHz


 Channel:
 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10480.00	Peak	Н	-	-	-71.36	15.08	50.72	68.23	-17.51
*	15720.00	Average	Н	-	-	-85.27	23.43	45.15	53.98	-8.83
*	15720.00	Peak	Н	-	-	-73.49	23.43	56.93	73.98	-17.05

Table 7-332. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 372 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 372 01 367	





Plot 7-981. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 52)

Mode: 802.11ax(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5260MHz


Channel: 52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10520.00	Peak	Н	-	-	-71.49	14.87	50.38	68.23	-17.85
*	15780.00	Average	Н	-	-	-84.67	23.55	45.89	53.98	-8.09
*	15780.00	Peak	Н	-	-	-73.92	23.55	56.63	73.98	-17.35


Table 7-333. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 373 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 3/3 01 58/	





Plot 7-982. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 56)



Plot 7-983. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) - Ch.56)

Mode: 802.11ax(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5280MHz


Channel: 56

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10560.00	Peak	Η	-	1	-71.20	14.84	50.63	68.23	-17.60
*	15840.00	Average	Н	-	-	-84.97	24.14	46.17	53.98	-7.81
*	15840.00	Peak	Н	-	-	-74.25	24.14	56.89	73.98	-17.09

Table 7-334. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 374 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 374 01 587	





Plot 7-984. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 64)

Mode: 802.11ax(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5320MHz


Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	10640.00	Average	٧	-	-	-82.66	15.16	39.50	53.98	-14.48
*	10640.00	Peak	٧	-	-	-71.32	15.15	50.83	73.98	-23.15
*	15960.00	Average	٧	-	-	-84.75	24.26	46.51	53.98	-7.47
*	15960.00	Peak	V	-	-	-72.70	24.26	58.55	73.98	-15.43

Table 7-335. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 375 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 375 01 567	





Plot 7-985. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 100)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5500MHz


 Channel:
 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11000.00	Average	Н	-	-	-83.31	15.63	39.33	53.98	-14.65
*	11000.00	Peak	Н	-	-	-71.69	15.41	50.72	73.98	-23.26
	16500.00	Peak	Н	-	-	-73.47	24.55	58.08	68.23	-10.15


Table 7-336. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 376 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 376 01 587	





Plot 7-986. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 116)



Plot 7-987. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) - Ch.116)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5580MHz


 Channel:
 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11160.00	Average	Н	-	-	-83.43	17.06	40.63	53.98	-13.35
*	11160.00	Peak	Н	-	-	-72.59	17.06	51.47	73.98	-22.51
	16740.00	Peak	Н	-	-	-73.42	25.14	58.71	68.23	-9.52

Table 7-337. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 277 of 507	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 377 of 587	





Plot 7-988. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 144)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5720MHz


 Channel:
 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11440.00	Average	Н	-	-	-83.47	16.87	40.40	53.98	-13.58
*	11440.00	Peak	Н	-	-	-72.35	16.55	51.21	73.98	-22.77
	17160.00	Peak	Н	-	-	-73.49	24.36	57.87	68.23	-10.36

Table 7-338. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 378 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 378 01 587	





Plot 7-989. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 149)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5745MHz


 Channel:
 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11490.00	Average	Н	1	-	-83.20	16.50	40.30	53.98	-13.68
*	11490.00	Peak	Н		-	-71.24	16.28	52.03	73.98	-21.95
	17235.00	Peak	Н	-	-	-73.90	24.75	57.85	68.23	-10.38


Table 7-339. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 379 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 3/9 01 58/





Plot 7-990. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 157)



Plot 7-991. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) - Ch.157)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5785MHz


 Channel:
 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11570.00	Average	Н	-	-	-83.35	16.97	40.62	53.98	-13.36
*	11570.00	Peak	Н	-	-	-72.28	17.35	52.07	73.98	-21.91
	17355.00	Peak	Н	-	-	-73.95	25.06	58.11	68.23	-10.12

Table 7-340. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 380 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 360 01 567





Plot 7-992. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) - Ch. 165)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5825MHz

 Channel:
 165


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11650.00	Average	Н	-	-	-83.15	16.90	40.74	53.98	-13.24
*	11650.00	Peak	Н	-	-	-71.63	16.90	52.26	73.98	-21.72
	17475.00	Peak	Н	-	-	-73.39	24.81	58.42	68.23	-9.81

Table 7-341. Radiated Measurements CDD Primary

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 381 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	raye so i oi so/



7.6.5 CDD Diversity Radiated Spurious Emission



Plot 7-993. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 36)

 Mode:
 802.11n

 Data Rate:
 MCS8

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5180MHz


 Channel:
 36

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10360.00	Peak	Н	-		-69.18	10.40	48.22	68.23	-20.01
*	15540.00	Average	Н	-	-	-81.12	16.06	41.95	53.98	-12.03
*	15540.00	Peak	Н	-	-	-69.54	16.09	53.55	73.98	-20.43


Table 7-342. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 382 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 302 01 587	





Plot 7-994. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 40)



Plot 7-995. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n - Ch.40)

 Mode:
 802.11n

 Data Rate:
 MCS8

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5200MHz


 Channel:
 40

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10400.00	Peak	Н	-	-	-68.51	9.98	48.47	68.23	-19.76
*	15600.00	Average	Н	-	-	-81.26	15.65	41.39	53.98	-12.59
*	15600.00	Peak	Н	-	-	-69.84	15.64	52.80	73.98	-21.18

Table 7-343. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 202 of 507	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 383 of 587	





Plot 7-996. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 48)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5240MHz


Channel: 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10480.00	Peak	V	-	-	-68.61	10.07	48.46	68.23	-19.77
*	15720.00	Average	V	-	-	-80.99	15.01	41.01	53.98	-12.97
*	15720.00	Peak	V	-	-	-69.07	15.01	52.93	73.98	-21.05

Table 7-344. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 384 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 304 01 587	





Plot 7-997. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 52)


Mode:802.11nData Rate:MCS8Distance of Measurements:3 MetersOperating Frequency:5260MHzChannel:52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10520.00	Peak	>	-	1	-68.44	9.99	48.55	68.23	-19.68
*	15780.00	Average	٧	-	-	-81.54	14.75	40.21	53.98	-13.77
*	15780.00	Peak	٧	-	-	-69.73	14.67	51.95	73.98	-22.03


Table 7-345. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 385 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 385 01 587	





Plot 7-998. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 56)



Plot 7-999. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n - Ch.56)

 Mode:
 802.11n

 Data Rate:
 MCS8

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5280MHz


 Channel:
 56

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10560.00	Peak	V	-	-	-68.06	10.01	48.95	68.23	-19.28
*	15840.00	Average	V	-	-	-81.33	14.88	40.55	53.98	-13.43
*	15840.00	Peak	٧	-	-	-68.88	14.88	53.00	73.98	-20.98

Table 7-346. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 206 of 507	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 386 of 587	





Plot 7-1000. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 64)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5320MHz


Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	10640.00	Average	٧	-	-	-80.14	10.22	37.08	53.98	-16.90
*	10640.00	Peak	٧	-	-	-68.31	10.33	49.01	73.98	-24.97
*	15960.00	Average	V	-	-	-81.12	15.18	41.05	53.98	-12.93
*	15960.00	Peak	٧	-	-	-69.44	15.41	52.96	73.98	-21.02

Table 7-347. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 387 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 387 01 587	





Plot 7-1001. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 100)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5500MHz


Channel: 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11000.00	Average	Н	-	-	-81.03	11.02	36.99	53.98	-16.99
*	11000.00	Peak	Н	-	-	-68.33	10.62	49.30	73.98	-24.68
	16500.00	Peak	Н	-	-	-70.67	17.72	54.06	68.23	-14.17


Table 7-348. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 388 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 388 01 587	





Plot 7-1002. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 116)



Plot 7-1003. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n - Ch.116)

 Mode:
 802.11n

 Data Rate:
 MCS8

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5580MHz


 Channel:
 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11160.00	Average	V	-	-	-80.44	10.30	36.85	53.98	-17.13
*	11160.00	Peak	V	-	-	-69.00	10.27	48.26	73.98	-25.72
	16740.00	Peak	٧	-	-	-69.72	17.61	54.89	68.23	-13.34

Table 7-349. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 200 of 507	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 389 of 587	





Plot 7-1004. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 144)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5720MHz


Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11440.00	Average	Н	-	-	-80.84	10.72	36.88	53.98	-17.10
*	11440.00	Peak	Н	-	-	-69.44	10.64	48.20	73.98	-25.78
	17160.00	Peak	Н	-	-	-70.09	18.44	55.35	68.23	-12.88

Table 7-350. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 390 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 390 01 587	





Plot 7-1005. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 149)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5745MHz


Channel: 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11490.00	Average	<	-		-80.41	10.68	37.28	53.98	-16.70
*	11490.00	Peak	V	-	-	-68.62	10.68	49.06	73.98	-24.92
	17235.00	Peak	V	-	-	-70.29	18.19	54.90	68.23	-13.33


Table 7-351. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 201 of 597	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 391 of 587	





Plot 7-1006. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 157)



Plot 7-1007. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n - Ch.157)

 Mode:
 802.11n

 Data Rate:
 MCS8

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5785MHz


 Channel:
 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11570.00	Average	Н	-	-	-80.53	10.97	37.44	53.98	-16.54
*	11570.00	Peak	Н	-	-	-69.30	10.94	48.64	73.98	-25.34
	17355.00	Peak	Н	-	-	-70.36	18.74	55.38	68.23	-12.85

Table 7-352. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 202 of 597
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 392 of 587





Plot 7-1008. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n - Ch. 165)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5825MHz


Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11650.00	Average	V	-	-	-80.38	10.99	37.60	53.98	-16.38
*	11650.00	Peak	V	-	-	-69.02	11.16	49.14	73.98	-24.84
	17475.00	Peak	V	-	-	-70.43	20.81	57.38	68.23	-10.85

Table 7-353. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 393 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 393 01 567	





Plot 7-1009. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 36)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5180MHz


 Channel:
 36

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10360.00	Peak	Н	-		-68.62	10.06	48.44	68.20	-19.76
*	15540.00	Average	Н	-	-	-81.11	16.09	41.98	53.98	-12.00
*	15540.00	Peak	Н	-	-	-69.58	16.09	53.51	73.98	-20.47


Table 7-354. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 204 of 597	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 394 of 587	





Plot 7-1010. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 40)



Plot 7-1011. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11ax(SU) - Ch.40)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5200MHz


 Channel:
 40

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10400.00	Peak	Н	-	-	-68.90	9.98	48.08	68.23	-20.15
*	15600.00	Average	Н	-	-	-81.29	15.63	41.35	53.98	-12.63
*	15600.00	Peak	Н	-	-	-68.79	15.63	53.85	73.98	-20.13

Table 7-355. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 395 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	rage 393 01 587	





Plot 7-1012. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 48)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5240MHz

 Channel:
 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10480.00	Peak	Н	-	-	-68.91	10.24	48.33	68.23	-19.90
*	15720.00	Average	Н	-	-	-80.88	15.13	41.25	53.98	-12.73
*	15720.00	Peak	Н	-	-	-69.12	15.01	52.89	73.98	-21.09

Table 7-356. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 396 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 396 01 567	