

Plot 7-1013. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 52)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5260MHz


 Channel:
 52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10520.00	Peak	V	-	-	-68.15	9.99	48.84	68.23	-19.39
*	15780.00	Average	V	-	-	-81.34	14.75	40.41	53.98	-13.57
*	15780.00	Peak	V	-	-	-70.10	14.70	51.61	73.98	-22.37


Table 7-357. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 207 of 597	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 397 of 587	





Plot 7-1014. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 56)



Plot 7-1015. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11ax(SU) - Ch.56)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5280MHz


 Channel:
 56

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10560.00	Peak	Н	-	-	-68.51	10.15	48.64	68.23	-19.59
*	15840.00	Average	Н	-	-	-81.20	14.88	40.68	53.98	-13.30
*	15840.00	Peak	Н	-	-	-69.80	14.88	52.07	73.98	-21.91

Table 7-358. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 398 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 398 01 587	





Plot 7-1016. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 64)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5320MHz


 Channel:
 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	10640.00	Average	Н	-	-	-80.73	10.58	36.84	53.98	-17.14
*	10640.00	Peak	Н	-	-	-68.70	10.33	48.62	73.98	-25.36
*	15960.00	Average	Н	-	-	-81.41	15.41	40.99	53.98	-12.99
*	15960.00	Peak	Н	-	-	-70.21	15.41	52.19	73.98	-21.79

Table 7-359. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 399 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 399 01 587	





Plot 7-1017. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 100)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5500MHz


 Channel:
 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11000.00	Average	V	-	-	-80.72	10.62	36.90	53.98	-17.08
*	11000.00	Peak	V	-	-	-69.06	11.02	48.96	73.98	-25.02
	16500.00	Peak	V	-	-	-70.47	17.84	54.38	68.23	-13.85


Table 7-360. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 400 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 400 01 587	





Plot 7-1018. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 116)



Plot 7-1019. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11ax(SU) - Ch.116)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5580MHz


 Channel:
 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11160.00	Average	V	-	-	-80.60	10.30	36.70	53.98	-17.28
*	11160.00	Peak	٧	-	-	-68.90	10.29	48.39	73.98	-25.59
	16740.00	Peak	٧	-	-	-69.17	17.33	55.16	68.23	-13.07

Table 7-361. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 404 of 507	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 401 of 587	





Plot 7-1020. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 144)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5720MHz


 Channel:
 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11440.00	Average	V	-	-	-80.85	10.64	36.79	53.98	-17.19
*	11440.00	Peak	٧	-	-	-69.50	10.70	48.20	73.98	-25.78
	17160.00	Peak	٧	-	-	-69.46	18.44	55.98	68.23	-12.25

Table 7-362. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 402 of 587	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 402 01 587	





Plot 7-1021. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 149)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5745MHz


 Channel:
 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11490.00	Average	V	-	-	-80.55	10.71	37.16	53.98	-16.82
*	11490.00	Peak	٧	-	-	-68.56	10.71	49.15	73.98	-24.83
	17235.00	Peak	V	-	-	-69.83	18.44	55.61	68.23	-12.62


Table 7-363. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 403 of 587	
1C2311270070-22-R2.BCG 1/3/2024 - 3/24/2024		Tablet Device	Fage 403 01 587	





Plot 7-1022. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 157)



Plot 7-1023. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11ax(SU) - Ch.157)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5785MHz


 Channel:
 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11570.00	Average	٧	-	-	-80.69	10.94	37.26	53.98	-16.72
*	11570.00	Peak	٧	-	-	-68.80	10.94	49.14	73.98	-24.84
	17355.00	Peak	V	-	-	-70.20	18.52	55.32	68.23	-12.91

Table 7-364. Radiated Measurements CDD Diversity

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 404 of 507	
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 404 of 587	





Plot 7-1024. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) - Ch. 165)

 Mode:
 802.11ax(SU)

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 5825MHz

 Channel:
 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	11650.00	Average	Н	-	-	-80.80	11.16	37.35	53.98	-16.63
*	11650.00	Peak	Н	-	-	-68.73	11.22	49.49	73.98	-24.49
	17475.00	Peak	Н	-	-	-70.55	20.81	57.27	68.23	-10.96

Table 7-365. Radiated Measurements CDD Diversity


FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 405 of 587	
1C2311270070-22-R2.BCG 1/3/2024 - 3/24/2024		Tablet Device	Page 405 01 587	




7.6.6 Simultaneous Tx Radiated Spurious Emissions Measurements §15.209; RSS-Gen [8.9]

Description	Bluetooth	UNII
Antenna	Antenna 2a	Antenna 2a
Channel	79	36
Operating Frequency (MHz)	2480	5180
Mode/Modulation	GFSK ePA	802.11n

Table 7-366. Worst Case Simultaneous Transmission Configuration



Plot 7-1025. Radiated Spurious Emissions 1 - 18GHz - Simultaneous Transmission



Plot 7-1026. Radiated Spurious Emissions Above 18GHz – Simultaneous Transmission

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 406 of 587	
1C2311270070-22-R2.BCG 1/3/2024 - 3/24/2024		Tablet Device	Page 406 01 587	



Frequen cy [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntabl e Azimuth	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m	Limit [dBµV/m]	Margin [dB]
4960.00	Peak	-	-	-	-69.18	17.05	54.87	73.98	-19.11
7440.00	Peak	-	-	-	-70.65	11.50	47.85	73.98	-26.13
12400.00	Peak	-	-	-	-72.55	18.60	53.05	73.98	-20.93

Table 7-367. Bluetooth Harmonics Emission Measurements – Simultaneous Transmission


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
	10360.00	Peak		-	-	-71.68	14.72	50.04	68.23	-18.19
*	15540.00	Avg	-	-	-	-85.75	23.02	44.27	53.98	-9.71
*	15540.00	Peak	-	•	-	-73.90	23.02	56.12	73.98	-17.86
	7880.00	Peak	V	242	215	-67.18	11.14	50.96	68.23	-17.27

Table 7-368. UNII and Intermodulation's Emissions Measurements – Simultaneous Transmission


FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 407 of 587	
1C2311270070-22-R2.BCG 1/3/2024 - 3/24/2024		Tablet Device	raye 407 01 587	




Antenna WF5b Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]




Plot 7-1027. Antenna WF5b (Peak & Average, Ch.36, 802.11n, MCS2)







Plot 7-1028. Antenna WF5b (Peak & Average, Ch.36, 802.11n, MCS4)



Plot 7-1031. Antenna WF5b (Peak & Average, Ch.40, 802.11n, MCS4)




Plot 7-1029. Antenna WF5b (Peak & Average, Ch.36, 802.11n, MCS7)




Plot 7-1032. Antenna WF5b (Peak & Average, Ch.40, 802.11n, MCS7)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 408 of 587	
1C2311270070-22-R2.BCG 1/3/2024 - 3/24/2024		Tablet Device	Page 408 01 587	







Plot 7-1033. Antenna WF5b (Peak & Average, Ch.60, 802.11n, MCS4)




Plot 7-1034. Antenna WF5b (Peak & Average, Ch.60, 802.11n, MCS7)




Plot 7-1035. Antenna WF5b (Peak & Average, Ch.64, 802.11n, MCS2)



Plot 7-1036. Antenna WF5b (Peak & Average, Ch.64, 802.11n, MCS4)




Plot 7-1037. Antenna WF5b (Peak & Average, Ch.64, 802.11n, MCS7)




Plot 7-1038. Antenna WF5b (Peak & Average, Ch.100, 802.11n, MCS2)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 400 of 597
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 409 of 587







Plot 7-1039. Antenna WF5b (Peak & Average, Ch.100, 802.11n, MCS4)




Plot 7-1040. Antenna WF5b (Peak & Average, Ch.100, 802.11n, MCS7)




Plot 7-1041. Antenna WF5b (Peak & Average, Ch.104, 802.11n, MCS4)



Plot 7-1042. Antenna WF5b (Peak & Average, Ch.104, 802.11n, MCS7)




Plot 7-1043. Antenna WF5b (Peak, Ch.132, 802.11n, MCS7)




Plot 7-1044. Antenna WF5b (Peak, Ch.136, 802.11n, MCS2)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 410 of 597
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 410 of 587







Plot 7-1045. Antenna WF5b (Peak, Ch.136, 802.11n, MCS4)




Plot 7-1046. Antenna WF5b (Peak, Ch.136, 802.11n, MCS7)




Plot 7-1047. Antenna WF5b (Peak, Ch.140, 802.11n, MCS2)



Plot 7-1048. Antenna WF5b (Peak, Ch.140, 802.11n, MCS4)




Plot 7-1049. Antenna WF5b (Peak, Ch.140, 802.11n, MCS7)




Plot 7-1050. Antenna WF5b (Peak, Ch.149, 802.11n, MCS2)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 411 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 411 01 567







Plot 7-1051. Antenna WF5b (Peak, Ch.149, 802.11n, MCS4)




Plot 7-1052. Antenna WF5b (Peak, Ch.149, 802.11n, MCS7)




Plot 7-1053. Antenna WF5b (Peak, Ch.165, 802.11n, MCS2)



Plot 7-1054. Antenna WF5b (Peak, Ch.165, 802.11n, MCS4)




Plot 7-1055. Antenna WF5b (Peak, Ch.165, 802.11n, MCS7)




Plot 7-1056. Antenna WF5b (Peak & Average, Ch.36, 802.11ax(SU), MCS2)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 412 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Faye 412 01 587







Plot 7-1057. Antenna WF5b (Peak & Average, Ch.36, 802.11ax(SU), MCS4)




Plot 7-1058. Antenna WF5b (Peak & Average, Ch.36, 802.11ax(SU), MCS11)




Plot 7-1059. Antenna WF5b (Peak & Average, Ch.40, 802.11ax(SU), MCS2)



Plot 7-1060. Antenna WF5b (Peak & Average, Ch.40, 802.11ax(SU), MCS4)




Plot 7-1061. Antenna WF5b (Peak & Average, Ch.40, 802.11ax(SU), MCS11)




Plot 7-1062. Antenna WF5b (Peak & Average, Ch.60, 802.11ax(SU), MCS2)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 413 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 413 01 587







Plot 7-1063. Antenna WF5b (Peak & Average, Ch.60, 802.11ax(SU), MCS4)




Plot 7-1064. Antenna WF5b (Peak & Average, Ch.60, 802.11ax(SU), MCS11)




Plot 7-1065. Antenna WF5b (Peak & Average, Ch.64, 802.11ax(SU), MCS2)



Plot 7-1066. Antenna WF5b (Peak & Average, Ch.64, 802.11ax(SU), MCS4)




Plot 7-1067. Antenna WF5b (Peak & Average, Ch.64, 802.11ax(SU), MCS11)




Plot 7-1068. Antenna WF5b (Peak & Average, Ch.100, 802.11ax(SU), MCS2)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 414 of 597
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 414 of 587







Plot 7-1069. Antenna WF5b (Peak & Average, Ch.100, 802.11ax(SU), MCS4)




Plot 7-1070. Antenna WF5b (Peak & Average, Ch.100, 802.11ax(SU), MCS11)



Plot 7-1071. Antenna WF5b (Peak & Average, Ch.104, 802.11ax(SU), MCS2)



Plot 7-1072. Antenna WF5b (Peak & Average, Ch.104, 802.11ax(SU), MCS4)




Plot 7-1073. Antenna WF5b (Peak & Average, Ch.104, 802.11ax(SU), MCS11)




Plot 7-1074. Antenna WF5b (Peak & Average, Ch.108, 802.11ax(SU), MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 445 of 507
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 415 of 587







Plot 7-1075. Antenna WF5b (Peak & Average, Ch.108, 802.11ax(SU), MCS11)




Plot 7-1076. Antenna WF5b (Peak, Ch.132, 802.11ax(SU), MCS4)




Plot 7-1077. Antenna WF5b (Peak, Ch.132, 802.11ax(SU), MCS11)



Plot 7-1078. Antenna WF5b (Peak, Ch.136, 802.11ax(SU), MCS2)




Plot 7-1079. Antenna WF5b (Peak, Ch.136, 802.11ax(SU), MCS4)




Plot 7-1080. Antenna WF5b (Peak, Ch.136, 802.11ax(SU), MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 416 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 410 01 587







Plot 7-1081. Antenna WF5b (Peak, Ch.140, 802.11ax(SU), MCS2)




Plot 7-1082. Antenna WF5b (Peak, Ch.140, 802.11ax(SU), MCS4)




Plot 7-1083. Antenna WF5b (Peak, Ch.140, 802.11ax(SU), MCS11)



Plot 7-1084. Antenna WF5b (Peak, Ch.149, 802.11ax(SU), MCS2)




Plot 7-1085. Antenna WF5b (Peak, Ch.149, 802.11ax(SU), MCS4)




Plot 7-1086. Antenna WF5b (Peak, Ch.149, 802.11ax(SU), MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 417 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 417 01 567






Plot 7-1087. Antenna WF5b (Peak, Ch.165, 802.11ax(SU), MCS2)



Plot 7-1088. Antenna WF5b (Peak, Ch.165, 802.11ax(SU), MCS4)




Plot 7-1089. Antenna WF5b (Peak, Ch.165, 802.11ax(SU), MCS11)


FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 418 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 418 01 587




7.6.8 Antenna WF5b Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]



Plot 7-1090. Antenna WF5b (Peak & Average, Ch.38, 802.11n, MCS2)




Plot 7-1093. Antenna WF5b (Peak & Average, Ch.46, 802.11n, MCS2)



Plot 7-1091. Antenna WF5b (Peak & Average, Ch.38, 802.11n, MCS4)



Plot 7-1094. Antenna WF5b (Peak & Average, Ch.46, 802.11n, MCS4)




Plot 7-1092. Antenna WF5b (Peak & Average, Ch.38, 802.11n, MCS7)




Plot 7-1095. Antenna WF5b (Peak & Average, Ch.46, 802.11n, MCS7)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 419 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 419 01 567







Plot 7-1096. Antenna WF5b (Peak & Average, Ch.54, 802.11n, MCS2)




Plot 7-1097. Antenna WF5b (Peak & Average, Ch.54, 802.11n, MCS4)




Plot 7-1098. Antenna WF5b (Peak & Average, Ch.54, 802.11n, MCS7)



Plot 7-1099. Antenna WF5b (Peak & Average, Ch.62, 802.11n, MCS2)




Plot 7-1100. Antenna WF5b (Peak & Average, Ch.62, 802.11n, MCS4)




Plot 7-1101. Antenna WF5b (Peak & Average, Ch.62, 802.11n, MCS7)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 400 of 507
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 420 of 587







Plot 7-1102. Antenna WF5b (Peak & Average, Ch.102, 802.11n, MCS2)



Plot 7-1103. Antenna WF5b (Peak & Average, Ch.102, 802.11n, MCS4)



Plot 7-1104. Antenna WF5b (Peak & Average, Ch.102, 802.11n, MCS7)



Plot 7-1105. Antenna WF5b (Peak & Average, Ch.110, 802.11n, MCS2)




Plot 7-1106. Antenna WF5b (Peak & Average, Ch.110, 802.11n, MCS4)



Plot 7-1107. Antenna WF5b (Peak & Average, Ch.110, 802.11n, MCS7)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 421 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 421 01 587







Plot 7-1108. (FCC Only) Antenna WF5b (Peak & Average, Ch.118, 802.11n, MCS4)




Plot 7-1109. (FCC Only) Antenna WF5b (Peak & Average, Ch.118, 802.11n, MCS7)




Plot 7-1110. (FCC Only) Antenna WF5b (Peak, Ch.126, 802.11n, MCS4)



Plot 7-1111. (FCC Only) Antenna WF5b (Peak, Ch.126, 802.11n, MCS7)




Plot 7-1112. Antenna WF5b (Peak, Ch.134, 802.11n, MCS2)




Plot 7-1113. Antenna WF5b (Peak, Ch.134, 802.11n, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 422 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 422 01 567







Plot 7-1114. Antenna WF5b (Peak, Ch.134, 802.11n, MCS7)




Plot 7-1115. Antenna WF5b (Peak, Ch.151, 802.11n, MCS2)




Plot 7-1116. Antenna WF5b (Peak, Ch.151, 802.11n, MCS4)



Plot 7-1117. Antenna WF5b (Peak, Ch.151, 802.11n, MCS7)




Plot 7-1118. Antenna WF5b (Peak, Ch.159, 802.11n, MCS2)




Plot 7-1119. Antenna WF5b (Peak, Ch.159, 802.11n, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 422 of 597
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 423 of 587







Plot 7-1120. Antenna WF5b (Peak, Ch.159, 802.11n, MCS7)



Plot 7-1121. Antenna WF5b (Peak & Average, Ch.38, 802.11ax(SU), MCS2)




Plot 7-1122. Antenna WF5b (Peak & Average, Ch.38, 802.11ax(SU), MCS4)



Plot 7-1123. Antenna WF5b (Peak & Average, Ch.38, 802.11ax(SU), MCS11)




Plot 7-1124. Antenna WF5b (Peak & Average, Ch.46, 802.11ax(SU), MCS2)




Plot 7-1125. Antenna WF5b (Peak & Average, Ch.46, 802.11ax(SU), MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 404 of 507
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 424 of 587







Plot 7-1126. Antenna WF5b (Peak & Average, Ch.46, 802.11ax(SU), MCS11)




Plot 7-1127. Antenna WF5b (Peak & Average, Ch.54, 802.11ax(SU), MCS2)




Plot 7-1128. Antenna WF5b (Peak & Average, Ch.54, 802.11ax(SU), MCS4)



Plot 7-1129. Antenna WF5b (Peak & Average, Ch.54, 802.11ax(SU), MCS11)




Plot 7-1130. Antenna WF5b (Peak & Average, Ch.62, 802.11ax(SU), MCS2)




Plot 7-1131. Antenna WF5b (Peak & Average, Ch.62, 802.11ax(SU), MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 425 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 425 01 567






Plot 7-1132. Antenna WF5b (Peak & Average, Ch.62, 802.11ax(SU), MCS11)



Plot 7-1133. Antenna WF5b (Peak & Average, Ch.102, 802.11ax(SU), MCS2)



Plot 7-1134. Antenna WF5b (Peak & Average, Ch.102, 802.11ax(SU), MCS4)



Plot 7-1135. Antenna WF5b (Peak & Average, Ch.102, 802.11ax(SU), MCS11)



Plot 7-1136. Antenna WF5b (Peak & Average, Ch.110, 802.11ax(SU), MCS2)




Plot 7-1137. Antenna WF5b (Peak & Average, Ch.110, 802.11ax(SU), MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 426 of 597
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 426 of 587







Plot 7-1138. Antenna WF5b (Peak & Average, Ch.110, 802.11ax(SU), MCS11)




Plot 7-1139. (FCC Only) Antenna WF5b (Peak & Average, Ch.118, 802.11ax(SU), MCS2)




Plot 7-1140. (FCC Only) Antenna WF5b (Peak & Average, Ch.118, 802.11ax(SU), MCS4)



Plot 7-1141. (FCC Only) Antenna WF5b (Peak & Average, Ch.118, 802.11ax(SU), MCS11)




Plot 7-1142. (FCC Only) Antenna WF5b (Peak, Ch.126, 802.11ax(SU), MCS4)




Plot 7-1143. (FCC Only) Antenna WF5b (Peak, Ch.126, 802.11ax(SU), MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 427 of 597
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 427 of 587







Plot 7-1144. Antenna WF5b (Peak, Ch.134, 802.11ax(SU), MCS2)




Plot 7-1145. Antenna WF5b (Peak, Ch.134, 802.11ax(SU), MCS4)




Plot 7-1146. Antenna WF5b (Peak, Ch.134, 802.11ax(SU), MCS11)



Plot 7-1147. Antenna WF5b (Peak, Ch.151, 802.11ax(SU), MCS2)




Plot 7-1148. Antenna WF5b (Peak, Ch.151, 802.11ax(SU), MCS4)




Plot 7-1149. Antenna WF5b (Peak, Ch.151, 802.11ax(SU), MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 400 of 507
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 428 of 587






Plot 7-1150. Antenna WF5b (Peak, Ch.159, 802.11ax(SU), MCS2)



Plot 7-1151. Antenna WF5b (Peak, Ch.159, 802.11ax(SU), MCS4)




Plot 7-1152. Antenna WF5b (Peak, Ch.159, 802.11ax(SU), MCS11)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 429 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 429 01 567



7.6.9 Antenna WF5b Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]




Plot 7-1153. Antenna WF5b (Peak & Average, Ch.42, 802.11ac, MCS2)




Peak: 5350,00 MHz, 62,73 dBuV/m




Plot 7-1154. Antenna WF5b (Peak & Average, Ch.42, 802.11ac, MCS4)



Plot 7-1157. Antenna WF5b (Peak & Average, Ch.58, 802.11ac, MCS4)



Plot 7-1155. Antenna WF5b (Peak & Average, Ch.42, 802.11ac, MCS9)



Plot 7-1158. Antenna WF5b (Peak & Average, Ch.58, 802.11ac, MCS9)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 430 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 450 01 567







Plot 7-1159. Antenna WF5b (Peak & Average, Ch.106, 802.11ac, MCS2)




Plot 7-1160. Antenna WF5b (Peak & Average, Ch.106, 802.11ac, MCS4)




Plot 7-1161. Antenna WF5b (Peak & Average, Ch.106, 802.11ac, MCS9)



Plot 7-1162. Antenna WF5b (Peak & Average, Ch.122, 802.11ac, MCS2)




Plot 7-1163. Antenna WF5b (Peak, Ch.122, 802.11ac, MCS2)




Plot 7-1164. Antenna WF5b (Peak & Average, Ch.122, 802.11ac, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 421 of 597
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Page 431 of 587







Plot 7-1165. Antenna WF5b (Peak, Ch.122, 802.11ac, MCS4)




Plot 7-1166. Antenna WF5b (Peak & Average, Ch.122, 802.11ac, MCS9)




Plot 7-1167. Antenna WF5b (Peak, Ch.122, 802.11ac, MCS9)



Plot 7-1168. Antenna WF5b (Peak, Ch.155, 802.11ac, MCS2)



Plot 7-1169. Antenna WF5b (Peak, Ch.155, 802.11ac, MCS2)



Plot 7-1170. Antenna WF5b (Peak, Ch.155, 802.11ac, MCS4)

FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 432 of 587
1C2311270070-22-R2.BCG	1/3/2024 - 3/24/2024	Tablet Device	Fage 432 01 587