







Auto Tun .199 28 G 1.449 dE Ref Offset 0.25 dB Ref 16.25 dBm Center Fre Start Fred 5.18500000 G Stop Freq 5.215000000 GH CF Step 00000 MH: Mar 3.00 Freq Offse 0 H Scale Type Lin Center 5.20000 GHz #Res BW 1.0 MHz Span 30.00 MHz Sweep 1.000 ms (1001 pts) #VBW 3.0 MHz\*


Trig: Free Run #Atten: 26 dB

PNO: Wide

#Avg Type: RMS Avg|Hold: 100/100

Plot 7-241. ISED PSD Antenna WF2 (20MHz BW 11ax Index 4 – RU26 – Ch.40)





Plot 7-242. ISED PSD Antenna WF2 (20MHz BW 11ax Index 8- RU26 - Ch.40)

Plot 7-245. ISED PSD Antenna WF2 (40MHz BW 11ax Index 8 - RU26 - Ch.46)

FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 116 of 074
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	Page 116 of 274
<b>.</b>			V 10.6 10/27/2023

Frequency










Plot 7-247. ISED PSD Antenna WF2 (40MHz BW 11ax - RU484 - Ch.46)






Plot 7-249. ISED PSD Antenna WF2 (80MHz BW 11ax Index 18 - RU26 - Ch.42)








Plot 7-251. ISED PSD Antenna WF2 (80MHz BW 11ax - RU996 - Ch.42)

FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 117 of 074
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	Page 117 of 274
			V 10.6 10/27/2023





Plot 7-252. ISED PSD Antenna WF2 (160MHz BW 11ax Index 37 - RU52 - Ch.50 (L))



Plot 7-253. ISED PSD Antenna WF2 (160MHz BW 11ax Index 52 - RU52 - Ch.50 (L))



Plot 7-254. ISED PSD Antenna WF2 (160MHz BW 11ax - RU996x2 - Ch.50)

FCC ID: BCGA2993 IC: 579C-A2993	element	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dega 110 of 074
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	Page 118 of 274
	•	·	V 10.6 10/27/2023



## 7.5.3 Summed CDD/SDM Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF5T Power Density [dBm/MHz]	Antenna WF2 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]			
					26	0	25/29.4 (MCS11)	5.54	6.04	8.81	11.0	-2.19			
	5180	36	ax (20MHz)	CDD	26	4	25/29.4 (MCS11)	4.95	4.82	7.89	11.0	-3.11			
					26	8	25/29.4 (MCS11)	5.70	6.37	9.06	11.0	-1.94			
					26	0	25/29.4 (MCS11)	5.80	6.26	9.05	11.0	-1.95			
	5200	40	ax (20MHz)	ax (20MHz)	ax (20MHz)	ax (20MHz)	CDD	26	4	25/29.4 (MCS11)	4.95	5.33	8.16	11.0	-2.84
					26	8	25/29.4 (MCS11)	5.67	5.84	8.77	11.0	-2.23			
						26	0	25/29.4 (MCS11)	5.84	6.00	8.93	11.0	-2.07		
<del>.</del>	5240	48	ax (20MHz)	CDD	26	4	25/29.4 (MCS11)	5.35	5.00	8.19	11.0	-2.81			
					26	8	25/29.4 (MCS11)	5.79	5.71	8.76	11.0	-2.24			
Band			ax (40MHz)			26	0	25/29.4 (MCS11)	5.54	5.86	8.71	11.0	-2.29		
	5190	38		CDD	26	8	25/29.4 (MCS11)	5.79	6.25	9.04	11.0	-1.96			
					26	17	25/29.4 (MCS11)	5.59	5.83	8.72	11.0	-2.28			
					26	0	25/29.4 (MCS11)	5.52	5.75	8.65	11.0	-2.35			
	5230	46	46 ax (40MHz)	CDD	26	8	25/29.4 (MCS11)	6.22	6.55	9.40	11.0	-1.60			
				26	17	25/29.4 (MCS11)	5.97	6.26	9.13	11.0	-1.87				
			ax (80MHz)		26	0	25/29.4 (MCS11)	5.76	6.06	8.92	11.0	-2.08			
	5210	42		CDD	26	18	25/29.4 (MCS11)	4.61	4.97	7.80	11.0	-3.20			
					26	36	25/29.4 (MCS11)	6.11	6.07	9.10	11.0	-1.90			

Table 7-116. Band 1 Power Spectral Density Measurements CDD (RU26)

FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 110 of 074
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	Page 119 of 274
			V/ 10 6 10/27/2023



	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF5T Power Density [dBm/MHz]	Antenna WF2 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]	
₽ <		50(1)			52	37	50/58.8 (MCS11)	6.12	5.99	9.07	11.0	-1.93	
Band 1/2A	5250	50 (L)	ax (160MHz)	SDM	52	52	50/58.8 (MCS11)	5.86	6.06	8.97	11.0	-2.03	
<u>ш</u> с		50 (U)			52	52	50/58.8 (MCS11)	6.73	6.06	9.42	11.0	-1.58	
					52	37	50/58.8 (MCS11)	6.44	6.39	9.43	11.0	-1.57	
	5260	52	ax (20MHz) SDM	52	38	50/58.8 (MCS11)	6.11	6.46	9.30	11.0	-1.70		
				52	40	50/58.8 (MCS11)	6.10	6.03	9.07	11.0	-1.93		
					52	37	50/58.8 (MCS11)	6.25	6.54	9.41	11.0	-1.59	
	5300	60	ax (20MHz)	SDM	52	38	50/58.8 (MCS11)	6.15	6.45	9.31	11.0	-1.69	
					52	40	50/58.8 (MCS11)	5.78	6.44	9.13	11.0	-1.87	
					52	37	50/58.8 (MCS11)	6.12	6.15	9.15	11.0	-1.85	
∢	5320	64	ax (20MHz)	SDM	52	38	50/58.8 (MCS11)	6.34	6.20	9.28	11.0	-1.72	
Band 2A					52	40	50/58.8 (MCS11)	6.39	6.12	9.27	11.0	-1.73	
ano					52	37	50/58.8 (MCS11)	5.75	6.16	8.97	11.0	-2.03	
-	5270	54	ax (40MHz)	SDM	52	40	50/58.8 (MCS11)	6.37	6.56	9.48	11.0	-1.52	
					52	44	50/58.8 (MCS11)	5.97	5.82	8.91	11.0	-2.09	
					52	37	50/58.8 (MCS11)	5.77	5.70	8.75	11.0	-2.25	
	5310	62	ax (40MHz)	SDM	52	40	50/58.8 (MCS11)	6.56	6.63	9.61	11.0	-1.39	
					52	44	50/58.8 (MCS11)	5.83	6.11	8.98	11.0	-2.02	
					52	37	50/58.8 (MCS11)	6.68	6.46	9.58	11.0	-1.42	
	5290	58	ax (80MHz)	SDM	52	44	50/58.8 (MCS11)	5.91	6.52	9.24	11.0	-1.76	
					52	52	50/58.8 (MCS11)	6.03	6.06	9.06	11.0	-1.94	
					52	37	50/58.8 (MCS11)	6.63	6.43	9.54	11.0	-1.46	
	5500	100	ax (20MHz)	ax (20MHz)	SDM	52	38	50/58.8 (MCS11)	6.44	6.20	9.33	11.0	-1.67
					52	40	50/58.8 (MCS11)	6.32	6.48	9.41	11.0	-1.59	
						52	37	50/58.8 (MCS11)	6.58	6.65	9.63	11.0	-1.37
	5580	116	ax (20MHz)	SDM	52	38	50/58.8 (MCS11)	6.98	6.70	9.85	11.0	-1.15	
					52	40	50/58.8 (MCS11)	6.84	6.83	9.85	11.0	-1.15	
					52	37	50/58.8 (MCS11)	6.70	6.47	9.60	11.0	-1.40	
	5720	144	ax (20MHz)	SDM	52	38	50/58.8 (MCS11)	6.59	6.75	9.68	11.0	-1.32	
					52	40	50/58.8 (MCS11)	6.39	6.52	9.47	11.0	-1.53	
					52	37	50/58.8 (MCS11)	6.57	6.67	9.63	11.0	-1.37	
	5510	102	ax (40MHz)	SDM	52	40	50/58.8 (MCS11)	6.24	6.32	9.29	11.0	-1.71	
					52	44	50/58.8 (MCS11)	6.58	6.32	9.47	11.0	-1.53	
					52	37	50/58.8 (MCS11)	6.30	6.55	9.44	11.0	-1.56	
	5550	110	ax (40MHz)	SDM	52	40	50/58.8 (MCS11)	6.58	6.53	9.57	11.0	-1.43	
120					52	44	50/58.8 (MCS11)	6.58	6.39	9.50	11.0	-1.50	
Band 2C					52	37	50/58.8 (MCS11)	6.35	6.55	9.46	11.0	-1.54	
ä	5710	142	ax (40MHz)	SDM	52	40	50/58.8 (MCS11)	6.57	7.11	9.86	11.0	-1.14	
					52	44	50/58.8 (MCS11)	6.26	6.70	9.49	11.0	-1.51	
					52	37	50/58.8 (MCS11)	6.42	6.49	9.47	11.0	-1.53	
	5530	106	ax (80MHz)	SDM	52	44	50/58.8 (MCS11)	5.81	6.46	9.16	11.0	-1.84	
	0000			0.5.11	52	52	50/58.8 (MCS11)	6.07	7.00	9.57	11.0	-1.43	
				<u> </u>	52	37	50/58.8 (MCS11)	6.14	6.43	9.30	11.0	-1.40	
	5610*	122	ax (80MHz)	SDM	52	44	50/58.8 (MCS11)	6.04	6.74	9.41	11.0	-1.59	
	0010			CDINI	52	52	50/58.8 (MCS11)	6.12	6.77	9.47	11.0	-1.53	
					52	37	50/58.8 (MCS11)	6.18	6.49	9.34	11.0	-1.66	
	5690	138	ax (80MHz)	SDM	52	44	50/58.8 (MCS11)	6.18	6.88	9.55	11.0	-1.45	
	5050	100		<b>ODIVI</b>	52	52	50/58.8 (MCS11)	6.73	6.48	9.61	11.0	-1.45	
					52	37	50/58.8 (MCS11)	3.80	4.66	7.26	11.0	-1.39	
	5570*	114 (L)	ax (160MHz)	CDD	52	44	50/58.8 (MCS11)	4.25	5.08	7.69	11.0	-3.74	
	0010	114 (U)		000	52	52	50/58.8 (MCS11)	4.25	5.67	8.14	11.0	-3.31	
							Spectral Dens					-2.00	

\*TDWR channel is not supported for ISED (denoted by a \* next to the frequency)

FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 100 of 074
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	Page 120 of 274
			V 10.6 10/27/2023



	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF5T Power Density [dBm/MHz]	Antenna WF2 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
	5180	36	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	3.46	4.67	7.12	11.0	-3.88
	5200	40	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	4.81	5.74	8.31	11.0	-2.69
d 1	5240	48	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	5.59	5.90	8.76	11.0	-2.24
Band 1	5190	38	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-0.55	0.45	2.99	11.0	-8.01
	5230	46	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	4.52	5.59	8.10	11.0	-2.90
	5210	42	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-5.04	-3.88	-1.41	11.0	-12.41
Band 1/2A	5250	50	ax (160MHz)	CDD	996x2	68	2041.6/2402 (MCS11)	-8.33	-7.54	-4.91	11.0	-15.91
	5260	52	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	4.56	5.23	7.92	11.0	-3.08
∢	5300	60	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	4.97	5.20	8.09	11.0	-2.91
d 2A	5320	64	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	3.52	3.91	6.73	11.0	-4.27
Band	5270	54	ax (40MHz)	SDM	484	65	487.5/573.5 (MCS11)	4.27	5.05	7.68	11.0	-3.32
	5310	62	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-0.52	0.19	2.86	11.0	-8.14
	5290	58	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-3.02	-2.16	0.44	11.0	-10.56
	5500	100	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	2.91	3.47	6.21	11.0	-4.79
	5580	116	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	5.34	6.00	8.69	11.0	-2.31
	5720	144	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	4.88	5.56	8.24	11.0	-2.76
U	5510	102	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-0.99	-0.51	2.27	11.0	-8.73
d 2C	5550	110	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	3.48	3.92	6.72	11.0	-4.28
Band	5710	142	ax (40MHz)	SDM	484	65	487.5/573.5 (MCS11)	4.62	5.15	7.90	11.0	-3.10
60	5530	106	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-5.12	-4.51	-1.79	11.0	-12.79
	5610*	122	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	0.09	1.20	3.69	11.0	-7.31
	5690	138	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	2.32	3.73	6.10	11.0	-4.90
	5570*	114	ax (160MHz)	CDD	996x2	68	2041.6/2402 (MCS11)	-9.81	-9.14	-6.45	11.0	-17.45


Table 7-118. Bands 1, 2A, 2C Power Spectral Density Measurements CDD/SDM (Fully-loaded RU)

\*TDWR channel is not supported for ISED (denoted by a \* next to the frequency)

FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 101 of 074
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	Page 121 of 274
			V/ 10 6 10/27/2023











Plot 7-256. PSD CDD Antenna WF2 (20MHz BW 11ax Index 0 - RU26 - Ch.40)





Plot 7-258. PSD CDD Antenna WF2 (20MHz BW 11ax Index 4 - RU26 - Ch.40)





Plot 7-259. PSD CDD Antenna WF5T (20MHz BW 11ax Index 8- RU26 - Ch.40)


Plot 7-260. PSD CDD Antenna WF2 (20MHz BW 11ax Index 8- RU26 - Ch.40)

FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 100 of 074
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	Page 122 of 274
			V 10.6 10/27/2023














Plot 7-264. PSD CDD Antenna WF2 (40MHz BW 11ax Index 0 - RU26 - Ch.46)








FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 102 of 074
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	Page 123 of 274
			V 10.6 10/27/2023











Plot 7-268, PSD CDD Antenna WF2 (40MHz BW 11ax Index 17 - RU26 - Ch.46)





Plot 7-269. PSD CDD Antenna WF5T (40MHz BW 11ax - RU484 - Ch.46)



Plot 7-270. PSD CDD Antenna WF2 (40MHz BW 11ax - RU484 - Ch.46)








Plot 7-272. PSD CDD Antenna WF2 (80MHz BW 11ax Index 0 - RU26 - Ch.42)

FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 104 of 074
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	Page 124 of 274
<b>-</b>	•		V 10.6 10/27/2023







Lir

CF Step 00000 MH Mar

Freq Offse 0 H

Scale Type

Lit

12.000



Plot 7-274. PSD CDD Antenna WF2 (80MHz BW 11ax Index 18 - RU26 - Ch.42)





Center 5.21000 GHz #Res BW 1.0 MHz Span 120.0 MHz Sweep 1.000 ms (1001 pts) og #VBW 3.0 MHz\*





Plot 7-278. PSD CDD Antenna WF2 (80MHz BW 11ax - RU996 - Ch.42)


FIGURE 213. FSD CDD Antennia WIST ( $00WH2 BW TTax index 30 = 1020 = 01.42$ )	

FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 125 of 274
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	
<u> </u>			V 10.6 10/27/2023












Plot 7-280. PSD SDM Antenna WF2 (160MHz BW 11ax Index 37 - RU52 - Ch.50 (L))






Plot 7-282. PSD SDM Antenna WF2 (160MHz BW 11ax Index 52 - RU52 - Ch.50 (L))










Plot 7-284. PSD SDM Antenna WF2 (160MHz BW 11ax Index 52 - RU52 - Ch.50 (U))

FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 126 of 274
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	
<u></u>			V 10.6 10/27/2023









Plot 7-286. PSD CDD Antenna WF2 (160MHz BW 11ax - RU996x2 - Ch.50)








Plot 7-288. PSD SDM Antenna WF2 (20MHz BW 11ax Index 37 - RU52 - Ch.60)








Plot 7-290. PSD SDM Antenna WF2 (20MHz BW 11ax Index 38 - RU52 - Ch.60)

FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 407 af 074
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	Page 127 of 274
<b></b>			V 10.6 10/27/2023











Plot 7-292. PSD SDM Antenna WF2 (20MHz BW 11ax Index 40 - RU52 - Ch.60)






Plot 7-294. PSD SDM Antenna WF2 (20MHz BW 11ax- RU242 - Ch.60)








Plot 7-296. PSD SDM Antenna WF2 (40MHz BW 11ax Index 37 - RU52 - Ch.54)

FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 128 of 274
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	
		·	V 10.6 10/27/2023









Plot 7-298. PSD SDM Antenna WF2 (40MHz BW 11ax Index 40 - RU52 - Ch.54)









Plot 7-300. PSD SDM Antenna WF2 (40MHz BW 11ax Index 44 - RU52 - Ch.54)







Plot 7-302. PSD SDM Antenna WF2 (40MHz BW 11ax - RU484 - Ch.54)

FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 129 of 274
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	
<b></b>	•		V 10.6 10/27/2023







Plot 7-303. PSD SDM Antenna WF5T (80MHz BW 11ax Index 37 - RU52 - Ch.58)



Plot 7-304. PSD SDM Antenna WF2 (80MHz BW 11ax Index 37 - RU52 - Ch.58)



Plot 7-305. PSD SDM Antenna WF5T (80MHz BW 11ax Index 44 - RU52 - Ch.58)



#Avg Type: RMS Avg|Hold: 100/100

> .325 76 0 6.028 d

Auto Tur

Center Fred

Start Fred

5.29000000 GH


5.23000000 GH

... Trig: Free Run #Atten: 26 dB

PNO: Fast

Ref Offset 0.46 dB Ref 16.46 dBm

CF Ster 1200000 GHz Freq Offse Span 120.0 MHz Freq Offse Span 120.0 MHz Sweep 1.000 ms (1001 pts) Flor 7-307. PSD SDM Antenna WF5T (80MHz BW 11ax Index 52 – RU52 – Ch.58)



Plot 7-308. PSD SDM Antenna WF2 (80MHz BW 11ax Index 52 - RU52 - Ch.58)

FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 130 of 274
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	
	•		V 10.6 10/27/2023







Span 120.0 MHz Sweep 1.000 ms (1001 pts)

Log

Lir



Trig: Free Ru

Ref Offset 0.38 dB Ref 16.38 dBm

**∮**<sup>1</sup>

#Avg Type: RMS Avg|Hold: 100/100

6.651


Auto Tun

Center Fred

Lir









Plot 7-314. PSD SDM Antenna WF2 (20MHz BW 11ax Index 38 - RU52 - Ch.116)

FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 131 of 274
1C2405200017-12-R1.BCG	5/20/2024 - 8/28/2024	Tablet Device	
		·	V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Plot 7-310. PSD CDD Antenna WF2 (80MHz BW 11ax - RU996 - Ch.58)

#VBW 3.0 MHz\*

Center 5.29000 GHz #Res BW 1.0 MHz