

APPENDIX H: IEEE 802.11AX RU SAR EXCLUSION

H.1 IEEE 802.11ax RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 106T, 242T, 484T, 996T and 996Tx2.

Per FCC Guidance, 802.11ax was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

H.2 IEEE 802.11ax RU Target Powers

H.2.1 Maximum 802.11ax RU Time-Averaged WLAN Output Power

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3a															
		SISO								MIMO							
		Tones															
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal
2.4 GHz with 20MHz bandwidth	1	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
	2	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
	3	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
	4	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
	5	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
	6	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
	7	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
	8	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
	9	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
	10	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
	11	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
	12	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1a															
		SISO								MIMO							
		Tones															
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal
2.4 GHz with 20MHz bandwidth	1	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	2	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	3	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	4	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	5	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	6	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	7	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	8	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	9	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	10	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	11	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	12	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 1 of 96



LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T													
		Tones													
		25T Maximum	25T Nominal	52T Maximum	52T Nominal	105T Maximum	105T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (DMM BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	-4.25	-5.75	-1.25	-2.75	-1.75	0.25	4.75	3.25						
	5	-4.25	-5.75	-1.25	-2.75	-1.75	0.25	4.75	3.25						
	5-20	-4.25	-5.75	-1.25	-2.75	-1.75	0.25	4.75	3.25						
	33-61	-3.75	-5.25	-0.75	-2.25	-2.25	0.75	5.25	3.75						
	65-85	-3.50	-5.00	-0.50	-2.00	-2.00	1.00	5.50	4.00						
	89	-3.50	-5.00	-0.50	-2.00	-2.00	1.00	5.50	4.00						
	93	-3.50	-5.00	-0.50	-2.00	-2.00	1.00	5.50	4.00						
	93-113	-3.75	-5.25	-0.75	-2.25	-2.25	0.75	5.25	3.75						
	117-181	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50						
	185	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50						
	189-225	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50						
	229	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	-4.25	-5.75	-1.25	-2.75	-1.75	0.25	4.75	3.25	-7.75	6.25				
	11	-4.25	-5.75	-1.25	-2.75	-1.75	0.25	4.75	3.25	7.75	6.25				
	19-27	-4.25	-5.75	-1.25	-2.75	-1.75	0.25	4.75	3.25	7.75	6.25				
	26-58	-3.75	-5.25	-0.75	-2.25	-2.25	0.75	5.25	3.75	8.25	6.75				
	62-90	-3.50	-5.00	-0.50	-2.00	-2.00	1.00	5.50	4.00	8.50	7.00				
	94	-3.50	-5.00	-0.50	-2.00	-2.00	1.00	5.50	4.00	8.50	7.00				
98-107	-3.75	-5.25	-0.75	-2.25	-2.25	0.75	5.25	3.75	8.25	6.75					
111	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50	8.00	6.50					
123-179	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50	8.00	6.50					
187	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50	8.00	6.50					
195-219	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50	8.00	6.50					
227	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50	8.00	6.50					
6 GHz WFI (DMM BW) LP	7	-4.25	-5.75	-1.25	-2.75	-1.75	0.25	4.75	3.25						
	23	-4.25	-5.75	-1.25	-2.75	-1.75	0.25	4.75	3.25	7.75	6.25	10.75	9.25		
	38-56	-3.75	-5.25	-0.75	-2.25	-2.25	0.75	5.25	3.75	8.25	6.75	11.25	9.75		
	71	-3.50	-5.00	-0.50	-2.00	-2.00	1.00	5.50	4.00	8.50	7.00	11.50	10.00		
	87	-3.50	-5.00	-0.50	-2.00	-2.00	1.00	5.50	4.00	8.50	7.00	11.50	10.00		
	103	-3.75	-5.25	-0.75	-2.25	-2.25	0.75	5.25	3.75	8.25	6.75	11.25	9.75		
	119	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50	8.00	6.50	11.00	9.50		
	135-167	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50	8.00	6.50	11.00	9.50		
	183	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50	8.00	6.50	11.00	9.50		
	199	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50	8.00	6.50	11.00	9.50		
	215	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50	8.00	6.50	11.00	9.50		
	15	-4.25	-5.75	-1.25	-2.75	-1.75	0.25	4.75	3.25	7.75	6.25	10.75	9.25	13.25	11.75
	47	-3.75	-5.25	-0.75	-2.25	-2.25	0.75	5.25	3.75	8.25	6.75	11.25	9.75	13.50	12.00
	79	-3.50	-5.00	-0.50	-2.00	-2.00	1.00	5.50	4.00	8.50	7.00	11.50	10.00	13.00	11.50
	111	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50	8.00	6.50	11.00	9.50	12.50	11.00
	143	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50	8.00	6.50	11.00	9.50	12.50	11.00
	175	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50	8.00	6.50	11.00	9.50	12.50	11.00
	207	-4.00	-5.50	-1.00	-2.50	-2.50	0.50	5.00	3.50	8.00	6.50	11.00	9.50	12.50	11.00
	6 GHz WFI (DMM BW) LP	2	NS	NS	-6.00	-7.50	-3.00	NS	NS	-1.50					
		1	NS	NS	-6.00	-7.50	-3.00	NS	NS	-1.50					
5		NS	NS	-6.00	-7.50	-3.00	NS	NS	-1.50						
5-20		NS	NS	-6.00	-7.50	-3.00	NS	NS	-1.50						
33-61		-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00						
65-85		-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00						
89		-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00						
93		-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00						
93-113		NS	NS	-6.00	-7.50	-3.00	NS	NS	-1.50						
117-181		NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
185		NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
189-225		NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
229		NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
233		NS	NS	NS	NS	NS	NS	NS	NS						
3		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50				
11		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50				
19-27		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50				
35-59		-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00				
63-91		-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00				
95		-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00				
99-107	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50					
111	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50					
123-179	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75					
187	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75					
195-219	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75					
227	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75					
6 GHz WFI (DMM BW) LP	7	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50		
	23	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50		
	38-56	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00		
	71	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00		
	87	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00		
	103	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50		
	119	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50		
	135-167	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75		
	183	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75		
	199	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75		
	215	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75		
	15	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	8.50	7.00
	47	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00	9.00	7.50
	79	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00	9.00	7.50
	111	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	8.50	7.00
	143	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75	8.75	7.25
	175	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75	8.75	7.25
	207	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75	8.75	7.25

FCC ID BCGA2995

SAR EVALUATION REPORT

Approved by:
Technical Manager

DUT Type:
Tablet Device

APPENDIX H:
Page 6 of 96

LP Mode	Channel	IEE 802.11 (Maximum in dBm) - Antenna 5T													
		MIMO SDM													
		Tones													
		20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	202T Maximum	202T Nominal	404T Maximum	404T Nominal	996T Maximum	996T Nominal	996T12 Maximum	996T12 Nominal
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	5	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	9-29	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	33-64	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00						
	65-85	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75						
	86	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75						
	89	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75						
	97-113	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	117-145	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
6 GHz WiFi (40MHz BW) LP	3	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50				
	11	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50				
	19-27	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50				
	35-59	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.50	5.00				
	63-75	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75				
	83	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75				
	91	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75				
	99-107	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50				
	115	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50				
	123-179	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50				
6 GHz WiFi (80MHz BW) LP	7	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50		
	13	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50		
	19-55	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.50	5.00	9.50	8.00		
	71	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	9.25	7.75		
	87	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	9.25	7.75		
	103	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50		
	119	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50		
	135-167	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50		
	183	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50		
	199	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50		
6 GHz WiFi (160MHz BW) LP	15	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50	11.50	10.00
	47	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.50	5.00	8.00	6.50	12.00	10.50
	79	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	9.25	7.75	11.75	10.25
	111	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50	11.50	10.00
	143	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50	11.25	9.75
	175	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50	11.25	9.75
	207	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50	11.25	9.75

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 7 of 96

		IEEE 802.11 (Maximum in dBm) - Antenna 5T														
VLP Mode	Channel	SISO														
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal	
6 GHz WFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	9-29	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	33-61	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25							
	65-85	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00							
	89	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00							
	93	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00							
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	117-183	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50							
	185	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
11		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
19-27		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
35-59		NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75					
67-75		NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00					
83		NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00					
91		NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00					
99-107		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
115		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
123-179		NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50					
187		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
195-219		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
227		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WFI (80MHz BW) VLP		7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75	2.25	0.75			
	71	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	2.50	1.00			
	87	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	2.50	1.00			
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	135-167	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	2.00	0.50			
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	47	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75	2.25	0.75			
	79	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	2.50	1.00			
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
143	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	2.00	0.50				
175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		

		IEEE 802.11 (Maximum in dBm) - Antenna 5T														
VLP Mode	Channel	MIMO CDD														
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal	
6 GHz WFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	9-29	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	33-61	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	65-85	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	89	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	93	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	117-183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	185	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
11		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
19-27		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
35-59		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
67-75		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
83		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
91		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
99-107		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
115		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
123-179		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
187		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
195-219		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
227		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WFI (80MHz BW) VLP		7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	71	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	87	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	135-167	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	47	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	79	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
143	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T																										
		MIMO SOM																										
		20T		20T		52T		52T		100T		100T		242T		242T												
Maximum		Nominal		Maximum		Nominal		Maximum		Nominal		Maximum		Nominal		Tones												
																484T Maximum		484T Nominal		996T Maximum		996T Nominal		996T2 Maximum		996T2 Nominal		
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	9-29	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	33-64	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	65-85	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	88	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	93	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	117-145	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	149	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WiFi (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
11		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
19-27		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
31-59		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
63-75		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
83		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
91		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
95-107		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
115		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
123-179		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
187		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
185-213		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
217		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WiFi (80MHz BW) VLP		7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	71	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	87	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	135-167	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WiFi (160MHz BW) VLP	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		47	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		79	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
143		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
175		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 9 of 96

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T														
		MIMO SDM														
		Tones														
		20T Maximum	20T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T2 Maximum	996T2 Nominal	
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS							
	1	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00							
	5	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00							
	9-29	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00							
	33-64	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00							
	65-85	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50							
	86	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50							
	89	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50							
	97-113	NS	NS	NS	NS	NS	NS	NS	NS							
	117-145	9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75							
	146	NS	NS	NS	NS	NS	NS	NS	NS							
	189-225	NS	NS	NS	NS	NS	NS	NS	NS							
	229	NS	NS	NS	NS	NS	NS	NS	NS							
	233	NS	NS	NS	NS	NS	NS	NS	NS							
	6 GHz WiFi (40MHz BW) SP	3	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
11		9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00					
19-27		9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00					
31-59		9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00					
63-75		9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50					
83		9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50					
91		9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50					
95-107		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
115		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
123-179		9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75					
183		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
185-213		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
217		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
6 GHz WiFi (80MHz BW) SP		7	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00		
		13	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00		
	39-55	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00			
	71	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50			
	87	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50			
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	135-167	9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75			
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	6 GHz WiFi (160MHz BW) SP	15	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00
		47	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00
		79	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
		111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
143		9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	
175		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
207		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 11 of 96



LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		SSO													
		Tones													
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967'2 Maximum	9967'2 Nominal
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	5	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	9-29	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	33-64	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75						
	65-85	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00						
	86	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00						
	93	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00						
	97-113	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75						
	117-185	-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50						
	186	-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50						
	189-225	-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50						
	229	-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	6 GHz WiFi (40MHz BW) LP	3	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25			
11		-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25				
19-27		-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25				
30-59		-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75				
62-75		-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00				
83		-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00				
91		-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00				
96-107		-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75				
115		-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50	9.00	7.50				
123-179		-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50	9.00	7.50				
187		-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50	9.00	7.50				
195-219		-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50	9.00	7.50				
227		-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50	9.00	7.50				
23		-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	10.75	9.25		
6 GHz WiFi (80MHz BW) LP		33	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	10.75	9.25	
	39-55	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	11.00	9.50		
	71	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	11.00	9.50		
	87	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	11.00	9.50		
	103	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	11.00	9.50		
	119	-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50	9.00	7.50	11.00	9.50		
	135-167	-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50	9.00	7.50	11.00	9.50		
	183	-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50	9.00	7.50	11.00	9.50		
	199	-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50	9.00	7.50	11.00	9.50		
	215	-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50	9.00	7.50	11.00	9.50		
	15	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	10.75	9.25	11.00	9.50
	47	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	11.00	9.50	12.00	10.50
	79	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	11.00	9.50	12.00	10.50
	111	-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50	9.00	7.50	11.00	9.50	12.00	10.50
	143	-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50	9.00	7.50	11.00	9.50	12.00	10.50
175	-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50	9.00	7.50	11.00	9.50	12.00	10.50	
207	-4.00	-5.50	-1.00	-2.50	2.00	0.50	6.00	4.50	9.00	7.50	11.00	9.50	12.00	10.50	

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		MIMO CDD													
		Tones													
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967'2 Maximum	9967'2 Nominal
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	5	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	9-29	NS	NS	-5.00	-7.50	-3.00	-4.50	0.00	-1.50						
	33-64	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00						
	65-85	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00						
	86	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00						
	93	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00						
	97-113	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	117-185	NS	NS	-6.75	-7.25	-2.75	-3.25	-0.25	-0.75						
	186	NS	NS	-5.75	-7.25	-2.75	-3.25	-0.25	-0.75						
	189-225	NS	NS	-5.75	-7.25	-2.75	-3.25	-0.25	-0.75						
	229	NS	NS	-5.75	-7.25	-2.75	-3.25	-0.25	-0.75						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	6 GHz WiFi (40MHz BW) LP	3	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50			
11		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50				
19-27		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50				
30-59		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00				
62-75		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00				
83		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00				
91		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00				
96-107		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50				
115		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50				
123-179		NS	NS	-5.75	-7.25	-2.75	-3.25	-0.25	-0.75	3.25	1.75				
187		NS	NS	-5.75	-7.25	-2.75	-3.25	-0.25	-0.75	3.25	1.75				
195-219		NS	NS	-5.75	-7.25	-2.75	-3.25	-0.25	-0.75	3.25	1.75				
227		NS	NS	-5.75	-7.25	-2.75	-3.25	-0.25	-0.75	3.25	1.75				
23		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	4.00	2.50		
6 GHz WiFi (80MHz BW) LP		7	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	4.00	2.50	
	13	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	4.00	2.50		
	19-55	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00	4.50	3.00		
	71	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00	4.50	3.00		
	87	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00	4.50	3.00		
	103	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	4.00	2.50		
	119	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	4.00	2.50		
	135-167	NS	NS	-5.75	-7.25	-2.75	-3.25	-0.25	-0.75	3.25	1.75	4.25	2.75		
	183	NS	NS	-5.75	-7.25	-2.75	-3.25	-0.25	-0.75	3.25	1.75	4.25	2.75		
	199	NS	NS	-5.75	-7.25	-2.75	-3.25	-0.25	-0.75	3.25	1.75	4.25	2.75		
	215	NS	NS	-5.75	-7.25	-2.75	-3.25	-0.25	-0.75	3.25	1.75	4.25	2.75		
	15	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	4.00	2.50	7.00	5.50
	47	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00						

LP Mode	Channel	EIRP 802.11 (Maximum in dBm) - Antenna 3b														
		MIMO SDRM														
		2G7 Maximum	2G7 Nominal	52T Maximum	52T Nominal	10G7 Maximum	10G7 Nominal	242T Maximum	242T Nominal	NS	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T2 Maximum	996T2 Nominal
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	5	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	9-29	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	33-64	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00							
	65-85	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75							
	86	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75							
	89	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75							
	97-113	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	117-145	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
6 GHz WiFi (40MHz BW) LP	3	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
	11	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
	19-27	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
	31-59	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.50	5.00					
	62-75	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75					
	83	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75					
	91	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75					
	96-107	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
	115	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
	123-179	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
6 GHz WiFi (80MHz BW) LP	7	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50			
	13	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50			
	39-55	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.50	5.00	9.50	8.00			
	71	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	8.25	7.75			
	87	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	8.25	7.75			
	103	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50			
	119	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50			
	135-167	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50			
	183	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50			
	199	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50			
6 GHz WiFi (160MHz BW) LP	15	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50	11.00	9.50	
	47	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.50	5.00	8.00	6.50	11.00	9.50	
	79	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	8.25	7.75	9.50	8.00	
	111	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50	10.00	8.50	
	144	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50	10.00	8.50	
	176	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50	10.00	8.50	
	207	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50	10.00	8.50	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 13 of 96

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b														
		SSO														
		Tones								MIMO CDD						
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal	
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	9-29	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	33-61	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	65-85	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	89	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	93	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	117-145	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	149	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WiFi (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
11		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
19-27		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
31-59		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
63-75		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
83		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
91		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
95-107		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
115		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
123-179		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
187		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
195-219		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
227		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WiFi (80MHz BW) VLP		7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	71	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	87	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	135-167	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	231	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WiFi (160MHz BW) VLP	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		47	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		79	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
111		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
143		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
175		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
207		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

FCC ID BCGA2995

SAR EVALUATION REPORT

Approved by:
Technical Manager

DUT Type:
Tablet Device

APPENDIX H:
Page 14 of 96

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		MIMO SDRM													
		EIRP													
		20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T2 Maximum	996T2 Nominal
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	33-64	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	NS	NS	NS	NS
	65-85	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	NS	NS	NS	NS
	86	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	NS	NS	NS	NS
	87	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	NS	NS	NS	NS
	87-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	117-145	NS	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	NS	NS	NS	NS
145	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WiFi (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	31-59	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	NS	NS
	62-75	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	NS	NS
	83	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	NS	NS
	91	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	NS	NS
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	123-179	NS	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50	NS	NS
187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
185-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WiFi (80MHz BW) VLP	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.50	4.00
	71	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75
	87	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	135-167	NS	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50	5.00	3.50
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WiFi (160MHz BW) VLP	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.50	4.00
	79	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	144	NS	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50	5.00	3.50
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 15 of 96

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b														
		SSO														
		Tones								MIMO CDD						
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal	
6 GHz Wi-Fi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	5	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	9-29	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	33-61	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	65-85	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	
	89	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	
	93	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	117-145	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
	149	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz Wi-Fi (40MHz BW) SP	3	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
11		9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
19-27		9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
35-59		9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
67-75		9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	
83		9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	
91		9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	
95-107		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
115		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
123-179		9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
187		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
195-219		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
227		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz Wi-Fi (80MHz BW) SP		7	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		23	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	39-55	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	71	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	
	87	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	135-167	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	231	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	237	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	6 GHz Wi-Fi (160MHz BW) SP	7	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		23	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
39-55		9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
71		9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	
87		9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	
103		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
119		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
135-167		9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
175		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
199		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
215		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
231		9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
237		9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	

FCC ID BCGA2995

SAR EVALUATION REPORT

Approved by:
Technical Manager

DUT Type:
Tablet Device

APPENDIX H:
Page 16 of 96

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b																		
		MIMO SDRM																		
		20T Maximum		20T Nominal		52T Maximum		52T Nominal		106T Maximum		106T Nominal		242T Maximum		242T Nominal		Power		
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	5	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	9-29	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	33-64	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	65-85	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	86	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	93	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	117-145	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	146	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WiFi (40MHz BW) SP	3	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
11		9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
19-27		9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
31-59		9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
63-75		9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
83		9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
91		9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
95-107		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
115		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
123-179		9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
187		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
193-219		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
227		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WiFi (80MHz BW) SP		7	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		13	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	39-55	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	71	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	87	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WiFi (160MHz BW) SP	15	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		47	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		79	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
143		9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
175		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
207		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 17 of 96



LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b														
		SSO														
		Tones														
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal	
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25							
	5	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25							
	9-29	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25							
	33-64	-5.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75							
	65-85	-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00							
	86	-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00							
	93	-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00							
	97-113	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75							
	117-145	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50							
	146	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50							
	189-225	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50							
	229	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50							
	233	NS	NS	NS	NS	NS	NS	NS	NS							
	6 GHz WiFi (40MHz BW) LP	3	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25				
11		-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25					
19-27		-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25					
33-59		-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	7.75	6.25					
63-75		-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00					
83		-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00					
91		-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00					
95-107		-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	7.75	6.25					
115		-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	7.75	6.25					
123-179		-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	7.75	6.25					
187		-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50					
185-219		-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50					
227		-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50					
6 GHz WiFi (80MHz BW) LP		7	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	8.50	7.00		
		13	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	8.50	7.00		
	39-55	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	8.50	7.00			
	71	-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	8.25	6.75			
	87	-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	8.25	6.75			
	103	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	7.75	6.25	8.50	7.00			
	119	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	7.75	6.25	8.50	7.00			
	135-167	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.50	7.00			
	183	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.50	7.00			
	199	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.50	7.00			
	215	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.50	7.00			
	15	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	8.50	7.00	8.50	7.00	
	47	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	8.50	7.00	8.50	7.00	
	79	-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	8.25	6.75	8.25	6.75	
	111	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	7.75	6.25	8.50	7.00	8.25	6.75	
143	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.50	7.00	8.50	7.00		
175	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.50	7.00	8.50	7.00		
207	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.50	7.00	8.50	7.00		

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b														
		MIMO CDD														
		Tones														
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal	
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50							
	5	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50							
	9-29	NS	NS	-5.00	-7.50	-3.00	-4.50	0.00	-1.50							
	33-64	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00							
	65-85	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00							
	86	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00							
	93	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00							
	97-113	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50							
	117-145	NS	NS	-6.75	-7.25	-2.75	-3.25	0.25	-0.25							
	146	NS	NS	-5.75	-7.25	-2.75	-3.25	0.25	-0.25							
	189-225	NS	NS	-5.75	-7.25	-2.75	-3.25	0.25	-0.25							
	229	NS	NS	-5.75	-7.25	-2.75	-3.25	0.25	-0.25							
	233	NS	NS	NS	NS	NS	NS	NS	NS							
	6 GHz WiFi (40MHz BW) LP	3	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50				
11		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50					
19-27		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50					
33-59		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00					
63-75		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00					
83		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00					
91		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00					
95-107		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50					
115		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50					
123-179		NS	NS	-5.75	-7.25	-2.75	-3.25	0.25	-0.25	3.25	1.75					
187		NS	NS	-5.75	-7.25	-2.75	-3.25	0.25	-0.25	3.25	1.75					
185-219		NS	NS	-5.75	-7.25	-2.75	-3.25	0.25	-0.25	3.25	1.75					
227		NS	NS	-5.75	-7.25	-2.75	-3.25	0.25	-0.25	3.25	1.75					
6 GHz WiFi (80MHz BW) LP		7	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	4.50	3.00		
		13	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	4.50	3.00		
	39-55	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00	5.00	3.50			
	71	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00	5.00	3.50			
	87	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00	5.00	3.50			
	103	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	4.50	3.00			
	119	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	4.50	3.00			
	135-167	NS	NS	-5.75	-7.25	-2.75	-3.25	0.25	-0.25	3.25	1.75	4.75	3.25			
	183	NS	NS	-5.75	-7.25	-2.75	-3.25	0.25	-0.25	3.25	1.75	4.75	3.25			
	199	NS	NS	-5.75	-7.25	-2.75	-3.25	0.25	-0.25	3.25	1.75	4.75	3.25			
	215	NS	NS	-5.75	-7.25	-2.75	-3.25	0.25	-0.25	3.25	1.75	4.75	3.25			
	15	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	4.50	3.00	5.50	4.00	
	47	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00	5.00	3.50	6.50	5.00	
	79	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2					

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b														
		MIMO SDM										E-Plane				
		2G7 Maximum	2G7 Nominal	52T Maximum	52T Nominal	10G7 Maximum	10G7 Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T2 Maximum	996T2 Nominal	
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	5	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	9-29	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	33-64	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00							
	65-85	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75							
	88	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75							
	93	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75							
	97-113	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	117-145	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	148	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	189-225	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	229	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	233	NS	NS	NS	NS	NS	NS	NS	NS	6.00	4.50					
	6 GHz WiFi (40MHz BW) LP	3	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
11		-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
19-27		-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
31-59		-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.50	5.00					
63-75		-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75					
83		-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75					
91		-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75					
95-107		-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
115		-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
123-179		-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
187		-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
186-219		-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
227		-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
7		-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.50	7.00			
6 GHz WiFi (80MHz BW) LP		13	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.50	7.00		
	39-55	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.50	5.00	8.50	7.00			
	71	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	8.25	7.75			
	87	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	8.25	7.75			
	103	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	7.75	6.25			
	119	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	7.75	6.25			
	135-167	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.00	7.50			
	183	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.00	7.50			
	199	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.75	7.25			
	215	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.75	7.25			
	15	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.50	7.00	8.50	7.00	
	6 GHz WiFi (160MHz BW) LP	47	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.50	5.00	8.50	7.00	8.50	7.00
		79	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	8.25	7.75	8.25	7.75
		111	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	7.75	6.25	7.75	6.25
		143	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.00	7.50	8.00	7.50
175		-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.00	7.50	8.00	7.50	
207		-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.75	7.25	8.75	7.25	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 19 of 96

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		MIMO SDM													
		20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T2 Maximum	996T2 Nominal
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	9-29	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	33-64	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	65-85	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	88	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	93	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	117-145	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
145	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WiFi (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	31-59	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	63-75	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	83	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	91	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	123-179	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
185-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WiFi (80MHz BW) VLP	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	71	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	87	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	135-167	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WiFi (160MHz BW) VLP	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	47	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	79	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	143	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 21 of 96

H.2.2 Reduced 802.11ax RU Time-Averaged WLAN Output Power

Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b and wPT active
- Simultaneous conditions with Licensed Bands Antenna 4, NB UNII Antenna 3b and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3a																
		SISO								MIMO								
		Tone																
		20T Maximum	20T Nominal	10T Maximum	10T Nominal	5T Maximum	5T Nominal	20T Maximum	20T Nominal	10T Maximum	10T Nominal	5T Maximum	5T Nominal	20T Maximum	20T Nominal	10T Maximum	10T Nominal	
2.4 GHz WPI 20 MHz Bandwidth	1	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00
	2	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00
	3	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00
	4	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00
	5	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00
	6	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00
	7	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00
	8	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00
	9	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00
	10	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00
	11	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00
	12	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00
	13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 1a/1b and wPT active
- Simultaneous conditions with Licensed Bands Antenna 2, NB UNII Antenna 1b and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1a																
		SISO								MIMO								
		Tone																
		20T Maximum	20T Nominal	10T Maximum	10T Nominal	5T Maximum	5T Nominal	20T Maximum	20T Nominal	10T Maximum	10T Nominal	5T Maximum	5T Nominal	20T Maximum	20T Nominal	10T Maximum	10T Nominal	
2.4 GHz WPI 20 MHz Bandwidth	1	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	2	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	3	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	4	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	5	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	6	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	7	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	8	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	9	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	10	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	11	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	12	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 24 of 96

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T															
		MIMO 50M															
		20T Maximum		20T Nominal		52T Maximum		52T Nominal		106T Maximum		106T Nominal		242T Maximum		242T Nominal	
5 GHz WFI 20 MHz Bandwidth	36	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	40	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	44	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	48	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	52	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	56	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	60	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	64	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	100	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	104	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	108	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	112	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	116	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	120	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	124	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	128	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	132	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	136	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	140	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	144	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
148	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	
152	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	
157	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	
161	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	
165	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	
5 GHz WFI 40 MHz Bandwidth	38	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	42	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	46	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	54	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	62	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	102	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	110	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	118	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	126	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	134	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	142	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	151	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
	159	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
	167	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50
5 GHz WFI 80 MHz Bandwidth	42	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	58	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	106	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	122	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
5GHz WFI 160 MHz Bandwidth	138	NS	NS	9.25	7.75	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25	7.75	6.25	6.25
	155	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 26 of 96

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b															
		MIMO SDR															
		20T Maximum		20T Nominal		52T Maximum		52T Nominal		100T Maximum		100T Nominal		200T Maximum		200T Nominal	
5 GHz WFI 20 MHz Bandwidth	36	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00		
	40	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00		
	44	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00		
	48	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00		
	52	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00		
	56	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00		
	60	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00		
	64	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00		
	100	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	104	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	108	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	112	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	116	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	120	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	124	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	128	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	132	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	136	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	140	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	144	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
148	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25			
152	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25			
156	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25			
160	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25			
5 GHz WFI 40 MHz Bandwidth	38	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	42	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	46	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	50	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	54	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	58	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	62	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	102	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
	110	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
	118	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
126	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
134	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
142	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
150	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	
158	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	
166	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	
5 GHz WFI 80 MHz Bandwidth	42	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	58	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	106	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
	122	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
	138	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
	154	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25
5GHz WFI 160 MHz Bandwidth	50	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	114	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 28 of 96

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T													
		MIMO SOM													
		Tones													
		20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	200T Maximum	200T Nominal	400T Maximum	400T Nominal	800T Maximum	800T Nominal	1600T Maximum	1600T Nominal
6 GHz WiFi (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	5	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	9-29	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	33-61	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00						
	65-85	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75						
	89	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75						
	93	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75						
	97-113	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	117-195	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
6 GHz WiFi (40MHz BW)	105	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	109-125	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	129	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	233	NS	NS	NS	NS	NS	NS	NS	NS	6.00	4.50				
	3	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	11	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	19-27	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	31-59	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.50	5.00				
	63-75	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75				
	83	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75				
6 GHz WiFi (80MHz BW)	91	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75				
	95-107	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50				
	115	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50				
	119-179	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50				
	187	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50				
	193-219	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50				
	227	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50				
	7	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50		
	13	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50		
	39-55	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.50	5.00	9.50	8.00		
6 GHz WiFi (160MHz BW)	71	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	8.25	7.75		
	87	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	8.25	7.75		
	103	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50		
	119	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.25	6.75		
	135-167	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.25	6.75		
	183	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.25	6.75		
	199	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.25	6.75		
	215	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.25	6.75		
	15	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50	10.00	8.50
	47	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.50	5.00	8.00	6.50	10.00	8.50
6 GHz WiFi (160MHz BW) LP	79	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	9.25	7.75	9.75	8.25
	111	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50	9.25	7.75
	143	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.25	6.75	8.25	6.75
	175	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.25	6.75	8.25	6.75
	207	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.25	6.75	8.25	6.75

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 32 of 96



Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active
- Simultaneous conditions with Licensed Band Antenna 4 and 802.15.4 Ant 4 and wPT active.
- Simultaneous conditions with Licensed Band Antenna 2, 802.15.4 Ant 4, 5/6 GHz WLAN Antenna 3b and wPT active.

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	104T Maximum	104T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6-26	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	33-61	NS	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	NS	NS	NS	NS	
	65-65	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	NS	NS	NS	NS	
	69	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	NS	NS	NS	NS	
	83	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	NS	NS	NS	NS	
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	117-183	NS	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	NS	NS	NS	NS	
	185	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WiFi (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	25-59	NS	NS	NS	NS	NS	-1.25	-3.25	1.25	-0.25	4.25	2.75	5.75	3.25	
	63-75	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	6.00	4.50	
	83	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	6.00	4.50	
	97	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	6.00	4.50	
	105-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	123-179	NS	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	5.00	3.50	
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WiFi (80MHz BW) VLP	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	39-55	NS	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75	5.75	4.25	
	71	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00	
	87	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	135-167	NS	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	7.00	5.50	
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	231	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	47	NS	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75	7.25	5.75	
	79	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00	
111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
143	NS	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	7.00	5.50		
175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T													
		MIMO CDD													
		36T Maximum	36T Nominal	52T Maximum	52T Nominal	104T Maximum	104T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6-26	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	33-61	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	65-65	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	69	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	83	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	117-183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	185	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WiFi (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	25-59	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	-0.50	3.00	1.50	5.00	
	63-75	NS	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	1.00	3.50	
	83	NS	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	1.00	3.50	
	97	NS	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	1.00	3.50	
	105-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	123-179	NS	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	1.25	3.75	
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WiFi (80MHz BW) VLP	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	1.00	3.50	
	71	NS	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	1.00	3.50	
	87	NS	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	1.00	3.50	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	135-167	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	231	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	1.00	3.50	
	47	NS	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	1.00	3.50	
	79	NS	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	1.00	3.50	
111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
143	NS	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	1.25	3.75		
175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 33 of 96

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T														
		MIMO SOM														
		Tones														
		20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T2 Maximum	996T2 Nominal	
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	9-29	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	33-64	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	NS	NS	NS	NS	
	65-85	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	NS	NS	NS	NS	
	88	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	NS	NS	NS	NS	
	93	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	NS	NS	NS	NS	
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	117-140	NS	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	NS	NS	NS	NS	
	145	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	189-220	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WiFi (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
11		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
19-27		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
31-59		NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	NS	NS	
62-75		NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	NS	NS	
83		NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	NS	NS	
91		NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	NS	NS	
95-107		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
115		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
123-170		NS	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50	NS	NS	
187		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
195-219		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
227		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WiFi (80MHz BW) VLP		7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.50	4.00	
	71	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75	
	87	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	135-167	NS	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50	5.00	3.50	
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	25	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	47	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.50	4.00	
	79	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75	
	6 GHz WiFi (160MHz BW) VLP	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
144		NS	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50	5.00	3.50	
176		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
207		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
207		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 34 of 96



Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active
- Simultaneous conditions with Licensed Band Antenna 4 and 802.15.4 Ant 4 and wPT active.
- Simultaneous conditions with Licensed Band Antenna 2, 802.15.4 Ant 4, 5/6 GHz WLAN Antenna 3b and wPT active.

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WiFi (80MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	5	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	8-26	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	33-61	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	65-93	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	97	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	99	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	103	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	107-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	117-183	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75
	185	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WiFi (80MHz BW) SP	3	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	11	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	15-27	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	25-53	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	57-75	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	83	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	87	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	91	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	123-179	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6 GHz WiFi (80MHz BW) SP	7	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00
23		9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
39-55		9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
63		9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
67		9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
71		9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
87		9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
103		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
109		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
119		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
135-167		8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75
183		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
189		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
215		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WiFi (160MHz BW) SP		15	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00
	47	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	79	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet		APPENDIX H: Page 35 of 96

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T														
		MIMO SDM														
		Tones														
		20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	200T Maximum	200T Nominal	400T Maximum	400T Nominal	996T Maximum	996T Nominal	996T2 Maximum	996T2 Nominal	
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	NS	NS	NS	NS	
	5	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	NS	NS	NS	NS	
	9-29	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	NS	NS	NS	NS	
	33-64	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	NS	NS	NS	NS	
	65-85	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	NS	NS	NS	NS	
	86	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	NS	NS	NS	NS	
	93	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	NS	NS	NS	NS	
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	117-145	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	NS	NS	NS	NS	
	146	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WiFi (40MHz BW) SP	3	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
11		9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
19-27		9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
31-59		9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
63-75		9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	
83		9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	
91		9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	
95-207		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
115		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
123-179		8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	
183		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
185-213		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
217		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WiFi (80MHz BW) SP		7	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
		13	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	39-55	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
	71	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	
	87	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	135-167	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	
	189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WiFi (160MHz BW) SP	15	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
		47	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
		79	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25
		111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
144		8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	
175		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 36 of 96



Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b/4 active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active
- Simultaneous conditions with Licensed Band Antenna 2 and 802.15.4 Ant 4 and wPT active.

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WPI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	-4.25	-6.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	5	-4.25	-6.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	9-39	-4.25	-6.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	33-61	-3.75	-6.25	-0.75	-2.25	2.25	0.75	5.25	3.75						
	65-85	-3.50	-6.00	-0.50	-2.00	2.50	1.00	5.50	4.00						
	89	-3.50	-6.00	-0.50	-2.00	2.50	1.00	5.50	4.00						
	93	-3.50	-6.00	-0.50	-2.00	2.50	1.00	5.50	4.00						
	97-113	-3.75	-6.25	-0.75	-2.25	2.25	0.75	5.25	3.75						
	117-181	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50						
185	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50							
189-225	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50							
229	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50							
233	NS	NS	NS	NS	NS	NS	NS	NS	NS						
3	-4.25	-6.75	-1.25	-2.75	1.75	0.25	4.75	3.25	6.00	4.50					
11	-4.25	-6.75	-1.25	-2.75	1.75	0.25	4.75	3.25	6.00	4.50					
15-27	-4.25	-6.75	-1.25	-2.75	1.75	0.25	4.75	3.25	6.00	4.50					
31-59	-3.75	-6.25	-0.75	-2.25	2.25	0.75	5.25	3.75	6.00	4.50					
63-75	-3.50	-6.00	-0.50	-2.00	2.50	1.00	5.50	4.00	5.50	4.00					
83	-3.50	-6.00	-0.50	-2.00	2.50	1.00	5.50	4.00	5.50	4.00					
91	-3.50	-6.00	-0.50	-2.00	2.50	1.00	5.50	4.00	5.50	4.00					
95-107	-3.75	-6.25	-0.75	-2.25	2.25	0.75	5.25	3.75	5.75	4.25					
115	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75					
123-179	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	5.50	4.00					
187	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75					
195-219	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75					
227	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75					
7	-4.25	-6.75	-1.25	-2.75	1.75	0.25	4.75	3.25	6.00	4.50	6.00	4.50			
23	-4.25	-6.75	-1.25	-2.75	1.75	0.25	4.75	3.25	6.00	4.50	6.00	4.50			
39-55	-3.75	-6.25	-0.75	-2.25	2.25	0.75	5.25	3.75	6.00	4.50	6.00	4.50			
71	-3.50	-6.00	-0.50	-2.00	2.50	1.00	5.50	4.00	5.50	4.00	5.50	4.00			
87	-3.50	-6.00	-0.50	-2.00	2.50	1.00	5.50	4.00	5.50	4.00	5.50	4.00			
103	-3.75	-6.25	-0.75	-2.25	2.25	0.75	5.25	3.75	5.75	4.25	5.75	4.25			
119	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	5.50	4.00	5.50	4.00			
135-167	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	5.50	4.00	5.50	4.00			
183	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75	6.25	4.75			
199	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75	6.25	4.75			
215	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75	6.25	4.75			
231	-4.25	-6.75	-1.25	-2.75	1.75	0.25	4.75	3.25	6.00	4.50	6.00	4.50	6.00	4.50	
47	-3.75	-6.25	-0.75	-2.25	2.25	0.75	5.25	3.75	6.00	4.50	6.00	4.50	6.00	4.50	
63	-3.50	-6.00	-0.50	-2.00	2.50	1.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
79	-3.50	-6.00	-0.50	-2.00	2.50	1.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
95	-4.25	-6.75	-1.25	-2.75	1.75	0.25	4.75	3.25	6.00	4.50	6.00	4.50	6.00	4.50	
111	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75	6.25	4.75	6.00	4.50	
127	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75	6.25	4.75	6.00	4.50	
143	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75	6.25	4.75	6.00	4.50	
159	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75	6.25	4.75	6.00	4.50	
175	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75	6.25	4.75	6.00	4.50	
207	-4.00	-6.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75	6.25	4.75	6.00	4.50	

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		MIMO CDD													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WPI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	5	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	9-39	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	33-61	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.00	-1.50						
	65-85	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.00	-1.50						
	89	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.00	-1.50						
	93	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.00	-1.50						
	97-113	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	117-181	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
185	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25							
189-225	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25							
229	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25							
233	NS	NS	NS	NS	NS	NS	NS	NS	0.00	-1.50					
3	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50					
11	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50					
15-27	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50					
31-59	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.00	-1.50	1.50	2.00					
63-75	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.00	-1.50	1.50	2.00					
83	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.00	-1.50	1.50	2.00					
91	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.00	-1.50	1.50	2.00					
95-107	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50					
115	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50					
123-179	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75					
187	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75					
195-219	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75					
227	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75					
7	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50			
23	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50			
39-55	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.00	-1.50	1.50	2.00	6.00	4.50			
71	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.00	-1.50	1.50	2.00	6.00	4.50			
87	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.00	-1.50	1.50	2.00	6.00	4.50			
103	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.75	4.25			
119	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00			
135-167	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	5.50	4.00			
183	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75			
199	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75			
215	NS														

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 2b													
		MIMO SOM													
		Tones													
		20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	200T Maximum	200T Nominal	400T Maximum	400T Nominal	800T Maximum	800T Nominal	1600T Maximum	1600T Nominal
6 GHz WiFi (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	5	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	9-29	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	33-61	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00						
	65-85	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75						
	89	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75						
	93	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75						
	97-113	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	117-195	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
6 GHz WiFi (40MHz BW)	105	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	109-125	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	129	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	233	NS	NS	NS	NS	NS	NS	NS	NS	6.00	4.50				
	1	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	11	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	19-27	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	31-59	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00						
	63-75	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	5.50	4.00				
	83	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	5.50	4.00				
6 GHz WiFi (80MHz BW)	91	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	5.50	4.00				
	95-107	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.75	4.25				
	115	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00				
	123-179	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00				
	187	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50				
	193-219	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50				
	227	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50				
	7	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	6.00	4.50		
	13	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	6.00	4.50		
	39-55	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.00	4.50	6.00	4.50		
6 GHz WiFi (160MHz BW)	71	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	5.50	4.00	5.50	4.00		
	87	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	5.50	4.00	5.50	4.00		
	103	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.75	4.25	5.75	4.25		
	119	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00	5.50	4.00		
	135-167	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00	5.50	4.00		
	183	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	6.25	4.75		
	199	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	6.25	4.75		
	215	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	6.25	4.75		
	15	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	6.00	4.50	6.00	4.50
	47	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.00	4.50	6.00	4.50	6.00	4.50
6 GHz WiFi (160MHz BW) LP	79	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	5.50	4.00	5.50	4.00	5.50	4.00
	111	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.75	4.25	5.75	4.25	5.75	4.25
	143	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00	5.50	4.00	5.50	4.00
	175	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00	5.50	4.00	5.50	4.00
	207	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	6.25	4.75	6.25	4.75

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 38 of 96



Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b/4 active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active
- Simultaneous conditions with Licensed Band Antenna 2 and 802.15.4 Ant 4 and wPT active.

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		SSO													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (200MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	65-85	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	89	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	93	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	117-181	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	185	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6 GHz WFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
11		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
15-27		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
31-59		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
63-75		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
79		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
83		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
87		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
91		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
95-107		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
111		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
115		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
119-179		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
183		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WFI (80MHz BW) VLP		7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	61	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	65	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	69	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	73	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	77	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	81	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	85	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	89	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	93	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	97	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	101	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	105	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WFI (160MHz BW) VLP	79	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		MIMO CDD													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (200MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	65-85	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	89	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	93	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	117-181	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	185	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6 GHz WFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
11		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
15-27		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
31-59		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
63-75		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
79		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
83		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
87		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
91		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
95-107		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
111		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
115		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
119-179		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
183		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WFI (80MHz BW) VLP		7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	61	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	65	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	69	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	73	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	77	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	81	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	85	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	89	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	93	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	97	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	101	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	105	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WFI (160MHz BW) VLP	79	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

FCC ID BCGA2995

SAR EVALUATION REPORT

Approved by:
Technical Manager

DUT Type:
Tablet Device

APPENDIX H:
Page 39 of 96

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 2b														
		MIMO SOM														
		Tones														
		20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	200T Maximum	200T Nominal	400T Maximum	400T Nominal	900T Maximum	900T Nominal	996T2 Maximum	996T2 Nominal	
6 GHz WiFi (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	5	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	9-29	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	33-64	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	65-85	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	86	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	87	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	87-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	117-149	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	150	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	180-220	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WiFi (40MHz BW)	3	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
11		6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
19-27		6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
31-59		6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
63-75		5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
83		5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
84		5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
90		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
90-107		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
115		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
123-179		5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
180		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
185-219		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
227		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WiFi (80MHz BW)		7	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
	13	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	39-55	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	71	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	87	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	135-167	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	168	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WiFi (160MHz BW)	15	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		47	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
		79	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
		111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
144		5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
176		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 42 of 96



Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 1a/1b/2 active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b															
		SSD															
		2ST Maximum	2ST Nominal	S2T Maximum	S2T Nominal	10ST Maximum	10ST Nominal	10ST Maximum	10ST Nominal	24ST Maximum	24ST Nominal	48ST Maximum	48ST Nominal	96ST Maximum	96ST Nominal	96ST*2 Maximum	96ST*2 Nominal
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25								
	5	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25								
	9-20	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25								
	33-61	-1.75	-3.25	-0.75	-2.25	2.25	0.75	5.00	3.50								
	65-85	-1.50	-3.00	-0.50	-2.00	2.50	1.00	5.25	3.75								
	89	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.25	3.75								
	93	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.25	3.75								
	97-113	-1.75	-3.25	-0.75	-2.25	2.25	0.75	5.25	3.75								
	117-149	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50								
	153	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50								
	157-225	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00								
	229	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00								
	233	NS	NS	NS	NS	NS	NS	NS	NS								
	3	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	5.00	3.50						
	11	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	5.00	3.50						
	19-27	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	5.00	3.50						
	35-59	-1.75	-3.25	-0.75	-2.25	2.25	0.75	5.00	3.50	5.00	3.50						
	67-75	-1.50	-3.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75						
	83	-1.50	-3.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75						
91	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75							
99-107	-1.75	-3.25	-0.75	-2.25	2.25	0.75	5.25	3.75	5.50	4.00							
115	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	5.50	4.00							
123-179	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	5.50	4.00							
187	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00							
195-219	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00							
227	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00							
3	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	5.00	3.50			5.00	3.50			
11	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	5.00	3.50			5.00	3.50			
19	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	5.00	3.50			5.00	3.50			
27	-1.75	-3.25	-0.75	-2.25	2.25	0.75	5.00	3.50	5.00	3.50			5.00	3.50			
35	-1.50	-3.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75			5.00	3.50			
43	-1.50	-3.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75			5.00	3.50			
51	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75			5.00	3.50			
59	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75			5.00	3.50			
67	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
75	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
83	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
91	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
99	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
107	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
115	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
123-179	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
187	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
195-219	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
227	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
3	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	5.00	3.50			5.00	3.50			
11	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	5.00	3.50			5.00	3.50			
19	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	5.00	3.50			5.00	3.50			
27	-1.75	-3.25	-0.75	-2.25	2.25	0.75	5.00	3.50	5.00	3.50			5.00	3.50			
35	-1.50	-3.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75			5.00	3.50			
43	-1.50	-3.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75			5.00	3.50			
51	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75			5.00	3.50			
59	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75			5.00	3.50			
67	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
75	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
83	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
91	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
99	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
107	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
115	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
123-179	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
187	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
195-219	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			
227	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00			4.50	3.00			

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 43 of 96

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		MIMO SOM													
		Tones													
		20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	200T Maximum	200T Nominal	400T Maximum	400T Nominal	800T Maximum	800T Nominal	1600T Maximum	1600T Nominal
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	5	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	9-29	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	33-61	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00						
	65-85	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75						
	89	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75						
	93	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75						
	97-113	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
	117-145	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50						
6 GHz WiFi (40MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	5.00	1.50				
	11	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.00	3.50				
	19-27	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.00	3.50				
	35-51	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	5.00	3.50				
	63-75	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	5.25	3.75				
	83	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	5.25	3.75				
	91	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	5.25	3.75				
	95-107	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00				
	115	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00				
	123-179	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00				
6 GHz WiFi (80MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	5.00	3.50				
	7	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.00	3.50	5.00	3.50		
	13	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.00	3.50	5.00	3.50		
	39-55	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	5.00	3.50	5.00	3.50		
	71	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	5.25	3.75	5.25	3.75		
	87	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	5.25	3.75	5.25	3.75		
	103	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00	5.50	4.00		
	119	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00	5.50	4.00		
	135-167	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00	5.50	4.00		
	183	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00	5.50	4.00		
6 GHz WiFi (160MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	5.00	3.50	5.00	3.50		
	15	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.00	3.50	5.00	3.50	5.00	3.50
	47	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	5.00	3.50	5.00	3.50	5.00	3.50
	79	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	5.25	3.75	5.25	3.75	5.25	3.75
	111	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00	5.50	4.00	5.50	4.00
	143	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00	5.50	4.00	5.50	4.00
	175	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00	5.50	4.00	5.50	4.00
	207	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00	5.50	4.00	5.50	4.00

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 44 of 96



Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 1a/1b/2 active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		SISO													
		2ST Maximum	2ST Nominal	S2T Maximum	S2T Nominal	10ST Maximum	10ST Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	99T Maximum	99T Nominal	99T*2 Maximum	99T*2 Nominal
6 GHz WFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	9-29	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	33-61	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	65-85	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	89	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	93	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	117-185	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	193-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
11		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
19-27		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
35-59		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
67-75		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
79		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
83		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
87-107		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
111		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
115-179		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
183		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
195-219		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
227		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
231		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WFI (80MHz BW) VLP		21	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	73	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	87	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	110-167	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	235	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WFI (160MHz BW) VLP	47	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		79	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		143	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
175		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
207		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		MIMO CDD													
		2ST Maximum	2ST Nominal	S2T Maximum	S2T Nominal	10ST Maximum	10ST Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	99T Maximum	99T Nominal	99T*2 Maximum	99T*2 Nominal
6 GHz WFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	9-29	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	33-61	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	65-85	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	89	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	93	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	117-185	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	193-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
11		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
19-27		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
35-59		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
67-75		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
79		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
83		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
87-107		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
111		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
115-179		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
183		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
195-219		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
227		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
231		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WFI (80MHz BW) VLP		21	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	73	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	87	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	110-167	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	235	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	6 GHz WFI (160MHz BW) VLP	47	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		79	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		143	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
175		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
207		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

FCC ID BCGA2995

SAR EVALUATION REPORT

Approved by:
Technical Manager

DUT Type:
Tablet Device

APPENDIX H:
Page 45 of 96

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b														
		MIMO SOM														
		Tones														
		20T Maximum	20T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T2 Maximum	996T2 Nominal	
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS							
	1	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50							
	5	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50							
	9-29	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50							
	33-64	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50							
	65-85	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75							
	88	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75							
	93	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75							
	97-113	NS	NS	NS	NS	NS	NS	NS	NS							
	117-149	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00							
	155	NS	NS	NS	NS	NS	NS	NS	NS							
	189-225	NS	NS	NS	NS	NS	NS	NS	NS							
	229	NS	NS	NS	NS	NS	NS	NS	NS							
	233	NS	NS	NS	NS	NS	NS	NS	NS							
	6 GHz WiFi (40MHz BW) SP	3	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50				
11		5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50					
19-27		5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50					
31-59		5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50					
63-75		5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75					
83		5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75					
91		5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75					
95-207		NS	NS	NS	NS	NS	NS	NS	NS							
115		NS	NS	NS	NS	NS	NS	NS	NS							
123-179		5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00					
187		NS	NS	NS	NS	NS	NS	NS	NS							
195-213		NS	NS	NS	NS	NS	NS	NS	NS							
217		NS	NS	NS	NS	NS	NS	NS	NS							
6 GHz WiFi (80MHz BW) SP		7	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50		
		13	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50		
	39-55	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50			
	71	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75			
	87	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75			
	103	NS	NS	NS	NS	NS	NS	NS	NS							
	119	NS	NS	NS	NS	NS	NS	NS	NS							
	135-167	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00			
	183	NS	NS	NS	NS	NS	NS	NS	NS							
	199	NS	NS	NS	NS	NS	NS	NS	NS							
	215	NS	NS	NS	NS	NS	NS	NS	NS							
	6 GHz WiFi (160MHz BW) SP	15	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50
		47	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50
		79	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75
		111	NS	NS	NS	NS	NS	NS	NS	NS						
143		5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
175		NS	NS	NS	NS	NS	NS	NS	NS							
207	NS	NS	NS	NS	NS	NS	NS	NS								

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 48 of 96

H.3 IEEE 802.11ax Measured Powers

Table H-1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 3a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	8.98	9.06	9.49
2437	6	26T	9.95	9.10	8.61
2462	11	26T	9.55	9.05	9.10
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	9.23	9.07	9.63
2437	6	52T	10.12	9.72	8.78
2462	11	52T	9.69	9.53	9.27
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	9.28	9.52	
2437	6	106T	10.06	9.02	
2462	11	106T	9.79	9.47	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			61	x	x
2412	1	242T	9.55		
2437	6	242T	9.64		
2462	11	242T	9.56		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 49 of 96

**Table H-2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 1a**

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	11.04	11.48	11.49
2437	6	26T	10.62	11.10	11.42
2462	11	26T	11.44	11.08	10.70
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	11.43	11.32	11.36
2437	6	52T	11.47	11.35	11.43
2462	11	52T	11.46	11.30	11.40
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	11.03	11.26	
2437	6	106T	11.22	11.36	
2462	11	106T	11.44	11.22	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			61	x	x
2412	1	242T	11.41		
2437	6	242T	11.27		
2462	11	242T	11.38		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 50 of 96

**Table H-3
Maximum 5 GHz 802.11ax RU Output Power – Ant WF5T**

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					0	4	8	
20MHz BW	1	5180	36	26T	9.47	9.85	9.72	
		5200	40	26T	9.33	9.36	9.70	
		5220	44	26T	9.48	9.46	9.54	
		5240	48	26T	9.45	9.50	9.55	
	3	5745	149	26T	9.46	9.38	9.51	
		5785	157	26T	9.53	9.47	9.60	
		5825	165	26T	9.42	9.55	9.63	
		Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
						RU Index		
37						39	40	
20MHz BW	1	5180	36	52T	12.52	12.57	12.46	
		5200	40	52T	12.38	12.59	12.56	
		5220	44	52T	12.51	12.48	12.51	
		5240	48	52T	12.43	12.46	12.44	
	2A	5260	52	52T	12.54	12.52	12.57	
		5280	56	52T	12.46	12.53	12.56	
		5300	60	52T	12.49	12.59	12.48	
		5320	64	52T	12.54	12.49	12.47	
	2C	5500	100	52T	12.52	12.54	12.53	
		5600	120	52T	12.49	12.58	12.56	
		5620	124	52T	12.45	12.52	12.56	
		5720	144	52T	12.46	12.55	12.51	
	3	5745	149	52T	12.45	12.51	12.56	
		5785	157	52T	12.54	12.53	12.51	
		5825	165	52T	12.42	12.53	12.50	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 51 of 96

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
20MHz BW	1	5180	36	106T	14.29	14.25	
		5200	40	106T	14.19	14.30	
		5220	44	106T	14.14	14.21	
		5240	48	106T	14.22	14.21	
	2A	5260	52	106T	14.31	14.32	
		5280	56	106T	14.21	14.26	
		5300	60	106T	14.28	14.29	
		5320	64	106T	14.34	14.27	
	2C	5500	100	106T	13.16	13.21	
		5600	120	106T	13.24	13.29	
		5620	124	106T	13.23	13.28	
		5720	144	106T	13.24	13.33	
	3	5745	149	106T	12.99	12.95	
5785		157	106T	13.08	13.06		
5825		165	106T	13.02	13.07		
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
20MHz BW	1	5180	36	242T	14.23		
		5200	40	242T	14.30		
		5220	44	242T	14.15		
		5240	48	242T	14.19		
	2A	5260	52	242T	14.33		
		5280	56	242T	14.24		
		5300	60	242T	14.23		
		5320	64	242T	14.19		
	2C	5500	100	242T	13.29		
		5600	120	242T	13.25		
		5620	124	242T	13.27		
		5720	144	242T	13.34		
	3	5745	149	242T	13.03		
5785		157	242T	13.07			
5825		165	242T	12.99			

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 52 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
1	5190	38	26T	9.42	9.50	9.52	
	5230	46	26T	9.54	9.53	9.66	
3	5755	151	26T	9.60	9.52	9.44	
	5795	159	26T	9.42	9.54	9.56	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
1	5190	38	52T	12.50	12.52	12.44	
	5230	46	52T	12.49	12.54	12.58	
2A	5270	54	52T	12.54	12.51	12.50	
	5310	62	52T	12.54	12.56	12.62	
2C	5510	102	52T	11.38	11.51	11.47	
	5590	118	52T	12.42	12.58	12.45	
	5630	126	52T	12.53	12.56	12.59	
	5710	142	52T	12.43	12.45	12.62	
3	5755	151	52T	12.57	12.56	12.55	
	5795	159	52T	12.55	12.61	12.58	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
1	5190	38	106T	12.60	12.58	12.62	
	5230	46	106T	14.28	14.31	14.33	
2A	5270	54	106T	14.27	14.28	14.29	
	5310	62	106T	13.04	13.06	13.07	
2C	5510	102	106T	11.55	11.53	11.51	
	5590	118	106T	13.27	13.30	13.22	
	5670	126	106T	13.32	13.24	13.26	
	5710	142	106T	13.26	13.29	13.23	
3	5755	151	106T	13.05	13.07	13.02	
	5795	159	106T	13.04	13.05	13.04	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 53 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
1		5190	38	242T	12.43	12.58	
		5230	46	242T	14.29	14.25	
2A		5270	54	242T	14.25	14.23	
		5310	62	242T	12.98	13.02	
2C		5510	102	242T	11.51	11.58	
		5590	118	242T	13.27	13.21	
		5670	126	242T	13.24	13.26	
		5710	142	242T	12.38	12.58	
3		5755	151	242T	13.08	13.03	
		5795	159	242T	13.02	13.01	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
1		5190	38	484T	12.39		
		5230	46	484T	14.28		
2A		5270	54	484T	14.22		
		5310	62	484T	13.02		
2C		5510	102	484T	11.56		
		5590	118	484T	13.26		
		5630	126	484T	13.28		
		5710	142	484T	13.26		
3		5755	151	484T	12.99		
		5795	159	484T	13.05		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
1		5210	42	26T	9.40	9.53	9.61
3		5775	155	26T	9.61	9.41	9.52

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 54 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
					1	5210	42
2A	5290	58	52T	12.49	12.53	12.50	
2C	5530	106	52T	11.99	12.03	12.02	
	5610	122	52T	12.58	12.46	12.49	
	5690	138	52T	12.59	12.40	12.57	
3	5775	155	52T	12.46	12.53	12.50	
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
					1	5210	42
2A	5290	58	106T	12.47	12.56	12.52	
2C	5530	106	106T	12.05	12.08	11.97	
	5610	122	106T	13.20	13.17	13.29	
	5690	138	106T	13.21	13.29	13.27	
3	5775	155	106T	12.99	12.92	13.05	
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
					1	5210	42
2A	5290	58	242T	12.49	12.55	12.53	
2C	5530	106	242T	11.97	11.96	12.10	
	5610	122	242T	13.23	13.28	13.27	
	5690	138	242T	12.42	12.41	12.57	
3	5775	155	242T	13.06	12.99	12.97	
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
					1	5210	42
2A	5290	58	484T	12.40	12.48		
2C	5530	106	484T	11.51	11.52		
	5610	122	484T	13.21	13.22		
	5690	138	484T	13.27	13.33		
3	5775	155	484T	13.03	13.01		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 55 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
1	5210	42	996T	12.04			
2A	5290	58	996T	12.58			
2C	5530	106	996T	10.92			
	5610	122	996T	13.22			
	5690	138	996T	13.17			
3	5775	155	996T	13.05			
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
1	5250	50	52T	10.56	10.61	10.45	
2C	5570	114	52T	8.94	9.02	9.04	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
1	5250	50	106T	10.78	10.75	10.88	
2C	5570	114	106T	8.75	9.22	9.14	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
1	5250	50	242T	10.60	10.76	10.54	
2C	5570	114	242T	9.24	9.00	9.11	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
1	5250	50	484T	10.55	10.46		
2C	5570	114	484T	9.04	9.09		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
1	5250	50	996T	10.59			
2C	5570	114	996T	9.10			
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
1	5250	50	996Tx2	10.48			
2C	5570	114	996Tx2	9.02			

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 56 of 96

**Table H-4
Maximum 5 GHz 802.11ax RU Output Power – Ant 3b**

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
					1	5180	36
	5200	40	26T	9.49	9.53	9.46	
	5220	44	26T	9.49	9.46	9.50	
	5240	48	26T	9.51	9.57	9.49	
3	5745	149	26T	9.46	9.48	9.50	
	5785	157	26T	9.57	9.60	9.53	
	5825	165	26T	9.55	9.52	9.41	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
					1	5180	36
	5200	40	52T	9.44	9.53	9.57	
	5220	44	52T	9.50	9.49	9.60	
	5240	48	52T	9.54	9.51	9.59	
2A	5260	52	52T	9.55	9.48	9.49	
	5280	56	52T	9.57	9.55	9.50	
	5300	60	52T	9.43	9.46	9.58	
	5320	64	52T	9.59	9.45	9.57	
2C	5500	100	52T	10.00	9.97	10.08	
	5600	120	52T	9.94	9.91	9.93	
	5580	124	52T	10.05	10.00	10.14	
	5720	144	52T	9.95	9.94	10.03	
3	5745	149	52T	11.70	11.77	11.79	
	5785	157	52T	11.74	11.77	11.78	
	5825	165	52T	11.74	11.82	11.77	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 57 of 96

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
20MHz BW	1	5180	36	106T	9.50	9.53	
		5200	40	106T	9.51	9.46	
		5220	44	106T	9.54	9.49	
		5240	48	106T	9.51	9.48	
	2A	5260	52	106T	9.55	9.55	
		5280	56	106T	9.49	9.54	
		5300	60	106T	9.47	9.51	
		5320	64	106T	9.49	9.48	
	2C	5500	100	106T	10.03	10.06	
		5600	120	106T	9.98	10.00	
		5620	124	106T	10.06	9.91	
		5720	144	106T	10.05	10.01	
	3	5745	149	106T	11.79	11.88	
5785		157	106T	11.83	11.82		
5825		165	106T	11.70	11.75		
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
20MHz BW	1	5180	36	242T	9.46		
		5200	40	242T	9.40		
		5220	44	242T	9.49		
		5240	48	242T	9.52		
	2A	5260	52	242T	9.58		
		5280	56	242T	9.56		
		5300	60	242T	9.41		
		5320	64	242T	9.62		
	2C	5500	100	242T	10.03		
		5600	120	242T	9.96		
		5620	124	242T	10.05		
		5720	144	242T	10.03		
	3	5745	149	242T	11.77		
5785		157	242T	11.78			
5825		165	242T	11.84			

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 58 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
1	5190	38	26T	9.57	9.55	9.66	
	5230	46	26T	9.60	9.57	9.49	
3	5755	151	26T	9.55	9.64	9.43	
	5795	159	26T	9.56	9.51	9.67	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
1	5190	38	52T	9.52	9.50	9.52	
	5230	46	52T	9.37	9.39	9.33	
2A	5270	54	52T	9.32	9.34	9.35	
	5310	62	52T	9.48	9.42	9.46	
2C	5510	102	52T	9.90	9.95	9.92	
	5590	118	52T	9.91	9.87	9.89	
	5630	126	52T	9.93	9.85	9.84	
	5710	142	52T	9.96	9.97	9.94	
3	5755	151	52T	11.79	11.81	11.82	
	5795	159	52T	11.69	11.68	11.66	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
1	5190	38	106T	9.52	9.53	9.54	
	5230	46	106T	9.57	9.56	9.59	
2A	5270	54	106T	9.43	9.46	9.47	
	5310	62	106T	9.61	9.65	9.62	
2C	5510	102	106T	9.98	9.92	9.96	
	5590	118	106T	9.93	9.90	9.88	
	5670	126	106T	9.89	9.87	9.91	
	5710	142	106T	9.94	9.95	9.97	
3	5755	151	106T	11.76	11.83	11.78	
	5795	159	106T	11.64	11.67	11.63	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 59 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
1	5190	38	242T	9.49	9.52		
	5230	46	242T	9.53	9.57		
2A	5270	54	242T	9.64	9.65		
	5310	62	242T	9.67	9.68		
2C	5510	102	242T	10.02	9.99		
	5590	118	242T	9.94	9.96		
	5670	126	242T	9.97	9.98		
	5710	142	242T	9.89	9.86		
3	5755	151	242T	11.84	11.81		
	5795	159	242T	11.73	11.77		

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
1	5190	38	484T	9.52			
	5230	46	484T	9.56			
2A	5270	54	484T	9.53			
	5310	62	484T	9.60			
2C	5510	102	484T	9.91			
	5590	118	484T	9.93			
	5630	126	484T	10.01			
	5710	142	484T	9.96			
3	5755	151	484T	11.87			
	5795	159	484T	11.79			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
1	5210	42	26T	9.59	9.57	9.58	
3	5775	155	26T	9.54	9.56	9.61	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 60 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
					1	5210	42
2A	5290	58	52T	9.61	9.59	9.58	
2C	5530	106	52T	10.12	10.09	10.05	
	5610	122	52T	10.15	10.13	10.14	
	5690	138	52T	10.11	10.07	10.08	
3	5775	155	52T	11.79	11.77	11.75	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
					1	5210	42
2A	5290	58	106T	9.67	9.62	9.66	
2C	5530	106	106T	9.95	9.96	9.99	
	5610	122	106T	9.98	9.97	10.01	
	5690	138	106T	10.10	10.02	10.07	
3	5775	155	106T	11.72	11.76	11.73	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
					1	5210	42
2A	5290	58	242T	9.67	9.68	9.64	
2C	5530	106	242T	10.14	10.12	10.15	
	5610	122	242T	10.08	10.01	10.07	
	5690	138	242T	10.09	10.05	10.02	
3	5775	155	242T	11.82	11.79	11.78	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
					1	5210	42
2A	5290	58	484T	9.61	9.59		
2C	5530	106	484T	10.03	10.04		
	5610	122	484T	10.14	10.18		
	5690	138	484T	10.08	10.13		
3	5775	155	484T	11.86	11.88		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 61 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
1	5210	42	996T	9.64			
2A	5290	58	996T	9.58			
2C	5530	106	996T	10.06			
	5610	122	996T	10.14			
	5690	138	996T	10.07			
3	5775	155	996T	11.77			
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
1	5250	50	52T	9.44	9.39	9.41	
2C	5570	114	52T	9.03	9.06	9.07	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
1	5250	50	106T	9.49	9.51	9.48	
2C	5570	114	106T	9.07	9.08	9.06	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
1	5250	50	242T	9.55	9.58	9.59	
2C	5570	114	242T	9.03	9.07	9.10	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
1	5250	50	484T	9.52	9.54		
2C	5570	114	484T	9.09	9.07		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
1	5250	50	996T	9.61			
2C	5570	114	996T	9.12			
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
1	5250	50	996Tx2	9.57			
2C	5570	114	996Tx2	9.04			

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 62 of 96

**Table H-5
Maximum 5 GHz 802.11ax RU Output Power – Ant 1b**

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	8.70	8.34	8.28
		5200	40	26T	8.50	8.52	8.23
		5220	44	26T	8.49	8.50	8.22
		5240	48	26T	8.63	8.51	8.25
	3	5745	149	26T	9.63	9.70	9.57
		5785	157	26T	9.57	9.67	9.54
		5825	165	26T	9.64	9.60	9.53
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	8.23	8.44	8.37
		5200	40	52T	8.20	8.47	8.30
		5220	44	52T	8.24	8.51	8.35
		5240	48	52T	8.25	8.50	8.36
	2A	5260	52	52T	8.43	8.34	8.28
		5280	56	52T	8.50	8.40	8.20
		5300	60	52T	8.46	8.34	8.19
		5320	64	52T	8.47	8.37	8.18
	2C	5500	100	52T	7.97	7.90	8.15
		5600	120	52T	7.78	7.95	8.00
		5580	124	52T	7.79	7.97	9.10
		5720	144	52T	7.79	7.63	7.80
	3	5745	149	52T	10.02	10.10	10.13
		5785	157	52T	10.12	9.97	10.03
		5825	165	52T	9.97	10.00	10.10

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 63 of 96

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
20MHz BW	1	5180	36	106T	8.65	8.80	
		5200	40	106T	8.30	8.29	
		5220	44	106T	8.25	8.30	
		5240	48	106T	8.17	8.44	
	2A	5260	52	106T	8.47	8.32	
		5280	56	106T	8.43	8.23	
		5300	60	106T	8.24	8.25	
		5320	64	106T	8.38	8.21	
	2C	5500	100	106T	7.50	8.00	
		5600	120	106T	7.58	7.55	
		5620	124	106T	7.57	7.64	
		5720	144	106T	7.60	7.56	
	3	5745	149	106T	10.16	10.17	
5785		157	106T	10.20	10.18		
5825		165	106T	10.08	10.05		
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
20MHz BW	1	5180	36	242T	8.47		
		5200	40	242T	8.27		
		5200	44	242T	8.30		
		5240	48	242T	8.32		
	2A	5260	52	242T	8.25		
		5260	56	242T	8.27		
		5300	60	242T	8.29		
		5320	64	242T	8.26		
	2C	5500	100	242T	7.54		
		5600	120	242T	7.77		
		5620	124	242T	7.87		
		5720	144	242T	7.78		
	3	5745	149	242T	10.09		
5785		157	242T	10.07			
5825		165	242T	10.10			

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 64 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
1		5190	38	26T	8.42	8.39	8.37
		5230	46	26T	8.39	8.31	8.11
3		5755	151	26T	7.75	7.73	7.53
		5795	159	26T	7.77	7.85	7.62

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
1		5190	38	52T	8.33	8.38	8.26
		5230	46	52T	8.27	8.23	8.19
2A		5270	54	52T	8.31	8.36	8.38
		5310	62	52T	8.24	8.29	8.21
2C		5510	102	52T	7.89	8.15	8.02
		5590	118	52T	7.95	8.15	8.05
		5630	126	52T	8.19	8.16	8.14
		5710	142	52T	7.76	7.94	7.82
3		5755	151	52T	9.78	9.92	9.80
		5795	159	52T	9.87	9.84	9.92

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 65 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
1		5190	38	106T	8.48	8.37	8.23
		5230	46	106T	8.42	8.25	8.19
2A		5270	54	106T	8.41	8.28	8.14
		5310	62	106T	8.25	8.07	8.01
2C		5510	102	106T	8.02	8.16	7.92
		5590	118	106T	8.12	8.18	7.99
		5670	126	106T	8.22	8.21	8.13
		5710	142	106T	8.19	8.19	7.97
3		5755	151	106T	10.17	10.09	9.89
		5795	159	106T	10.09	10.24	10.05

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
1		5190	38	242T	8.36	8.42	
		5230	46	242T	8.23	8.30	
2A		5270	54	242T	8.32	8.34	
		5310	62	242T	8.14	8.12	
2C		5510	102	242T	7.97	8.10	
		5590	118	242T	8.08	8.13	
		5630	126	242T	7.80	7.89	
		5710	142	242T	7.85	7.91	
3		5755	151	242T	9.96	10.07	
		5795	159	242T	9.94	9.97	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 66 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
1	5190	38	484T	8.35			
	5230	46	484T	8.54			
2A	5270	54	484T	8.51			
	5310	62	484T	8.10			
2C	5510	102	484T	7.80			
	5590	118	484T	8.10			
	5630	126	484T	8.13			
	5710	142	484T	8.26			
3	5755	151	484T	10.15			
	5795	159	484T	10.07			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
1	5210	42	26T	8.23	8.24	8.30	
3	5775	155	26T	9.37	9.48	9.49	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
1	5210	42	52T	8.33	8.27	8.35	
2A	5290	58	52T	8.19	8.11	8.23	
2C	5530	106	52T	7.53	7.76	7.66	
	5610	122	52T	7.64	7.75	7.67	
	5690	138	52T	8.66	8.67	8.72	
3	5775	155	52T	9.99	9.92	9.78	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
1	5210	42	106T	8.17	8.32	8.37	
2A	5290	58	106T	8.17	8.20	8.31	
2C	5530	106	106T	7.59	7.87	7.85	
	5610	122	106T	7.77	7.69	7.70	
	5690	138	106T	7.85	7.88	7.81	
3	5775	155	106T	9.93	10.03	10.10	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 67 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
					1	5210	42
2A	5290	58	242T	8.36	8.17	8.32	
2C	5530	106	242T	7.86	7.52	7.81	
	5610	122	242T	7.73	7.53	7.79	
	5690	138	242T	7.78	7.82	7.62	
3	5775	155	242T	10.09	9.98	10.01	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
					1	5210	42
2A	5290	58	484T	8.09	8.29		
2C	5530	106	484T	7.73	7.83		
	5610	122	484T	7.68	7.76		
	5690	138	484T	7.82	7.93		
3	5775	155	484T	9.89	10.07		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
					1	5210	42
2A	5290	58	996T	8.09			
2C	5530	106	996T	7.78			
	5610	122	996T	7.73			
	5690	138	996T	7.73			
3	5775	155	996T	10.03			

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
					1	5250	50
2C	5570	114	52T	7.76	7.77	7.83	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
					1	5250	50
2C	5570	114	106T	7.58	7.62	7.73	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 68 of 96

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
					1	5250	50
2C	5570	114	242T	7.65	7.69	7.82	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
					1	5250	50
2C	5570	114	484T	7.72	7.76		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
					1	5250	50
2C	5570	114	996T	7.71			
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
					1	5250	50
2C	5570	114	996Tx2	7.76			

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 69 of 96

**Table H-6
Maximum 6 GHz 802.11ax RU Output Power – Ant WF5T**

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	5	5955	1	26T	7.50	7.54	7.48
		6175	45	26T	7.38	7.39	7.40
		6415	93	26T	8.07	8.05	8.03
	6	6435	97	26T	-4.58	-4.62	-4.59
		6475	105	26T	-4.79	-4.64	-4.73
		6515	113	26T	-4.75	-4.63	-4.76
	7	6535	117	26T	8.01	8.05	8.03
		6695	149	26T	7.65	7.62	7.67
		6875	185	26T	-5.08	-5.11	-4.92
8	6895	189	26T	-4.93	-4.92	-4.95	
	6995	209	26T	-5.10	-5.09	-5.16	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	5	5955	1	52T	10.94	10.96	11.01
		6175	45	52T	10.77	10.78	10.63
		6415	93	52T	10.93	11.05	11.01
	6	6435	97	52T	-1.62	-1.64	-1.62
		6475	105	52T	-1.67	-1.72	-1.62
		6515	113	52T	-1.86	-1.73	-1.65
	7	6535	117	52T	10.75	10.64	10.52
		6695	149	52T	10.32	10.37	10.39
		6875	185	52T	-1.81	-1.86	-1.85
8	6895	189	52T	-2.08	-2.05	-1.90	
	6995	209	52T	-1.92	-1.99	-2.04	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 70 of 96

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
5	5955	1	106T	13.08	13.07		
	6175	45	106T	12.61	12.70		
	6415	93	106T	12.54	12.53		
6	6435	97	106T	2.03	1.98		
	6475	105	106T	1.96	2.01		
	6515	113	106T	2.15	2.10		
7	6535	117	106T	10.71	10.72		
	6695	149	106T	10.36	10.35		
	6875	185	106T	0.21	0.19		
8	6895	189	106T	0.42	0.48		
	6995	209	106T	0.58	0.56		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
5	5955	1	242T	13.06			
	6175	45	242T	12.64			
	6415	93	242T	12.54			
6	6435	97	242T	4.26			
	6475	105	242T	4.24			
	6515	113	242T	4.25			
7	6535	117	242T	10.75			
	6695	149	242T	10.32			
	6875	185	242T	4.03			
8	6895	189	242T	3.99			
	6995	209	242T	4.02			

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 71 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
					5	5965	3
	6165	43	26T	8.39	8.43	8.50	
	6405	91	26T	8.41	8.56	8.60	
6	6445	99	26T	-4.57	-4.55	-4.49	
	6485	107	26T	-4.58	-4.61	-4.63	
	6525	115	26T	-5.18	-5.16	-5.13	
7	6565	123	26T	8.47	8.37	8.48	
	6725	155	26T	8.45	8.39	8.38	
	6845	179	26T	8.52	8.44	8.56	
8	6885	187	26T	-5.22	-5.19	-5.20	
	7005	211	26T	-5.18	-5.16	-5.15	
	7085	227	26T	-5.07	-5.09	-5.08	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
					5	5965	3
	6165	43	52T	11.27	11.35	11.34	
	6405	91	52T	11.26	11.35	11.26	
6	6445	99	52T	-1.69	-1.70	-1.66	
	6485	107	52T	-1.73	-1.74	-1.72	
	6525	115	52T	-2.05	-2.07	-2.03	
7	6565	123	52T	10.35	10.29	10.41	
	6725	155	52T	10.45	10.39	10.33	
	6845	179	52T	10.39	10.34	10.30	
8	6885	187	52T	-2.11	-2.13	-2.14	
	7005	211	52T	-2.15	-2.08	-2.19	
	7085	227	52T	-2.12	-2.17	-2.09	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 72 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
5	5965	3	106T	12.53	12.58	12.60	
	6165	43	106T	12.58	12.71	12.59	
	6405	91	106T	12.52	12.54	12.60	
6	6445	99	106T	2.20	2.21	2.23	
	6485	107	106T	2.14	2.16	2.11	
	6525	115	106T	1.88	1.89	1.94	
7	6565	123	106T	10.30	10.29	10.34	
	6725	155	106T	10.35	10.32	10.37	
	6845	179	106T	10.41	10.37	10.40	
8	6885	187	106T	1.96	1.98	1.95	
	7005	211	106T	1.99	1.93	1.94	
	7085	227	106T	1.83	1.87	1.90	
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
5	5965	3	242T	12.64	12.51		
	6165	43	242T	12.55	12.65		
	6405	91	242T	12.59	12.55		
6	6445	99	242T	4.20	4.18		
	6485	107	242T	4.24	4.22		
	6525	115	242T	4.06	4.10		
7	6565	123	242T	10.38	10.39		
	6725	155	242T	10.40	10.43		
	6845	179	242T	10.39	10.35		
8	6885	187	242T	4.10	4.08		
	7005	211	242T	4.04	4.11		
	7085	227	242T	4.18	4.13		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 73 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
5	5965	3	484T	12.68			
	6165	43	484T	12.66			
	6405	91	484T	12.65			
6	6445	99	484T	7.18			
	6485	107	484T	7.21			
	6525	115	484T	7.14			
7	6565	123	484T	10.33			
	6725	155	484T	10.41			
	6845	179	484T	10.38			
8	6885	187	484T	7.15			
	7005	211	484T	7.09			
	7085	227	484T	7.06			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
5	5985	7	26T	8.11	8.02	8.18	
	6145	39	26T	8.44	8.38	8.52	
	6385	87	26T	8.35	8.33	8.35	
6	6465	103	26T	-4.67	-4.70	-4.68	
7	6545	119	26T	-4.82	-4.83	-4.86	
	6705	151	26T	8.73	8.68	8.54	
	6865	183	26T	-4.93	-4.94	-4.92	
8	6945	199	26T	-4.89	-4.87	-4.91	
	7025	215	26T	-4.86	-4.84	-4.90	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
5	5985	7	52T	11.27	11.07	11.11	
	6145	39	52T	11.79	11.16	11.45	
	6385	87	52T	11.20	11.35	11.37	
6	6465	103	52T	-1.82	-1.83	-1.78	
7	6545	119	52T	-1.98	-1.99	-2.01	
	6705	151	52T	10.50	10.34	10.30	
	6865	183	52T	-1.95	-2.00	-1.93	
8	6945	199	52T	-2.02	-2.03	-1.99	
	7025	215	52T	-1.95	-1.96	-2.01	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 74 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
5	5985	7	106T	12.95	12.97	12.98	
	6145	39	106T	13.06	13.02	13.03	
	6385	87	106T	12.96	12.92	12.94	
6	6465	103	106T	2.21	2.15	2.22	
7	6545	119	106T	1.95	1.94	1.98	
	6705	151	106T	10.92	10.93	10.46	
	6865	183	106T	1.91	1.92	1.95	
8	6945	199	106T	1.88	1.85	1.79	
	7025	215	106T	1.96	1.98	1.95	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
5	5985	7	242T	12.16	12.13	12.07	
	6145	39	242T	12.28	12.31	12.36	
	6385	87	242T	12.39	12.35	120.37	
6	6465	103	242T	4.27	4.26	4.31	
7	6545	119	242T	4.01	4.02	4.05	
	6705	151	242T	10.23	10.38	10.40	
	6865	183	242T	4.11	4.16	4.14	
8	6945	199	242T	4.17	4.19	4.20	
	7025	215	242T	4.12	4.13	4.07	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
5	5985	7	484T	12.90	13.03		
	6145	39	484T	13.04	12.98		
	6385	87	484T	12.99	12.98		
6	6465	103	484T	7.24	7.29		
7	6545	119	484T	7.09	7.06		
	6705	151	484T	10.25	10.37		
	6865	183	484T	7.04	7.02		
8	6945	199	484T	7.05	7.07		
	7025	215	484T	7.06	7.12		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 75 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
5	5985	7	996T	12.95			
	6145	39	996T	13.08			
	6385	87	996T	13.11			
6	6465	103	996T	10.21			
7	6545	119	996T	10.11			
	6705	151	996T	10.09			
	6865	183	996T	10.13			
8	6945	199	996T	10.15			
	7025	215	996T	10.04			

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
5	6025	15	26T	7.98	8.03	8.05	
	6185	47	26T	8.30	8.27	8.32	
	6345	79	26T	8.38	8.52	8.51	
6	6505	111	26T	-4.35	-4.36	-4.38	
7	6665	143	26T	7.98	8.01	7.99	
	6825	175	26T	-4.38	-4.40	-4.39	
8	6985	207	26T	-4.36	-4.33	-4.34	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
5	6025	15	52T	11.31	11.10	11.18	
	6185	47	52T	11.48	11.36	11.51	
	6345	79	52T	11.52	11.56	11.58	
6	6505	111	52T	-1.99	-1.97	-2.01	
7	6665	143	52T	10.53	10.65	10.64	
	6825	175	52T	-2.08	-2.09	-2.10	
8	6985	207	52T	-2.04	-2.07	-2.03	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 76 of 96

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
					5	6025	15
	6185	47	106T	12.53	12.51	12.52	
	6345	79	106T	12.02	12.03	12.01	
6	6505	111	106T	1.96	1.93	1.98	
7	6665	143	106T	10.26	10.29	10.31	
	6825	175	106T	1.97	1.92	1.91	
8	6985	207	106T	1.89	1.88	1.90	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
					5	6025	15
6185	47	242T	12.49	12.47		12.53	
6345	79	242T	12.00	12.01		12.04	
6	6505	111	242T	4.02	4.05	4.01	
7	6665	143	242T	10.34	10.33	10.31	
	6825	175	242T	4.04	4.02	4.03	
8	6985	207	242T	4.06	4.11	4.13	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
					5	6025	15
6185	47	484T	12.53	12.52			
6345	79	484T	12.07	12.04			
6	6505	111	484T	7.05	7.03		
7	6665	143	484T	10.29	10.27		
	6825	175	484T	7.08	7.10		
8	6985	207	484T	7.06	7.02		

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67(L)	N/A	N/A
					5	6025	15
6185	47	996T	12.58				
6345	79	996T	12.02				
6	6505	111	996T	10.05			
7	6665	143	996T	10.09			
	6825	175	996T	10.13			
8	6985	207	996T	10.04			

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 77 of 96

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67(L)	N/A	N/A
5	6025	15	996Tx2	12.28			
	6185	47	996Tx2	12.42			
	6345	79	996Tx2	11.95			
6	6505	111	996Tx2	11.23			
7	6665	143	996Tx2	10.29			
	6825	175	996Tx2	10.27			
8	6985	207	996Tx2	10.24			

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 78 of 96

**Table H-7
Maximum 6 GHz 802.11ax RU Output Power – Ant 3b**

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
					5	5955	1
	6175	45	26T	8.29	8.24	6.87	
	6415	93	26T	8.90	8.86	7.31	
6	6435	97	26T	-4.79	-4.78	-4.76	
	6475	105	26T	-4.63	-4.69	-4.71	
	6515	113	26T	-4.74	-4.73	-4.72	
7	6535	117	26T	8.97	8.82	7.40	
	6695	149	26T	8.86	8.87	7.34	
	6875	185	26T	-5.09	-5.05	-5.07	
8	6895	189	26T	-5.04	-5.08	-5.03	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
					5	5955	1
	6175	45	52T	10.60	10.60	10.61	
	6415	93	52T	9.41	9.36	9.43	
6	6435	97	52T	-1.49	-1.45	-1.47	
	6475	105	52T	-1.55	-1.58	-1.60	
	6515	113	52T	-1.65	-1.62	-1.63	
7	6535	117	52T	9.33	9.34	9.34	
	6695	149	52T	9.22	9.26	9.26	
	6875	185	52T	-2.08	-2.09	-2.11	
8	6895	189	52T	-2.14	-2.18	-2.16	
	6995	209	52T	-2.17	-2.13	-2.15	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
5	5955	1	106T	9.56	9.60		
	6175	45	106T	9.41	9.44		
	6415	93	106T	9.44	9.37		
6	6435	97	106T	1.51	1.48		
	6475	105	106T	1.43	1.39		
	6515	113	106T	1.42	1.41		
7	6535	117	106T	9.29	9.36		
	6695	149	106T	9.22	9.17		
	6875	185	106T	1.72	1.75		
8	6895	189	106T	1.71	1.69		
	6995	209	106T	1.79	1.77		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
5	5955	1	242T	9.62			
	6175	45	242T	9.33			
	6415	93	242T	9.33			
6	6435	97	242T	4.21			
	6475	105	242T	4.26			
	6515	113	242T	4.23			
7	6535	117	242T	7.83			
	6695	149	242T	7.70			
	6875	185	242T	4.05			
8	6895	189	242T	4.08			
	6995	209	242T	3.96			

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 80 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
5	5965	3	26T	7.53	7.43	7.45	
	6165	43	26T	7.45	7.42	7.43	
	6405	91	26T	7.60	7.62	7.59	
6	6445	99	26T	-4.80	-4.75	-4.77	
	6485	107	26T	-4.73	-4.69	-4.72	
	6525	115	26T	-5.12	-5.14	-5.13	
7	6565	123	26T	7.56	7.64	7.57	
	6725	155	26T	7.53	7.51	7.49	
	6845	179	26T	7.59	7.62	7.59	
8	6885	187	26T	-5.05	-5.10	-5.07	
	7005	211	26T	-5.03	-5.02	-5.04	
	7085	227	26T	-4.97	-5.01	-4.92	
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
5	5965	3	52T	9.52	9.53	9.56	
	6165	43	52T	9.51	9.50	9.51	
	6405	91	52T	8.68	8.67	8.72	
6	6445	99	52T	-1.59	-1.60	-1.58	
	6485	107	52T	-1.66	-1.62	-1.67	
	6525	115	52T	-2.04	-1.99	-2.02	
7	6565	123	52T	9.63	9.62	9.59	
	6725	155	52T	9.60	9.58	9.61	
	6845	179	52T	9.60	9.67	9.57	
8	6885	187	52T	-2.13	-2.09	-2.10	
	7005	211	52T	-2.11	-2.07	-2.13	
	7085	227	52T	-2.05	-2.09	-2.10	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 81 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
5	5965	3	106T	9.53	9.55	9.55	
	6165	43	106T	9.50	9.51	9.51	
	6405	91	106T	8.68	8.67	8.69	
6	6445	99	106T	2.04	2.05	2.03	
	6485	107	106T	2.10	2.07	2.08	
	6525	115	106T	2.00	1.97	1.99	
7	6565	123	106T	9.65	9.66	9.66	
	6725	155	106T	9.58	9.58	9.60	
	6845	179	106T	9.70	9.68	9.60	
8	6885	187	106T	1.93	1.91	1.97	
	7005	211	106T	1.98	1.99	1.96	
	7085	227	106T	1.87	1.88	1.89	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
5	5965	3	242T	9.47	9.50		
	6165	43	242T	9.44	9.51		
	6405	91	242T	8.71	8.71		
6	6445	99	242T	4.21	4.19		
	6485	107	242T	4.27	4.25		
	6525	115	242T	4.05	4.01		
7	6565	123	242T	9.59	9.64		
	6725	155	242T	9.59	9.56		
	6845	179	242T	9.61	9.61		
8	6885	187	242T	4.09	4.12		
	7005	211	242T	4.06	4.07		
	7085	227	242T	4.10	4.09		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 82 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
5	5965	3	484T	9.53			
	6165	43	484T	9.45			
	6405	91	484T	8.69			
6	6445	99	484T	7.32			
	6485	107	484T	7.29			
	6525	115	484T	7.12			
7	6565	123	484T	9.66			
	6725	155	484T	9.49			
	6845	179	484T	9.66			
8	6885	187	484T	7.13			
	7005	211	484T	7.08			
	7085	227	484T	7.06			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
5	5985	7	26T	8.14	8.25	8.22	
	6145	39	26T	8.08	8.10	8.16	
	6385	87	26T	8.00	7.95	8.06	
6	6465	103	26T	-4.73	-4.79	-4.80	
7	6545	119	26T	-5.02	-5.06	-5.05	
	6705	151	26T	8.01	7.96	8.02	
	6865	183	26T	-5.03	-4.99	-5.01	
8	6945	199	26T	-5.14	-5.12	-5.11	
	7025	215	26T	-5.15	-5.19	-5.20	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
5	5985	7	52T	10.06	10.01	10.12	
	6145	39	52T	10.02	9.93	9.96	
	6385	87	52T	8.64	8.73	8.59	
6	6465	103	52T	-1.71	-1.69	-1.72	
7	6545	119	52T	-2.05	-2.01	-2.02	
	6705	151	52T	9.15	9.09	9.22	
	6865	183	52T	-2.13	-2.15	-2.11	
8	6945	199	52T	-2.09	-2.08	-2.10	
	7025	215	52T	-2.16	-2.14	-2.07	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 83 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
5	5985	7	106T	10.14	10.02	10.13	
	6145	39	106T	9.92	10.02	9.90	
	6385	87	106T	8.67	8.66	8.67	
6	6465	103	106T	2.19	2.21	2.16	
7	6545	119	106T	1.94	1.97	1.99	
	6705	151	106T	9.16	9.11	9.17	
	6865	183	106T	0.06	0.10	0.13	
8	6945	199	106T	1.85	1.87	1.86	
	7025	215	106T	1.98	1.99	2.00	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
5	5985	7	242T	10.12	10.03	10.10	
	6145	39	242T	10.02	9.96	9.90	
	6385	87	242T	7.69	8.73	8.56	
6	6465	103	242T	4.24	4.28	4.29	
7	6545	119	242T	4.02	4.09	4.10	
	6705	151	242T	9.13	9.17	9.19	
	6865	183	242T	4.06	4.07	4.11	
8	6945	199	242T	4.01	4.03	4.13	
	7025	215	242T	4.10	4.08	4.07	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
5	5985	7	484T	10.12	10.07		
	6145	39	484T	10.02	9.90		
	6385	87	484T	8.70	8.69		
6	6465	103	484T	7.24	7.21		
7	6545	119	484T	7.02	7.05		
	6705	151	484T	9.11	9.18		
	6865	183	484T	7.03	7.04		
8	6945	199	484T	7.11	7.06		
	7025	215	484T	7.13	7.15		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
5	5985	7	996T	9.74			
	6145	39	996T	10.01			
	6385	87	996T	8.48			
6	6465	103	996T	9.02			
7	6545	119	996T	9.04			
	6705	151	996T	9.07			
	6865	183	996T	9.13			
8	6945	199	996T	9.11			
	7025	215	996T	9.09			

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
5	6025	15	26T	8.10	8.08	8.13	
	6185	47	26T	8.23	8.25	8.21	
	6345	79	26T	8.65	8.66	8.72	
6	6505	111	26T	-4.13	-4.16	-4.20	
7	6665	143	26T	8.56	8.56	8.55	
	6825	175	26T	-4.14	-4.21	-4.17	
8	6985	207	26T	-4.23	-4.30	-4.26	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 85 of 96

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
					5	6025	15
	6185	47	52T	10.15	10.11	10.20	
	6345	79	52T	8.24	8.05	8.12	
6	6505	111	52T	-2.04	-2.05	-2.03	
7	6665	143	52T	9.20	9.17	9.22	
	6825	175	52T	-2.08	-2.09	-2.10	
8	6985	207	52T	-2.04	-2.07	-2.03	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
					5	6025	15
	6185	47	106T	10.19	10.18	10.21	
	6345	79	106T	8.27	8.10	8.15	
6	6505	111	106T	1.98	1.92	1.91	
7	6665	143	106T	9.14	9.08	9.13	
	6825	175	106T	1.95	1.92	1.96	
8	6985	207	106T	1.96	1.93	1.98	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
					5	6025	15
	6185	47	242T	10.17	10.18	10.27	
	6345	79	242T	8.17	8.18	8.29	
6	6505	111	242T	4.02	4.03	3.99	
7	6665	143	242T	9.27	9.14	9.15	
	6825	175	242T	4.09	4.02	4.06	
8	6985	207	242T	4.16	4.11	4.13	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
					5	6025	15
	6185	47	484T	10.19	10.23		
	6345	79	484T	8.21	8.22		
6	6505	111	484T	7.01	7.05		
7	6665	143	484T	9.26	9.25		
	6825	175	484T	7.09	7.06		
8	6985	207	484T	7.04	7.02		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 86 of 96

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					67(L)	N/A	N/A	
	5	6025	15	996T	9.81			
		6185	47	996T	10.03			
		6345	79	996T	8.52			
	6	6505	111	996T	9.10			
	7	6665	143	996T	9.04			
		6825	175	996T	9.07			
	8	6985	207	996T	9.12			
	160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
						RU Index		
67(L)						N/A	N/A	
	5	6025	15	996Tx2	9.99			
		6185	47	996Tx2	10.03			
		6345	79	996Tx2	8.49			
	6	6505	111	996Tx2	9.02			
	7	6665	143	996Tx2	9.11			
		6825	175	996Tx2	9.09			
	8	6985	207	996Tx2	9.06			

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 87 of 96

**Table H-8
Maximum 6 GHz 802.11ax RU Output Power – Ant 1b**

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	5	5955	1	26T	7.25	7.26	7.32
		6175	45	26T	7.34	7.31	7.24
		6415	93	26T	7.58	7.62	7.56
	6	6435	97	26T	-4.91	-4.84	-4.93
		6475	105	26T	-4.78	-4.86	-4.82
		6515	113	26T	-4.87	-4.90	-4.88
	7	6535	117	26T	6.87	6.88	6.80
		6695	149	26T	6.95	7.04	6.98
		6875	185	26T	-5.02	-5.03	-5.01
8	6895	189	26T	-4.99	-4.96	-5.00	
	6995	209	26T	-4.97	-5.00	-4.98	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	5	5955	1	52T	8.04	8.07	8.08
		6175	45	52T	7.28	7.38	7.37
		6415	93	52T	8.61	8.60	8.56
	6	6435	97	52T	-2.01	-2.04	-2.07
		6475	105	52T	-2.06	-2.13	-2.11
		6515	113	52T	-1.94	-1.98	-1.99
	7	6535	117	52T	6.84	6.81	6.84
		6695	149	52T	7.13	7.07	7.11
		6875	185	52T	-2.11	-2.16	-2.12
8	6895	189	52T	-2.13	-2.14	-2.17	
	6995	209	52T	-2.07	-2.08	-2.10	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 88 of 96

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
5	5955	1	106T	8.12	8.13		
	6175	45	106T	7.31	7.38		
	6415	93	106T	8.62	8.58		
6	6435	97	106T	1.19	1.17		
	6475	105	106T	1.28	1.24		
	6515	113	106T	1.36	1.35		
7	6535	117	106T	6.80	6.84		
	6695	149	106T	7.05	7.10		
	6875	185	106T	1.03	1.05		
8	6895	189	106T	1.11	1.07		
	6995	209	106T	1.08	1.05		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
5	5955	1	242T	8.12			
	6175	45	242T	7.46			
	6415	93	242T	8.49			
6	6435	97	242T	4.24			
	6475	105	242T	4.22			
	6515	113	242T	4.29			
7	6535	117	242T	6.83			
	6695	149	242T	7.12			
	6875	185	242T	4.25			
8	6895	189	242T	4.04			
	6995	209	242T	3.97			

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
5		5965	3	26T	7.72	7.69	7.75
		6165	43	26T	7.74	7.71	7.73
		6405	91	26T	8.35	8.30	8.25
6		6445	99	26T	-4.70	-4.71	-4.73
		6485	107	26T	-4.77	-4.75	-4.76
		6525	115	26T	-5.00	-4.98	-5.01
7		6565	123	26T	6.86	6.94	6.93
		6725	155	26T	6.92	6.96	6.88
		6845	179	26T	6.91	6.95	6.94
8		6885	187	26T	-4.97	-4.98	-4.92
		7005	211	26T	-4.90	-4.89	-4.91
		7085	227	26T	-5.01	-5.05	-5.02

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
5		5965	3	52T	7.77	7.76	7.72
		6165	43	52T	7.74	7.75	7.76
		6405	91	52T	8.28	8.32	8.32
6		6445	99	52T	-1.96	-1.91	-1.93
		6485	107	52T	-1.95	-1.94	-1.92
		6525	115	52T	-2.03	-2.06	-2.05
7		6565	123	52T	7.02	6.92	6.91
		6725	155	52T	6.91	6.96	6.99
		6845	179	52T	6.81	6.89	6.82
8		6885	187	52T	-2.06	-2.05	-2.07
		7005	211	52T	-2.01	-2.02	-2.04
		7085	227	52T	-2.03	-1.99	-2.00

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 90 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
5	5965	3	106T	7.45	7.34	7.37	
	6165	43	106T	7.40	7.30	7.35	
	6405	91	106T	8.51	8.59	8.61	
6	6445	99	106T	1.34	1.32	1.31	
	6485	107	106T	1.27	1.25	1.22	
	6525	115	106T	1.02	1.01	1.04	
7	6565	123	106T	6.58	6.64	6.62	
	6725	155	106T	6.64	6.62	6.63	
	6845	179	106T	6.60	6.56	6.71	
8	6885	187	106T	1.03	1.05	1.07	
	7005	211	106T	1.06	0.98	1.01	
	7085	227	106T	1.12	1.16	1.13	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
5	5965	3	242T	7.55	7.57		
	6165	43	242T	7.55	7.57		
	6405	91	242T	8.17	8.25		
6	6445	99	242T	4.29	4.24		
	6485	107	242T	4.30	4.28		
	6525	115	242T	4.01	4.04		
7	6565	123	242T	6.68	6.66		
	6725	155	242T	6.63	6.70		
	6845	179	242T	6.60	6.64		
8	6885	187	242T	4.14	4.18		
	7005	211	242T	4.08	4.10		
	7085	227	242T	4.07	4.02		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 91 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
5	5965	3	484T	6.76			
	6165	43	484T	7.28			
	6405	91	484T	7.54			
6	6445	99	484T	7.25			
	6485	107	484T	7.22			
	6525	115	484T	7.01			
7	6565	123	484T	6.94			
	6725	155	484T	6.99			
	6845	179	484T	7.02			
8	6885	187	484T	6.98			
	7005	211	484T	7.03			
	7085	227	484T	7.06			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
5	5985	7	26T	7.55	7.50	7.47	
	6145	39	26T	7.56	7.55	7.58	
	6385	87	26T	8.19	8.22	8.23	
6	6465	103	26T	-4.74	-4.73	-4.71	
7	6545	119	26T	-5.01	-4.99	-5.02	
	6705	151	26T	8.21	8.20	8.24	
	6865	183	26T	-5.04	-5.09	-5.06	
8	6945	199	26T	-5.12	-5.15	-5.17	
	7025	215	26T	-5.07	-5.04	-5.10	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
5	5985	7	52T	7.60	7.58	7.54	
	6145	39	52T	7.57	7.53	7.60	
	6385	87	52T	8.22	8.16	8.14	
6	6465	103	52T	-2.40	-2.38	-2.41	
7	6545	119	52T	-2.06	-2.05	-2.03	
	6705	151	52T	8.47	8.50	8.53	
	6865	183	52T	-2.02	-2.07	-2.01	
8	6945	199	52T	-2.04	-2.08	-2.12	
	7025	215	52T	-2.14	-2.15	-2.13	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 92 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
5	5985	7	106T	7.56	7.59	7.60	
	6145	39	106T	7.55	7.57	7.54	
	6385	87	106T	8.28	8.30	8.36	
6	6465	103	106T	1.34	1.36	1.33	
7	6545	119	106T	1.17	1.15	1.18	
	6705	151	106T	8.51	8.50	8.42	
	6865	183	106T	1.03	1.04	1.06	
8	6945	199	106T	1.05	1.07	1.01	
	7025	215	106T	1.12	1.14	1.13	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
5	5985	7	242T	7.61	7.67	7.56	
	6145	39	242T	7.65	7.58	7.61	
	6385	87	242T	8.31	8.37	8.29	
6	6465	103	242T	4.57	4.67	4.55	
7	6545	119	242T	4.11	4.12	4.10	
	6705	151	242T	8.45	8.53	8.48	
	6865	183	242T	4.04	4.01	4.02	
8	6945	199	242T	4.13	4.16	4.08	
	7025	215	242T	4.07	4.14	4.11	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
5	5985	7	484T	6.69	6.71		
	6145	39	484T	7.24	7.19		
	6385	87	484T	7.53	7.56		
6	6465	103	484T	6.67	6.72		
7	6545	119	484T	6.74	6.77		
	6705	151	484T	7.11	7.10		
	6865	183	484T	7.05	7.08		
8	6945	199	484T	7.06	7.07		
	7025	215	484T	7.02	7.04		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 93 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
5		5985	7	996T	7.39		
		6145	39	996T	7.44		
		6385	87	996T	8.24		
6		6465	103	996T	6.78		
7		6545	119	996T	6.74		
		6705	151	996T	8.58		
		6865	183	996T	8.56		
8		6945	199	996T	7.77		
		7025	215	996T	7.81		

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
5		6025	15	26T	7.57	7.60	7.59
		6185	47	26T	7.40	7.36	7.37
		6345	79	26T	8.11	8.14	8.05
6		6505	111	26T	-5.13	-5.06	-5.20
7		6665	143	26T	8.21	8.15	8.16
		6825	175	26T	-4.86	-5.03	-5.48
8		6985	207	26T	-5.47	-5.40	-5.50

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 94 of 96

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
					5	6025	15
	6185	47	52T	7.45	7.35	7.40	
	6345	79	52T	8.36	8.50	8.33	
6	6505	111	52T	-2.12	-2.01	-2.03	
7	6665	143	52T	8.63	8.74	8.70	
	6825	175	52T	-1.71	-1.70	-1.74	
8	6985	207	52T	-2.47	-2.29	-2.27	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
					5	6025	15
	6185	47	106T	7.37	7.45	7.43	
	6345	79	106T	8.43	8.36	8.32	
6	6505	111	106T	1.29	1.32	1.29	
7	6665	143	106T	8.65	8.61	8.57	
	6825	175	106T	1.46	1.29	1.34	
8	6985	207	106T	0.82	0.80	0.89	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
					5	6025	15
	6185	47	242T	7.45	7.38	7.41	
	6345	79	242T	8.42	8.44	8.39	
6	6505	111	242T	3.90	3.95	4.12	
7	6665	143	242T	8.61	8.60	8.73	
	6825	175	242T	4.05	4.11	4.09	
8	6985	207	242T	3.50	3.53	3.61	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 95 of 96

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
					5	6025	15
	6185	47	484T	7.40	7.36		
	6345	79	484T	8.43	8.40		
6	6505	111	484T	7.09	7.11		
7	6665	143	484T	8.66	8.65		
	6825	175	484T	7.32	7.26		
8	6985	207	484T	6.74	6.75		

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67(L)	N/A	N/A
					5	6025	15
	6185	47	996T	7.47			
	6345	79	996T	8.40			
6	6505	111	996T	6.74			
7	6665	143	996T	8.58			
	6825	175	996T	8.36			
8	6985	207	996T	7.79			

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					68(L)	N/A	N/A
					5	6025	15
	6185	47	996Tx2	7.30			
	6345	79	996Tx2	8.26			
6	6505	111	996Tx2	6.82			
7	6665	143	996Tx2	8.67			
	6825	175	996Tx2	8.56			
8	6985	207	996Tx2	7.80			

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 96 of 96