




Figure 68 - U-NII-1 - 5240 MHz (CH48), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 69 - U-NII-1 - 5240 MHz (CH48), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 1 GHz to 40 GHz, Vertical

Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
2483.731	35.71	54.00	-18.29	RMS	350	313	Vertical
4879.103	38.92	54.00	-15.08	RMS	315	206	Horizontal
4880.858	42.10	54.00	-11.90	RMS	360	100	Vertical
11280.101	37.85	54.00	-16.15	RMS	210	103	Vertical

Table 26 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 70 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 71 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 1 GHz to 40 GHz, Horizontal




Figure 72 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 1 GHz, Vertical (Peak)




Figure 73 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
34.931	19.44	40.00	-20.56	Q-Peak	4	245	Vertical
2379.796	35.39	54.00	-18.61	RMS	283	132	Vertical
2483.704	34.25	54.00	-19.75	RMS	267	151	Vertical
4880.838	41.96	54.00	-12.04	RMS	269	163	Vertical
5459.241	41.43	54.00	-12.57	RMS	11	108	Vertical
11280.010	37.75	54.00	-16.25	RMS	212	102	Vertical

Table 27 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 74 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 75 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 1 GHz to 40 GHz, Horizontal




Figure 76 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 77 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 1 GHz to 40 GHz, Vertical

Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
34.246	19.85	40.00	-20.15	Q-Peak	103	242	Vertical
4879.103	36.86	54.00	-17.14	RMS	134	196	Horizontal
4880.982	41.52	54.00	-12.48	RMS	285	163	Vertical
5454.211	40.94	54.00	-13.06	RMS	360	105	Vertical
11280.145	37.78	54.00	-16.22	RMS	209	113	Vertical

Table 28 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 78 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 79 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 1 GHz to 40 GHz, Horizontal




Figure 80 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 81 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 1 GHz to 40 GHz, Vertical

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
34.817	17.90	40.00	-22.10	Q-Peak	5	240	Vertical
2379.705	33.11	54.00	-20.89	RMS	350	390	Vertical
2483.761	35.75	54.00	-18.25	RMS	360	314	Vertical
4879.028	43.05	54.00	-10.95	RMS	323	119	Vertical
4892.960	36.97	54.00	-17.03	RMS	163	112	Horizontal
5459.962	38.90	54.00	-15.10	RMS	258	390	Vertical
5719.807	55.40	74.00	-18.60	Peak	357	114	Vertical
11569.445	37.03	54.00	-16.97	RMS	207	108	Vertical

Table 29 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 82 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 83 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 1 GHz to 40 GHz, Horizontal




Figure 84 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 1 GHz, Vertical (Peak)




Figure 85 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 1 GHz to 40 GHz, Vertical

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
31.521	22.33	40.00	-17.67	Q-Peak	4	240	Vertical
2380.387	36.25	54.00	-17.75	RMS	277	158	Vertical
2483.781	34.20	54.00	-19.80	RMS	282	120	Vertical
4879.058	41.96	54.00	-12.04	RMS	276	182	Vertical
4879.213	37.39	54.00	-16.61	RMS	0	105	Horizontal
5457.525	39.35	54.00	-14.65	RMS	341	184	Vertical
5719.962	55.21	74.00	-18.79	Peak	360	115	Vertical
11569.315	36.95	54.00	-17.05	RMS	208	102	Vertical

Table 30 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 86 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 87 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 1 GHz to 40 GHz, Horizontal




Figure 88 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 89 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
34.770	19.48	40.00	-20.52	Q-Peak	0	247	Vertical
4879.053	37.80	54.00	-16.20	RMS	350	383	Horizontal
4880.878	42.87	54.00	-11.13	RMS	285	133	Vertical
5443.266	40.15	54.00	-13.85	RMS	360	126	Vertical
11569.335	36.94	54.00	-17.06	RMS	207	118	Vertical

Table 31 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 90 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 91 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 1 GHz to 40 GHz, Horizontal




Figure 92 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 93 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 1 GHz to 40 GHz, Vertical



FCC 47 CFR Part 15, ISED RSS-247 and ISED RSS-GEN

The least stringent limit from the applicable rule parts was used to determine compliance for Radiated Emissions testing of multiple transmission sources.

The least stringent applicable limit was:

Clause	Limit
Part 15 247 (d) / RSS-247 Clause 5.5	-20 dBc
Part 15.407 (b) / RSS-247 Clause 6.2	-27 dBm e.i.r.p
Part 15.209 / RSS-GEN Clause 8.9	Peak: 74 dB μ V/m at 3m, Average 54 dB μ V/m at 3m (Restricted bands > 1 GHz)

Table 32



6 GHz WLAN and Thread

Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
31.956	21.07	40.00	-18.93	Q-Peak	0	240	Vertical
2483.533	35.31	54.00	-18.69	RMS	360	367	Vertical
4880.958	37.08	54.00	-16.92	RMS	15	145	Vertical
7318.647	47.35	54.00	-6.65	RMS	243	146	Vertical
7318.706	44.19	54.00	-9.81	RMS	330	262	Horizontal
7318.708	57.21	74.00	-16.79	Peak	277	116	Vertical

Table 33 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 94 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 95 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 1 GHz to 40 GHz, Horizontal




Figure 96 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 1 GHz, Vertical (Peak)




Figure 97 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 1 GHz to 40 GHz, Vertical

Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
31.394	22.63	40.00	-17.37	Q-Peak	213	240	Vertical
2379.880	35.72	54.00	-18.28	RMS	281	161	Vertical
2483.623	33.92	54.00	-20.08	RMS	266	176	Vertical
4880.897	38.65	54.00	-15.35	RMS	268	139	Vertical

Table 34 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 98 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 99 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 1 GHz to 40 GHz, Horizontal




Figure 100 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 101 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
4880.868	37.32	54.00	-16.68	RMS	71	100	Vertical

Table 35 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 102 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 103 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 1 GHz to 40 GHz, Horizontal




Figure 104 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 105 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
5883.407	48.46	68.20	-19.74	RMS	244	112	Vertical
5883.478	48.37	68.20	-19.83	RMS	0	371	Horizontal
7318.559	46.69	54.00	-7.31	RMS	307	140	Vertical
7318.618	56.20	74.00	-17.80	Peak	242	150	Vertical
7318.701	39.46	54.00	-14.54	RMS	8	359	Horizontal
20982.715	42.65	64.00	-21.35	RMS	152	100	Vertical

Table 36 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 106 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 107 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 1 GHz to 40 GHz, Horizontal




Figure 108 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 1 GHz, Vertical (Peak)




Figure 109 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 1 GHz to 40 GHz, Vertical

Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
31.571	22.32	40.00	-17.68	Q-Peak	351	240	Vertical
4880.882	38.14	54.00	-15.86	RMS	274	162	Vertical
5883.932	48.43	68.20	-19.77	RMS	350	380	Vertical
5884.837	48.52	68.20	-19.68	RMS	0	367	Horizontal
20984.765	42.34	64.00	-21.66	RMS	160	100	Vertical

Table 37 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 110 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 111 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 1 GHz to 40 GHz, Horizontal




Figure 112 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 113 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
31.622	21.50	40.00	-18.50	Q-Peak	21	244	Vertical
4880.838	38.89	54.00	-15.11	RMS	281	100	Vertical
5882.173	48.09	68.20	-20.11	RMS	245	327	Horizontal
5882.633	48.14	68.20	-20.06	RMS	10	163	Vertical
20982.555	42.50	64.00	-21.50	RMS	159	100	Vertical

Table 38 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 114 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 115 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 1 GHz to 40 GHz, Horizontal




Figure 116 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 117 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 1 GHz to 40 GHz, Vertical



FCC 47 CFR Part 15, ISED RSS-247, ISED RSS-248 and ISED RSS-GEN

The least stringent limit from the applicable rule parts was used to determine compliance for Radiated Emissions testing of multiple transmission sources.

The least stringent applicable limit was:

Clause	Limit
Part 15 247 (d) / RSS-247 Clause 5.5	-20 dBc
Part 15.407 (b) / RSS-248 Clause 4.6.2	Peak: -7 dBm/MHz e.i.r.p, Average: -27 dBm/MHz e.i.r.p.
Part 15.209 / RSS-GEN Clause 8.9	Peak: 74 dB μ V/m at 3m, Average 54 dB μ V/m at 3m (Restricted bands > 1 GHz)

Table 39



2.1.8 Test Location and Test Equipment Used

This test was carried out in RF Chamber 18 and RF Chamber 17.

Instrument	Manufacturer	Type No.	TE No.	Calibration Period (months)	Calibration Expiry Date
Emissions Software	TUV SUD	EmX V3.4.2	5125	-	Software
Test Receiver	Rohde & Schwarz	ESW44	5379	12	12-Dec-2024
Test Receiver	Rohde & Schwarz	ESW44	5914	12	24-May-2025
Cable (K Type 2m)	Junkosha	MWX241-02000KMSKMS/B	5933	12	10-Jun-2025
DRG Horn Antenna (7.5-18GHz)	Schwarzbeck	HWRD750	5939	12	05-May-2025
Cable (N to N 1m)	Junkosha	MWX221-01000AMSAMS/B	6009	12	20-May-2025
SAC Switch Unit	TUV SUD	TUV_SSU_001	6144	12	11-Dec-2024
Humidity & Temperature meter	R.S Components	1364	6148	12	29-Jul-2025
Attenuator 4dB	Pasternack	PE7074-4	6204	24	20-Jun-2026
USB Spectrum Analyser	Signal Hound	SA124B	6295	-	TU
Cable (SMA to SMA 8m)	Junkosha	MWX221-08000AMSAMS/B	6318	12	18-Feb-2025
Digital Multimeter	Fluke	115	6345	12	24-Jul-2025
SAC Switch Unit	TUV SUD	TUV_SSU_004 PLC	6349	12	07-May-2025
8 GHz High Pass Filter	Wainwright	WHKX 7150 8000 18000 50SS	6427	12	23-Apr-2025
Trilog Super Broadband Test Antenna	Schwarzbeck	VULB 9168	6456	24	10-Feb-2025
3m Semi-Anechoic Chamber	Albatross Projects	Chamber 18	6597	36	07-Feb-2026
Coax cable sma to sma with N-Type adapter	TUV SUD	N/A	6637	12	23-Apr-2025
AC Power Supply	iTech	IT7324	6657	-	O/P Mon
3m Semi-Anechoic Chamber	Albatross Projects	RF Chamber 17	6658	36	28-Jan-2026
Mast and Turntable Controller	Maturo Gmbh	FCU3.0	6659	-	TU
Tilt Antenna Mast	Maturo Gmbh	BAM4.5-P	6660	-	TU
Turntable	Maturo Gmbh	TT1.5SI	6661	-	TU
Double Ridge Active Horn Antenna (18-40 GHz)	Com-Power	AHA-840	6771	24	17-Jan-2025
Pre Amp 8 - 18 GHz	Wright Technologies	APS06-0061	6783	12	23-Apr-2025
Mast & Turntable Controller	Maturo Gmbh	FCU3.0	6795	-	TU
Tilt Antenna Mast	Maturo Gmbh	BAM4.5-P	6796	-	TU
Turntable	Maturo Gmbh	TT1.5SI	6797	-	TU
AC Programmable Power Supply	iTech	IT7324	6812	-	O/P Mon



Instrument	Manufacturer	Type No.	TE No.	Calibration Period (months)	Calibration Expiry Date
Broad-Band Horn Antenna 1-10GHz N	Schwarzbeck	BBHA9120B	6825	12	18-Jul-2025
Cable Assembly	SpecTech	PE300-60	6861	-	TU
Cable Assembly	SpecTech	PE300-60	6862	-	TU
Cable Assembly	SpecTech	PE300-60	6863	-	TU

Table 40

TU - Traceability Unscheduled

O/P Mon - Output Monitored using calibrated equipment



3 Measurement Uncertainty

For a 95% confidence level, the measurement uncertainties for defined systems are:

Test Name	Measurement Uncertainty
Radiated Spurious Emissions (Simultaneous Transmission)	30 MHz to 1 GHz: ± 5.2 dB 1 GHz to 40 GHz: ± 6.3 dB

Table 41

Measurement Uncertainty Decision Rule – Accuracy Method

Determination of conformity with the specification limits is based on the decision rule according to IEC Guide 115:2021, Clause 4.4.3 (Procedure 2). The measurement results are directly compared with the test limit to determine conformance with the requirements of the standard.

Risk: The uncertainty of measurement about the measured result is negligible with regard to the final pass/fail decision. The measurement result can be directly compared with the test limit to determine conformance with the requirement (compare IEC Guide 115). The level of risk to falsely accept and falsely reject items is further described in ILAC-G8.