


**Figure 189 - 802.11ax HE80, SU, SISO, Core 1 - 5530 MHz
Band Edge Frequency 5460 MHz**



**Figure 190 - 802.11ax HE80, RU 106-53, SISO, Core 1 - 5530 MHz
Band Edge Frequency 5460 MHz**



80 MHz Bandwidth - Core 0 - Core 1 (CDD)

Mode	Data Rate/MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBuV/m)
802.11ac VHT80	MCS 2x1	-	-	5210	5150	63.44	51.48
802.11ax HE80	MCS 11x1	SU	-	5210	5150	69.11	51.38
802.11ax HE80	MCS 11x1	106	53	5210	5150	57.26	45.60
802.11ac VHT80	MCS 2x1	-	-	5290	5350	62.42	51.45
802.11ax HE80	MCS 2x1	SU	-	5290	5350	63.87	51.49
802.11ax HE80	MCS 11x1	106	53	5290	5350	65.45	49.67
802.11ac VHT80	MCS 8x1	-	-	5530	5460	63.61	48.40
802.11ax HE80	MCS 2x1	SU	-	5530	5460	63.62	50.83
802.11ax HE80	MCS 11x1	106	53	5530	5460	58.34	47.10

Table 19 - CDD Restricted Band Edge Results




Figure 191 - 802.11ac VHT80, CDD, Core 0 - Core 1 - 5210 MHz Band Edge Frequency 5150 MHz




Figure 192 - 802.11ax HE80, SU, CDD, Core 0 - Core 1 - 5210 MHz
Band Edge Frequency 5150 MHz




Figure 193 - 802.11ax HE80, RU 106-53, CDD, Core 0 - Core 1 - 5210 MHz
Band Edge Frequency 5150 MHz




Figure 194 - 802.11ac VHT80, CDD, Core 0 - Core 1 - 5290 MHz
Band Edge Frequency 5350 MHz







Figure 195 - 802.11ax HE80, SU, CDD, Core 0 - Core 1 - 5290 MHz
Band Edge Frequency 5350 MHz




**Figure 196 - 802.11ax HE80, RU 106-53, CDD, Core 0 - Core 1 - 5290 MHz
Band Edge Frequency 5350 MHz**



**Figure 197 - 802.11ac VHT80, CDD, Core 0 - Core 1 - 5530 MHz
Band Edge Frequency 5460 MHz**



**Figure 198 - 802.11ax HE80, SU, CDD, Core 0 - Core 1 - 5530 MHz
 Band Edge Frequency 5460 MHz**



**Figure 199 - 802.11ax HE80, RU 106-53, CDD, Core 0 - Core 1 - 5530 MHz
 Band Edge Frequency 5460 MHz**



80 MHz Bandwidth - Core 0 - Core 1 (SDM)

Mode	Data Rate/MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT80	MCS 4x2	-	-	5210	5150	61.78	51.34
802.11ax HE80	MCS 4x2	SU	-	5210	5150	63.61	51.35
802.11ax HE80	MCS 11x2	106	53	5210	5150	55.38	43.61
802.11ac VHT80	MCS 4x2	-	-	5290	5350	61.86	51.25
802.11ax HE80	MCS 4x2	SU	-	5290	5350	64.03	51.45
802.11ax HE80	MCS 11x2	106	60	5290	5350	61.96	46.43
802.11ac VHT80	MCS 4x2	-	-	5530	5460	63.25	49.93
802.11ax HE80	MCS 11x2	SU	-	5530	5460	63.35	46.91
802.11ax HE80	MCS 11x2	106	53	5530	5460	57.76	45.61

Table 20 - SDM Restricted Band Edge Results




Figure 200 - 802.11ac VHT80, SDM, Core 0 - Core 1 - 5210 MHz Band Edge Frequency 5150 MHz




Figure 201 - 802.11ax HE80, SU, SDM, Core 0 - Core 1 - 5210 MHz
Band Edge Frequency 5150 MHz







Figure 202 - 802.11ax HE80, RU 106-53, SDM, Core 0 - Core 1 - 5210 MHz
Band Edge Frequency 5150 MHz




**Figure 203 - 802.11ac VHT80, SDM, Core 0 - Core 1 - 5290 MHz
Band Edge Frequency 5350 MHz**




**Figure 204 - 802.11ax HE80, SU, SDM, Core 0 - Core 1 - 5290 MHz
Band Edge Frequency 5350 MHz**




**Figure 205 - 802.11ax HE80, RU 106-60, SDM, Core 0 - Core 1 - 5290 MHz
Band Edge Frequency 5350 MHz**



**Figure 206 - 802.11ac VHT80, SDM, Core 0 - Core 1 - 5530 MHz
Band Edge Frequency 5460 MHz**



**Figure 207 - 802.11ax HE80, SU, SDM, Core 0 - Core 1 - 5530 MHz
Band Edge Frequency 5460 MHz**



**Figure 208 - 802.11ax HE80, RU 106-53, SDM, Core 0 - Core 1 - 5530 MHz
Band Edge Frequency 5460 MHz**



80 MHz Bandwidth - Core 0 - Core 1 (TxBF)

Mode	Data Rate/MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT80	MCS 2x1	-	-	5210	5150	69.16	49.85
802.11ac VHT80	MCS 4x1	-	-	5290	5350	66.64	51.37
802.11ac VHT80	MCS 8x1	-	-	5530	5460	63.47	45.87

Table 21 - TxBF Restricted Band Edge Results




Figure 209 - 802.11ac VHT80, TxBF, Core 0 - Core 1 - 5210 MHz
 Band Edge Frequency 5150 MHz





Figure 210 - 802.11ac VHT80, TxBF, Core 0 - Core 1 - 5290 MHz
 Band Edge Frequency 5350 MHz



**Figure 211 - 802.11ac VHT80, TxBF, Core 0 - Core 1 - 5530 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 0 (SISO)

Mode	Data Rate/MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT160	MCS 7x1	-	-	5250	5150	61.98	51.38
802.11ax HE160	MCS 11x1	SU	-	5250	5150	64.01	51.31
802.11ax HE160	MCS 11x1	52	37P	5250	5150	56.21	43.10
802.11ac VHT160	MCS 4x1	-	-	5250	5350	63.53	51.03
802.11ax HE160	MCS 4x1	SU	-	5250	5350	63.01	51.14
802.11ax HE160	MCS 11x1	106	53P	5250	5350	57.08	44.06
802.11ac VHT160	MCS 7x1	-	-	5570	5460	61.74	51.16
802.11ax HE160	MCS 4x1	SU	-	5570	5460	63.43	50.94
802.11ax HE160	MCS 11x1	52	37P	5570	5460	54.78	44.44

Table 22 - SISO Restricted Band Edge Results






Figure 212 - 802.11ac VHT160, SISO, Core 0 - 5250 MHz Band Edge Frequency 5150 MHz



**Figure 213 - 802.11ax HE160, SU, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**



**Figure 214 - 802.11ax HE160, RU 52-37P, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**




Figure 215 - 802.11ac VHT160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz




Figure 216 - 802.11ax HE160, SU, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz




Figure 217 - 802.11ax HE160, RU 106-53P, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz




Figure 218 - 802.11ac VHT160, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz




Figure 219 - 802.11ax HE160, SU, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz




Figure 220 - 802.11ax HE160, RU 52-37P, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz



160 MHz Bandwidth - Core 1 (SISO)

Mode	Data Rate/MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBuV/m)
802.11ac VHT160	MCS 7x1	-	-	5250	5150	62.50	51.40
802.11ax HE160	MCS 11x1	SU	-	5250	5150	63.00	51.46
802.11ax HE160	MCS 11x1	106	53P	5250	5150	54.70	42.60
802.11ac VHT160	MCS 2x1	-	-	5250	5350	62.50	51.38
802.11ax HE160	MCS 4x1	SU	-	5250	5350	63.57	51.34
802.11ax HE160	MCS 11x1	106	53P	5250	5350	58.97	44.73
802.11ac VHT160	MCS 2x1	-	-	5570	5460	62.50	51.37
802.11ax HE160	MCS 2x1	SU	-	5570	5460	62.62	51.43
802.11ax HE160	MCS 11x1	106	53P	5570	5460	54.52	43.49

Table 23 - SISO Restricted Band Edge Results






Figure 221 - 802.11ac VHT160, SISO, Core 1 - 5250 MHz Band Edge Frequency 5150 MHz



**Figure 222 - 802.11ax HE160, SU, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**



**Figure 223 - 802.11ax HE160, RU 106-53P, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




Figure 224 - 802.11ac VHT160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz




Figure 225 - 802.11ax HE160, SU, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz




Figure 226 - 802.11ax HE160, RU 106-53P, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz






Figure 227 - 802.11ac VHT160, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz



**Figure 228 - 802.11ax HE160, SU, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**



**Figure 229 - 802.11ax HE160, RU 106-53P, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 0 - Core 1 (CDD)

Mode	Data Rate/MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBuV/m)
802.11ac VHT160	MCS 7x1	-	-	5250	5150	63.32	51.49
802.11ax HE160	MCS 11x1	SU	-	5250	5150	64.05	51.48
802.11ax HE160	MCS 11x1	106	53P	5250	5150	56.21	45.23
802.11ac VHT160	MCS 2x1	-	-	5250	5350	63.43	51.42
802.11ax HE160	MCS 11x1	SU	-	5250	5350	64.22	51.49
802.11ax HE160	MCS 11x1	106	60S	5250	5350	59.79	47.49
802.11ac VHT160	MCS 2x1	-	-	5570	5460	60.80	51.44
802.11ax HE160	MCS 2x1	SU	-	5570	5460	62.63	51.39
802.11ax HE160	MCS 11x1	106	53P	5570	5460	56.75	46.06

Table 24 - CDD Restricted Band Edge Results




Figure 230 - 802.11ac VHT160, CDD, Core 0 - Core 1 - 5250 MHz
 Band Edge Frequency 5150 MHz




Figure 231 - 802.11ax HE160, SU, CDD, Core 0 - Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz







Figure 232 - 802.11ax HE160, RU 106-53P, CDD, Core 0 - Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 233 - 802.11ac VHT160, CDD, Core 0 - Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 234 - 802.11ax HE160, SU, CDD, Core 0 - Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 235 - 802.11ax HE160, RU 106-60S, CDD, Core 0 - Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**



**Figure 236 - 802.11ac VHT160, CDD, Core 0 - Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**



**Figure 237 - 802.11ax HE160, SU, CDD, Core 0 - Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**



**Figure 238 - 802.11ax HE160, RU 106-53P, CDD, Core 0 - Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 0 - Core 1 (SDM)

Mode	Data Rate/MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBuV/m)
802.11ac VHT160	MCS 7x2	-	-	5250	5150	64.83	51.47
802.11ax HE160	MCS 11x2	SU	-	5250	5150	64.55	51.23
802.11ax HE160	MCS 11x2	106	53P	5250	5150	55.03	43.10
802.11ac VHT160	MCS 4x2	-	-	5250	5350	64.22	51.39
802.11ax HE160	MCS 11x2	SU	-	5250	5350	63.37	51.07
802.11ax HE160	MCS 11x2	106	60S	5250	5350	56.26	44.18
802.11ac VHT160	MCS 7x2	-	-	5570	5460	63.57	50.93
802.11ax HE160	MCS 4x2	SU	-	5570	5460	62.36	51.20
802.11ax HE160	MCS 11x2	106	53P	5570	5460	54.72	44.60

Table 25 - SDM Restricted Band Edge Results




Figure 239 - 802.11ac VHT160, SDM, Core 0 - Core 1 - 5250 MHz Band Edge Frequency 5150 MHz




Figure 240 - 802.11ax HE160, SU, SDM, Core 0 - Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz






Figure 241 - 802.11ax HE160, RU 106-53P, SDM, Core 0 - Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz



**Figure 242 - 802.11ac VHT160, SDM, Core 0 - Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**



**Figure 243 - 802.11ax HE160, SU, SDM, Core 0 - Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




Figure 244 - 802.11ax HE160, RU 106-60S, SDM, Core 0 - Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz






Figure 245 - 802.11ac VHT160, SDM, Core 0 - Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz



**Figure 246 - 802.11ax HE160, SU, SDM, Core 0 - Core 1 - 5570 MHz
 Band Edge Frequency 5460 MHz**



**Figure 247 - 802.11ax HE160, RU 106-53P, SDM, Core 0 - Core 1 - 5570 MHz
 Band Edge Frequency 5460 MHz**

FCC 47 CFR Part 15, Limit Clause 15.205 and ISED RSS-GEN Limit Clause 8.10

	Peak (dB μ V/m)	Average (dB μ V/m)
Restricted Bands of Operation	74	54

Table 26 - Restricted Band Edge Limit Table



2.1.7 Test Location and Test Equipment Used

This test was carried out in RF Chamber 14, RF Chamber 15 and RF Chamber 17.

Instrument	Manufacturer	Type No.	TE No.	Calibration Period (months)	Calibration Expiry Date
Emissions Software	TUV SUD	EmX V3.2.0	5125	-	Software
EMI Test Receiver	Rohde & Schwarz	ESW44	5911	12	11-Sep-2024
EMI Test Receiver	Rohde & Schwarz	ESW44	5912	12	05-Jul-2024
Test Receiver	Rohde & Schwarz	ESW44	5914	12	24-May-2025
1500W (300V 12A) AC Power Supply	iTech	IT7324	5955	-	O/P Mon
1500W (300V 12A) AC Power Supply	iTech	IT7324	5956	-	O/P Mon
5m Semi-Anechoic Chamber (Dual-Axis)	Albatross Projects	RF Chamber 14	5958	36	26-Apr-2025
Compact Antenna Mast	Maturo GmbH	CAM4.0-P	5959	-	TU
Mast & Turntable Controller	Maturo GmbH	FCU3.0	5960	-	TU
Tilt Antenna Mast	Maturo GmbH	BAM4.5-P	5961	-	TU
Turntable	Maturo GmbH	TT1.5SI	5962	-	TU
5m Semi-Anechoic Chamber (Dual-Axis), Chamber 15	Albatross Projects	RF Chamber 15	5963	36	28-Apr-2025
Compact Antenna Mast	Maturo GmbH	CAM4.0-P	5964	-	TU
Mast & Turntable Controller	Maturo GmbH	FCU3.0	5966	-	TU
Tilt Antenna Mast	Maturo GmbH	BAM4.5-P	5967	-	TU
Turntable	Maturo GmbH	TT1.5SI	5968	-	TU
Power Supply Unit	Hewlett Packard	6253A	441	-	O/P Mon
EMI Test Receiver	Rohde & Schwarz	ESW44	5379	12	12-Dec-2024
Horn Antenna (1-10 GHz)	Schwarzbeck	BBHA9120B	6457	12	05-May-2025
3m Semi-Anechoic Chamber 17	Albatross Projects	RF Chamber 17	6658	36	28-Jan-2026
Power Supply Unit	iTech	IT7324	6657	-	O/P Mon
Mast & Turntable Controller	Maturo GmbH	FCU3.0	6659	-	TU
Tilt Antenna Mast	Maturo GmbH	BAM4.5-P	6660	-	TU
Turntable	Maturo GmbH	TT1.5SI	6661	-	TU
Horn Antenna (1-8 GHz)	Schwarzbeck	BBHA 9120 B	6457	12	05-May-2025
8m Cable	Junkosha	MWX221-08000AMSAMS/B	6748	12	01-Feb-2025
Attenuator	RF-Lambda	RFS5G08B10SMF	6732	12	07-Jan-2025
Preamplifier	Hewlett Packard	HP8449B	6762	12	28-Feb-2025
Cable (SMA to SMA 1m)	Junkosha	MWX221-01000AMSAMS/A	5996	12	20-May-2025
Cable (SMA to SMA 1m)	Junkosha	MWX221-01000AMSAMS/A	5997	12	14-Sep-2024



Instrument	Manufacturer	Type No.	TE No.	Calibration Period (months)	Calibration Expiry Date
Cable (SMA to SMA 4.5m)	Junkosha	MWX221-04500AMSAMS/A	6002	12	14-Sep-2024
Cable (SMA to SMA 3m)	Junkosha	MWX221-03000AMSAMS/A	6021	12	14-Sep-2024
Horn Antenna (1-10 GHz)	Schwarzbeck	BBHA9120B	6140	12	05-May-2025
Horn Antenna (1-10 GHz)	Schwarzbeck	BBHA9120B	6141	12	05-May-2025
Horn Antenna (1-10 GHz)	Schwarzbeck	BBHA9120B	6142	12	05-May-2025
Digital Multimeter	Fluke	115	6145	12	15-Jun-2024*
Digital Multimeter	Fluke	115	6147	12	16-Jun-2024*
Humidity & Temperature meter	R.S Components	1364	6148	12	21-Jul-2024*
Humidity & Temperature meter	R.S Components	1364	6148	12	29-Jul-2025*
Humidity & Temperature meter	R.S Components	1364	6149	12	07-Jul-2024*
Humidity & Temperature meter	R.S Components	1364	6149	12	12-Aug-2025*
SAC Switch Unit	TUV SUD	TUV_SSU_001	6190	12	22-Dec-2024
Cable (SMA to SMA 3m)	Junkosha	MWX221-03000AMSAMS/A	6316	12	04-Feb-2025
1m Cable	Junkosha	MWX241-01000AMSAMS/B	6740	12	01-Feb-2025
1m Cable	Junkosha	MWX241-01000AMSAMS/B	6741	12	01-Feb-2025
6.5m Cable	Junkosha	MWX221-06500AMSAMS/B	6744	12	01-Feb-2025

Table 27

TU - Traceability Unscheduled
 O/P Mon - Output Monitored using calibrated equipment

*NOTE: Only used within calibration period.



2.2 Emission Bandwidth

2.2.1 Specification Reference

FCC 47 CFR Part 15E, Clause 15.407 (a)
ISED RSS-247, Clause 6.2

2.2.2 Equipment Under Test and Modification State

A3238, S/N: X5C43QCG7L - Modification State 0
A3238, S/N: VD7GYHFCQP - Modification State 0

2.2.3 Date of Test

23-July-2024 to 20-August-2024

2.2.4 Test Method

The test was performed in accordance with ANSI C63.10 2020, clause 12.5.2 for FCC measurements and clause 12.5.3 for ISED measurements.

For modes of operation using multiple cores, measurements were made on each core but only the worst-case results are reported. Worst case was considered as the narrowest results for 6 dB bandwidth and the widest result for 26 dB bandwidth and 99% occupied bandwidth.

2.2.5 Environmental Conditions

Ambient Temperature	21.5 - 22.2 °C
Relative Humidity	55.2 - 60.3 %



2.2.6 Test Results

5 GHz WLAN

SISO

Protocol	26 dB Bandwidth (MHz)	
	Minimum	Maximum
802.11a	20.700	21.300
802.11n HT20	21.000	22.800
802.11n HT40	41.760	43.200
802.11ac VHT80	83.820	87.120
802.11ac VHT160	165.480	165.480
802.11ax HE20 SU	20.940	22.080
802.11ax HE40 SU	41.760	43.920
802.11ax HE80 SU	83.160	85.140
802.11ax HE160 SU	165.900	165.900

Table 28 - 26 dB Bandwidth Summary Results - SISO

Protocol	6 dB Bandwidth (MHz)	
	Minimum	Maximum
802.11a	15.900	16.380
802.11n HT20	17.100	17.400
802.11n HT40	35.640	35.640
802.11ac VHT80	75.680	75.680
802.11ax HE20 SU	19.020	19.020
802.11ax HE40 SU	38.160	38.160
802.11ax HE80 SU	77.000	77.000

Table 29 - 6 dB Bandwidth Summary Results - SISO




Figure 248 - 802.11a Minimum 6 dB EBW




Figure 249 - 802.11a Maximum 6 dB EBW