

Figure 65 - U-NII-1 - 5240 MHz (CH48), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 1, ePA, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
4880.937	43.72	54.00	-10.28	RMS	191	130	Horizontal
5117.057	42.69	54.00	-11.31	RMS	24	172	Vertical
5357.232	45.10	54.00	-8.90	RMS	205	205	Horizontal
5362.397	57.07	74.00	-16.93	Peak	195	186	Horizontal
5372.161	43.30	54.00	-10.70	RMS	13	159	Vertical

Table 25 - U-NII-1 - 5240 MHz (CH48), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 2, iPA, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 66 - U-NII-1 - 5240 MHz (CH48), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 2, iPA, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 67 - U-NII-1 - 5240 MHz (CH48), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 2, iPA, 1 GHz to 40 GHz, Horizontal




Figure 68 - U-NII-1 - 5240 MHz (CH48), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 2, iPA, 30 MHz to 1 GHz, Vertical (Peak)




Figure 69 - U-NII-1 - 5240 MHz (CH48), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 2, iPA, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
2274.328	56.48	74.00	-17.52	Peak	60	108	Horizontal
2382.020	34.59	54.00	-19.41	RMS	66	181	Horizontal
4879.128	43.01	54.00	-10.99	RMS	21	176	Vertical
4880.977	39.12	54.00	-14.88	RMS	192	108	Horizontal
5442.376	42.19	54.00	-11.81	RMS	26	179	Vertical
5458.355	42.27	54.00	-11.73	RMS	197	116	Horizontal

Table 26 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 0, ePA, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 70 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 0, ePA, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 71 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 0, ePA, 1 GHz to 40 GHz, Horizontal




Figure 72 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 0, ePA, 30 MHz to 1 GHz, Vertical (Peak)




Figure 73 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 0, ePA, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
2483.833	35.24	54.00	-18.76	RMS	185	123	Vertical
2489.470	34.57	54.00	-19.43	RMS	128	103	Horizontal
4880.933	40.46	54.00	-13.54	RMS	202	236	Horizontal
5447.993	41.89	54.00	-12.11	RMS	14	100	Vertical
5459.641	42.90	54.00	-11.10	RMS	192	200	Horizontal

Table 27 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 1, ePA, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 74 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 1, ePA, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 75 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 1, ePA, 1 GHz to 40 GHz, Horizontal




Figure 76 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 1, ePA, 30 MHz to 1 GHz, Vertical (Peak)




Figure 77 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 1, ePA, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
4880.792	42.62	54.00	-11.38	RMS	182	218	Horizontal
5439.916	42.25	54.00	-11.75	RMS	23	198	Vertical
5456.870	43.07	54.00	-10.93	RMS	190	199	Horizontal
5772.953	54.97	68.20	-13.23	Peak	181	126	Horizontal

Table 28 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 2, iPA, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 78 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 2, iPA, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 79 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 2, iPA, 1 GHz to 40 GHz, Horizontal




Figure 80 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 2, iPA, 30 MHz to 1 GHz, Vertical (Peak)




Figure 81 - U-NII-2C - 5640 MHz (CH128), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 2, iPA, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
2363.398	57.61	74.00	-16.39	Peak	360	242	Horizontal
2483.941	34.96	54.00	-19.04	RMS	325	165	Horizontal
4880.888	38.93	54.00	-15.07	RMS	197	113	Horizontal
4880.953	42.45	54.00	-11.55	RMS	15	191	Vertical
5436.608	41.41	54.00	-12.59	RMS	192	207	Horizontal
5452.956	39.90	54.00	-14.10	RMS	0	170	Vertical

Table 29 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 0, ePA, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 82 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 0, ePA, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 83 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 0, ePA, 1 GHz to 40 GHz, Horizontal




Figure 84 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 0, ePA, 30 MHz to 1 GHz, Vertical (Peak)




Figure 85 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 0, ePA, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
2360.197	54.22	74.00	-19.78	Peak	220	187	Vertical
2385.132	32.31	54.00	-21.69	RMS	249	373	Horizontal
2485.313	34.44	54.00	-19.56	RMS	189	115	Vertical
4881.053	39.46	54.00	-14.54	RMS	186	313	Horizontal
5458.438	40.88	54.00	-13.12	RMS	189	108	Horizontal
5459.532	40.66	54.00	-13.34	RMS	18	110	Vertical

Table 30 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 1, ePA, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 86 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 1, ePA, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 87 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 1, ePA, 1 GHz to 40 GHz, Horizontal




Figure 88 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 1, ePA, 30 MHz to 1 GHz, Vertical (Peak)




Figure 89 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 1, ePA, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
1440.375	32.23	54.00	-21.77	RMS	193	178	Vertical
4880.823	42.73	54.00	-11.27	RMS	193	145	Horizontal
5432.273	40.61	54.00	-13.39	RMS	9	179	Vertical
5455.975	41.61	54.00	-12.39	RMS	192	286	Horizontal
5852.160	58.76	68.20	-9.44	Peak	220	226	Horizontal

Table 31 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 2, iPA, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 90 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 2, iPA, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 91 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 2, iPA, 1 GHz to 40 GHz, Horizontal




Figure 92 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 2, iPA, 30 MHz to 1 GHz, Vertical (Peak)




Figure 93 - U-NII-3 - 5785 MHz (CH157), HT20, CDD, Core 0 + Core 1 and 2440 MHz (CH18), Core 2, iPA, 1 GHz to 40 GHz, Vertical



FCC 47 CFR Part 15, ISED RSS-247 and ISED RSS-GEN

The least stringent limit from the applicable rule parts was used to determine compliance for Radiated Emissions testing of multiple transmission sources.

The least stringent applicable limit was:

Clause	Limit
Part 15.247 (d) / RSS-247 Clause 5.5	-20 dBc
Part 15.407 (b) / RSS-247 Clause 6.2	-27 dBm e.i.r.p
Part 15.209 / RSS-GEN Clause 8.9	Peak: 74 dB μ V/m at 3m, Average 54 dB μ V/m at 3m (Restricted bands > 1 GHz)

Table 32



6 GHz WLAN and Thread

Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
2252.475	53.50	74.00	-20.50	Peak	72	358	Horizontal
2254.664	29.15	54.00	-24.85	RMS	72	358	Horizontal
2486.711	63.19	74.00	-10.81	Peak	85	105	Vertical
2486.943	32.92	54.00	-21.08	RMS	85	105	Vertical
2486.991	32.80	54.00	-21.20	RMS	351	100	Horizontal
7318.546	47.44	54.00	-6.56	RMS	236	241	Horizontal
7318.660	43.02	54.00	-10.98	RMS	38	229	Vertical
7318.707	57.39	74.00	-16.61	Peak	250	165	Horizontal

Table 33 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 94 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 95 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 1 GHz to 40 GHz, Horizontal




Figure 96 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 1 GHz, Vertical (Peak)




Figure 97 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
2373.884	59.51	74.00	-14.49	Peak	139	100	Horizontal
2376.748	31.86	54.00	-22.14	RMS	114	385	Horizontal
2484.868	33.70	54.00	-20.30	RMS	146	323	Vertical
2486.111	35.17	54.00	-18.83	RMS	115	102	Horizontal
7321.489	41.93	54.00	-12.07	RMS	240	264	Horizontal

Table 34 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 98 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 99 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 1 GHz to 40 GHz, Horizontal




Figure 100 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 101 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
4879.158	38.74	54.00	-15.26	RMS	158	308	Horizontal
7320.014	39.70	54.00	-14.30	RMS	262	387	Horizontal

Table 35 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 102 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 103 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 1 GHz to 40 GHz, Horizontal




Figure 104 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 105 - U-NII-5 - 6175 MHz (CH45), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
2357.021	61.00	74.00	-13.00	Peak	64	212	Horizontal
2483.705	32.89	54.00	-21.11	RMS	17	313	Horizontal
2488.760	60.26	74.00	-13.74	Peak	103	155	Vertical
4898.675	35.30	54.00	-18.70	RMS	147	335	Vertical
5883.242	48.30	68.20	-19.90	RMS	293	115	Vertical
7318.455	57.15	74.00	-16.85	Peak	240	197	Horizontal
7321.421	47.40	54.00	-6.60	RMS	254	150	Horizontal
7321.439	43.42	54.00	-10.58	RMS	49	268	Vertical

Table 36 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 106 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 107 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 1 GHz to 40 GHz, Horizontal




Figure 108 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 30 MHz to 1 GHz, Vertical (Peak)




Figure 109 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 0, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
2298.506	55.12	74.00	-18.88	Peak	165	309	Vertical
2385.405	35.48	54.00	-18.52	RMS	114	116	Horizontal
2484.223	34.72	54.00	-19.28	RMS	161	181	Vertical
7318.601	42.38	54.00	-11.62	RMS	252	327	Horizontal

Table 37 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 110 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 111 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 1 GHz to 40 GHz, Horizontal




Figure 112 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 113 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), ePA, Core 1, 1 GHz to 40 GHz, Vertical



Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
4880.908	38.87	54.00	-15.13	RMS	207	100	Horizontal
5884.387	48.21	68.20	-19.99	RMS	350	109	Horizontal
7278.074	39.94	54.00	-14.06	RMS	42	243	Vertical
7320.006	40.96	54.00	-13.04	RMS	211	378	Horizontal

Table 38 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 40 GHz

No other emissions found within 10 dB of the limit.




Figure 114 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 115 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 1 GHz to 40 GHz, Horizontal




Figure 116 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 117 - U-NII-8 - 6995 MHz (CH209), HE20, SU, CDD, Core 0 + Core 1 and 2440 MHz (CH18), iPA, Core 2, 1 GHz to 40 GHz, Vertical



FCC 47 CFR Part 15, ISED RSS-247, ISED RSS-248 and ISED RSS-GEN

The least stringent limit from the applicable rule parts was used to determine compliance for Radiated Emissions testing of multiple transmission sources.

The least stringent applicable limit was:

Clause	Limit
Part 15 247 (d) / RSS-247 Clause 5.5	-20 dBc
Part 15.407 (b) / RSS-248 Clause 4.6.2	Peak: -7 dBm/MHz e.i.r.p, Average: -27 dBm/MHz e.i.r.p.
Part 15.209 / RSS-GEN Clause 8.9	Peak: 74 dB μ V/m at 3m, Average 54 dB μ V/m at 3m (Restricted bands > 1 GHz)

Table 39



2.1.8 Test Location and Test Equipment Used

This test was carried out in RF Chamber 18.

Instrument	Manufacturer	Type No.	TE No.	Calibration Period (months)	Calibration Expiry Date
Emissions Software	TUV SUD	EmX V3.2.0	5125	-	Software
Antenna (DRG 1-10.5GHz)	Schwarzbeck	BBHA9120B	5232	12	09-Aug-2024
DRG Horn Antenna (7.5-18GHz)	Schwarzbeck	HWRD750	5939	12	05-May-2025
Cable (N to N 1m)	Junkosha	MWX221-01000AMSAMS/B	6009	12	20-May-2025
SAC Switch Unit	TUV SUD	TUV_SSU_001	6144	12	11-Dec-2024
Digital Multimeter	Fluke	115	6146	12	06-Jun-2025
Pre Amp 8 - 18 GHz	Wright Technologies	APS06 0061	6200	12	03-Jun-2025
Attenuator 4dB	Pasternack	PE7074-4	6201	24	24-May-2026
Cable (SMA to SMA 20cm)	TUV SUD	MH-FH 8-18	6215	12	23-Apr-2025
Cable (SMA to SMA 8m)	Junkosha	MWX221-08000AMSAMS/B	6318	12	18-Feb-2025
Cable (K Type 2m)	Junkosha	MWX241-02000KMSKMS/B	6323	12	04-Feb-2025
EMC Test Receiver	Rohde & Schwarz	ESW44	6333	12	16-Feb-2025
Humidity and Temperature Meter	R.S Components	1364	6346	12	06-Mar-2025
8 GHz High Pass Filter	Wainwright	WHKX 7150 8000 18000 50SS	6427	12	23-Apr-2025
Trilog Super Broadband Test Antenna	Schwarzbeck	VULB 9168	6456	24	10-Feb-2025
Horn Antenna	Schwarzbeck	BBHA 9120 B	6457	12	05-May-2025
DRG Horn Antenna	Schwarzbeck	HWRD750	6458	12	05-May-2025
Switch Control Platform	Amp Research	SCP2000M2	6459	-	TU
3m Semi-Anechoic Chamber, Chamber18	Albatross Projects	Chamber 18	6597	36	07-Feb-2026
Coax cable sma to sma with N-Type adapter	TUV SUD	N/A	6637	12	23-Apr-2025
Double Ridge Active Horn Antenna (18-40 GHz)	Com-Power	AHA-840	6771	24	17-Jan-2025
Mast & Turntable Controller	Maturo Gmbh	FCU3.0	6795	-	TU
Tilt Antenna Mast	Maturo Gmbh	BAM4.5-P	6796	-	TU
Turntable	Maturo Gmbh	TT1.5SI	6797	-	TU
AC Programmable Power Supply	iTech	IT7324	6812	-	O/P Mon

Table 40

TU - Traceability Unscheduled
 O/P Mon - Output Monitored using calibrated equipment



3 Measurement Uncertainty

For a 95% confidence level, the measurement uncertainties for defined systems are:

Test Name	Measurement Uncertainty
Radiated Spurious Emissions (Simultaneous Transmission)	30 MHz to 1 GHz: ± 5.2 dB 1 GHz to 40 GHz: ± 6.3 dB

Table 41

Measurement Uncertainty Decision Rule – Accuracy Method

Determination of conformity with the specification limits is based on the decision rule according to IEC Guide 115:2021, Clause 4.4.3 (Procedure 2). The measurement results are directly compared with the test limit to determine conformance with the requirements of the standard.

Risk: The uncertainty of measurement about the measured result is negligible with regard to the final pass/fail decision. The measurement result can be directly compared with the test limit to determine conformance with the requirement (compare IEC Guide 115). The level of risk to falsely accept and falsely reject items is further described in ILAC-G8.