

Plot 7-48. RSE above 1GHz CDD (11ax – Ch.165 – RU26)

Mode: 802.11ax (20MHz BW)  
Data Rate: MCS11  
RU Index: 4  
Distance of Measurements: 3 Meters  
Operating Frequency: 5825MHz  
Channel: 165


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11650.00	Average	H	-	-	-82.74	17.54	41.80	53.98	-12.18
*	11650.00	Peak	H	-	-	-71.35	17.54	53.19	73.98	-20.79
	17475.00	Peak	V	-	-	-72.62	24.56	58.94	68.23	-9.29

Table 7-135. Radiated Measurements CDD (RU26)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 112 of 184

V 10.6 10/27/2023

## RU242



Plot 7-49. RSE above 1GHz CDD (11ax – Ch.36 – RU242)


Mode:	11ax (20MHz BW)
Data Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10360.00	Peak	V	-	-	-70.04	14.69	51.65	68.23	-16.58
*	15540.00	Average	H	-	-	-84.42	22.94	45.51	53.98	-8.47
*	15540.00	Peak	H	-	-	-73.06	22.94	56.88	73.98	-17.10


Table 7-136. Radiated Measurements CDD (RU242)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 113 of 184

V 10.6 10/27/2023



Plot 7-50. RSE above 1GHz CDD (11ax – Ch.40 – RU242)




Plot 7-51. RSE 18GHz – 40 GHz CDD (11ax Ch.40 — RU242)

Mode: 802.11ax (20MHz BW)  
Data Rate: MCS11  
RU Index: 61  
Distance of Measurements: 3 Meters  
Operating Frequency: 5200MHz  
Channel: 40

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10400.00	Peak	H	-	-	-69.87	15.08	52.21	68.23	-16.02
*	15600.00	Average	H	-	-	-84.31	22.85	45.55	53.98	-8.43
*	15600.00	Peak	H	-	-	-72.37	22.85	57.49	73.98	-16.49

Table 7-137. Radiated Measurements CDD (RU242)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 114 of 184



Plot 7-52. RSE above 1GHz CDD (11ax - Ch.48 - RU242)


Mode: 802.11ax (20MHz BW)  
Data Rate: MCS11  
RU Index: 61  
Distance of Measurements: 3 Meters  
Operating Frequency: 5240MHz  
Channel: 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10480.00	Peak	H	-	-	-70.41	14.83	51.42	68.23	-16.81
*	15720.00	Average	H	-	-	-84.76	24.36	46.60	53.98	-7.38
*	15720.00	Peak	H	-	-	-73.23	24.36	58.14	73.98	-15.84

Table 7-138. Radiated Measurements CDD (RU242)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 115 of 184

V 10.6 10/27/2023



Plot 7-53. RSE above 1GHz CDD (11ax – Ch.52 – RU242)


Mode: 802.11ax (20MHz BW)  
Data Rate: MCS11  
RU Index: 61  
Distance of Measurements: 3 Meters  
Operating Frequency: 5260MHz  
Channel: 52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10520.00	Peak	V	-	-	-70.53	15.04	51.51	68.23	-16.72
*	15780.00	Average	V	-	-	-85.32	24.99	46.66	53.98	-7.32
*	15780.00	Peak	V	-	-	-73.20	24.46	58.26	73.98	-15.72


Table 7-139. Radiated Measurements CDD (RU242)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 116 of 184

V 10.6 10/27/2023



Plot 7-54. RSE above 1GHz CDD (11ax - Ch.56 - RU242)



Plot 7-55. RSE 18GHz - 40 GHz CDD (11ax Ch.56 - RU242)

Mode:	802.11ax (20MHz BW)
Data Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5280MHz
Channel:	56


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10560.00	Peak	V	-	-	-70.85	15.15	51.30	68.23	-16.93
*	15840.00	Average	H	-	-	-84.17	23.71	46.54	53.98	-7.44
*	15840.00	Peak	H	-	-	-72.07	23.10	58.02	73.98	-15.96

Table 7-140. Radiated Measurements CDD (RU242)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 117 of 184

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-56. RSE above 1GHz CDD (11ax – Ch.64 – RU242)


Mode: 802.11ax (20MHz BW)  
Data Rate: MCS11  
RU Index: 61  
Distance of Measurements: 3 Meters  
Operating Frequency: 5320MHz  
Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	10640.00	Average	V	-	-	-81.57	15.28	40.71	53.98	-13.27
*	10640.00	Peak	V	-	-	-69.74	14.84	52.10	73.98	-21.88
*	15960.00	Average	V	-	-	-84.29	23.79	46.50	53.98	-7.48
*	15960.00	Peak	V	-	-	-73.21	23.79	57.58	73.98	-16.40

Table 7-141. Radiated Measurements CDD (RU242)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 118 of 184

V 10.6 10/27/2023



Plot 7-57. RSE above 1GHz CDD (11ax – Ch.100 – RU242)

Mode: 802.11ax (20MHz BW)  
Data Rate: MCS11  
RU Index: 61  
Distance of Measurements: 3 Meters  
Operating Frequency: 5500MHz  
Channel: 100


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11000.00	Average	H	-	-	-82.22	15.97	40.74	53.98	-13.24
*	11000.00	Peak	H	-	-	-70.98	15.97	51.98	73.98	-22.00
	16500.00	Peak	V	-	-	-72.64	23.78	58.14	68.23	-10.09

Table 7-142. Radiated Measurements CDD (RU242)


FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 119 of 184

V 10.6 10/27/2023





Plot 7-58. RSE above 1GHz CDD (11ax - Ch.116 - RU242)



Plot 7-59. RSE 18GHz - 40 GHz CDD (11ax Ch.116 - RU242)

Mode: 802.11ax (20MHz BW)

Data Rate: MCS11

RU Index: 61

Distance of Measurements: 3 Meters

Operating Frequency: 5580MHz

Channel: 116


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11160.00	Average	H	-	-	-82.64	16.72	41.07	53.98	-12.91
*	11160.00	Peak	H	-	-	-71.17	16.32	52.15	73.98	-21.83
	16740.00	Peak	H	-	-	-72.35	23.80	58.45	68.23	-9.78

Table 7-143. Radiated Measurements CDD (RU242)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 120 of 184

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-60. RSE above 1GHz CDD (11ax – Ch.144 – RU242)


Mode: 802.11ax (20MHz BW)  
Data Rate: MCS11  
RU Index: 61  
Distance of Measurements: 3 Meters  
Operating Frequency: 5720MHz  
Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11440.00	Average	V	-	-	-82.35	16.30	40.95	53.98	-13.03
*	11440.00	Peak	V	-	-	-71.95	16.89	51.94	73.98	-22.04
	17160.00	Peak	V	-	-	-72.92	24.70	58.78	68.23	-9.45

Table 7-144. Radiated Measurements CDD (RU242)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 121 of 184

V 10.6 10/27/2023



Plot 7-61. RSE above 1GHz CDD (11ax – Ch.149 – RU242)


Mode: 802.11ax (20MHz BW)  
Data Rate: MCS11  
RU Index: 61  
Distance of Measurements: 3 Meters  
Operating Frequency: 5745MHz  
Channel: 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11490.00	Average	H	-	-	-82.45	16.70	41.25	53.98	-12.73
*	11490.00	Peak	H	-	-	-71.21	16.70	52.49	73.98	-21.49
	17235.00	Peak	H	-	-	-73.19	24.61	58.42	68.23	-9.81


Table 7-145. Radiated Measurements CDD (RU242)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 122 of 184

V 10.6 10/27/2023



Plot 7-62. RSE above 1GHz CDD (11ax - Ch.157 - RU242)



Plot 7-63. RSE 18GHz - 40 GHz CDD (11ax Ch.157 - RU242)

Mode: 802.11ax (20MHz BW)  
Data Rate: MCS11  
RU Index: 61  
Distance of Measurements: 3 Meters  
Operating Frequency: 5785MHz  
Channel: 157


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11570.00	Average	V	-	-	-82.30	16.95	41.65	53.98	-12.33
*	11570.00	Peak	V	-	-	-70.66	16.74	53.08	73.98	-20.90
	17355.00	Peak	V	-	-	-72.28	24.27	58.99	68.23	-9.24

Table 7-146. Radiated Measurements CDD (RU242)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 123 of 184

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-64. RSE above 1GHz CDD (11ax – Ch.165 – RU242)

Mode: 802.11ax (20MHz BW)  
Data Rate: MCS11  
RU Index: 61  
Distance of Measurements: 3 Meters  
Operating Frequency: 5825MHz  
Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11650.00	Average	H	-	-	-82.76	17.54	41.77	53.98	-12.21
*	11650.00	Peak	H	-	-	-71.88	17.87	52.99	73.98	-20.99
	17475.00	Peak	H	-	-	-73.08	24.89	58.81	68.23	-9.42

Table 7-147. Radiated Measurements CDD (RU242)


FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 124 of 184

V 10.6 10/27/2023


## 7.6.2 Antenna WF8 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


### RU26




Plot 7-65. Antenna WF8 (Peak & Average, RU26, Index 0, Ch.36, MCS11)




Plot 7-68. Antenna WF8 (Peak, RU26, Index 8, Ch.149, MCS11)




Plot 7-66. Antenna WF8 (Peak & Average, RU26, Index 8, Ch.36, MCS11)



Plot 7-69. Antenna WF8 (Peak, RU26, Index 0, Ch.165, MCS11)



Plot 7-67. Antenna WF8 (Peak, RU26, Index 0, Ch.149, MCS11)




Plot 7-70. Antenna WF8 (Peak, RU26, Index 8, Ch.165, MCS11)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 125 of 184


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).


## RU52




Plot 7-71. Antenna WF8 (Peak & Average, RU52, Index 37, Ch.64, MCS11)




Plot 7-74. Antenna WF8 (Peak & Average, RU52, Index 40, Ch.100, MCS11)




Plot 7-72. Antenna WF8 (Peak & Average, RU52, Index 40, Ch.64, MCS11)



Plot 7-75. Antenna WF8 (Peak, RU52, Index 37, Ch.140, MCS11)



Plot 7-73. Antenna WF8 (Peak & Average, RU52, Index 37, Ch.100, MCS11)



Plot 7-76. Antenna WF8 (Peak, RU52, Index 40, Ch.140, MCS11)


FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 126 of 184

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




## RU242




Plot 7-77. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.36, MCS11)




Plot 7-80. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.64, MCS11)




Plot 7-78. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.40, MCS11)



Plot 7-81. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.100, MCS11)



Plot 7-79. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.60, MCS11)




Plot 7-82. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.104, MCS11)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 127 of 184


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).







Plot 7-83. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.108, MCS11)




Plot 7-86. Antenna WF8 (Peak, RU242, Index 61, Ch.136, MCS11)




Plot 7-84. (FCC Only) Antenna WF8 (Peak, RU242, Index 61, Ch.128, MCS11)



Plot 7-87. Antenna WF8 (Peak, RU242, Index 61, Ch.140, MCS11)




Plot 7-85. Antenna WF8 (Peak, RU242, Index 61, Ch.132, MCS11)



Plot 7-88. Antenna WF8 (Peak, RU242, Index 61, Ch.149, MCS11)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 128 of 184




Plot 7-89. Antenna WF8 (Peak, RU242, Index 61, Ch.165, MCS11)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 129 of 184


V 10.6 10/27/2023

## 7.6.3 Antenna WF8 Radiated Band Edge Measurements (40MHz BW) \$15.407(b.1)(b.2) \$15.205 \$15.209; RSS-Gen [8.9]


### RU26




Plot 7-90. Antenna WF8 (Peak & Average, RU26, Index 0, Ch.38, MCS11)




Plot 7-93. Antenna WF8 (Peak, RU26, Index 17, Ch.151, MCS11)




Plot 7-91. Antenna WF8 (Peak & Average, RU26, Index 17, Ch.38, MCS11)



Plot 7-94. Antenna WF8 (Peak, RU26, Index 0, Ch.159, MCS11)



Plot 7-92. Antenna WF8 (Peak, RU26, Index 0, Ch.151, MCS11)




Plot 7-95. Antenna WF8 (Peak, RU26, Index 17, Ch.159, MCS11)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 130 of 184


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).


## RU52




Plot 7-96. Antenna WF8 (Peak & Average, RU52, Index 37, Ch.62, MCS11)




Plot 7-99. Antenna WF8 (Peak & Average, RU52, Index 44, Ch.102, MCS11)




Plot 7-97. Antenna WF8 (Peak & Average, RU52, Index 44, Ch.62, MCS11)



Plot 7-100. Antenna WF8 (Peak & Average, RU52, Index 37, Ch.110, MCS11)



Plot 7-98. Antenna WF8 (Peak & Average, RU52, Index 37, Ch.102, MCS11)




Plot 7-101. Antenna WF8 (Peak & Average, RU52, Index 44, Ch.110, MCS11)


FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 131 of 184

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-102. Antenna WF8 (Peak, RU52, Index 37, Ch.134, MCS11)




Plot 7-103. Antenna WF8 (Peak, RU52, Index 44, Ch.134, MCS11)

FCC ID: BCGA3266 IC: 579C-A3266	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 1C2410210072-11.BCG	<b>Test Dates:</b> 10/25/2024 - 1/2/2025	<b>EUT Type:</b> Tablet Device	Page 132 of 184


V 10.6 10/27/2023









Plot 7-110. (FCC Only) Antenna WF8 (Peak & Average, RU484, Index 65, Ch.118, MCS11)




Plot 7-113. Antenna WF8 (Peak, RU484, Index 65, Ch.151, MCS11)



Plot 7-111. (FCC Only) Antenna WF8 (Peak, RU484, Index 65, Ch.126, MCS11)



Plot 7-114. Antenna WF8 (Peak, RU484, Index 65, Ch.159, MCS11)



Plot 7-112. Antenna WF8 (Peak, RU484, Index 65, Ch.134, MCS11)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 134 of 184


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).


## 7.6.4 Antenna WF8 Radiated Band Edge Measurements (80MHz BW)

\$15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


**RU26**




**Plot 7-115. Antenna WF8 (Peak & Average, RU26, Index 0, Ch.42, MCS11)**




**Plot 7-118. Antenna WF8 (Peak, RU26, Index 0, Ch.155, MCS11)**




**Plot 7-116. Antenna WF8 (Peak & Average, RU26, Index 36, Ch.42, MCS11)**



**Plot 7-119. Antenna WF8 (Peak, RU26, Index 36, Ch.155, MCS11)**



**Plot 7-117. Antenna WF8 (Peak, RU26, Index 0, Ch.155, MCS11)**



**Plot 7-120. Antenna WF8 (Peak, RU26, Index 36, Ch.155, MCS11)**


FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 135 of 184

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




## RU52




Plot 7-121. Antenna WF8 (Peak & Average, RU52, Index 37, Ch.58, MCS11)




Plot 7-124. Antenna WF8 (Peak & Average, RU52, Index 52, Ch.106, MCS11)




Plot 7-122. Antenna WF8 (Peak & Average, RU52, Index 52, Ch.58, MCS11)



Plot 7-125. (FCC Only) Antenna WF8 (Peak, RU52, Index 37, Ch.122, MCS11)



Plot 7-123. Antenna WF8 (Peak & Average, RU52, Index 37, Ch.106, MCS11)




Plot 7-126. (FCC Only) Antenna WF8 (Peak, RU52, Index 52, Ch.122, MCS11)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 136 of 184


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).


## RU996




Plot 7-127. Antenna WF8 (Peak & Average, RU996, Index 67, Ch.42, MCS11)




Plot 7-130. (FCC Only) Antenna WF8 (Peak & Average, RU996, Index 67, Ch.122, MCS11)




Plot 7-128. Antenna WF8 (Peak & Average, RU996, Index 67, Ch.58, MCS11)



Plot 7-131. (FCC Only) Antenna WF8 (Peak, RU996, Index 67, Ch.122, MCS11)



Plot 7-129. Antenna WF8 (Peak & Average, RU996, Index 67, Ch.106, MCS11)




Plot 7-132. Antenna WF8 (Peak, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 137 of 184

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-133. Antenna WF8 (Peak, RU996, Index 67, Ch.155, MCS11)


FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 138 of 184

V 10.6 10/27/2023


## 7.6.5 Antenna WF8 Radiated Band Edge Measurements (160MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


### RU52




Plot 7-134. Antenna WF8 (Peak & Average, RU52, Index 37, Ch.50, MCS11)




Plot 7-137. Antenna WF8 (Peak & Average, RU52, Index 52, Ch.50, MCS11)




Plot 7-135. Antenna WF8 (Peak & Average, RU52, Index 37, Ch.50, MCS11)



Plot 7-138. (FCC Only) Antenna WF8 (Peak & Average, RU52, Index 37, Ch.114, MCS11)



Plot 7-136. Antenna WF8 (Peak & Average, RU52, Index 52, Ch.50, MCS11)




Plot 7-139. (FCC Only) Antenna WF8 (Peak, RU52, Index 37, Ch.114, MCS11)


FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 139 of 184

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



**Plot 7-140. (FCC Only) Antenna WF8 (Peak & Average, RU52, Index 52, Ch.114, MCS11)**




**Plot 7-141. (FCC Only) Antenna WF8 (Peak, RU52, Index 52, Ch.114, MCS11)**


FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 140 of 184

V 10.6 10/27/2023


## RU996X2




Plot 7-142. Antenna WF8 (Peak & Average, RU996X2, Index 68, Ch.50, MCS11)



Plot 7-145. Antenna WF8 (Peak, RU996X2, Index 68, Ch.114, MCS11)



Plot 7-143. Antenna WF8 (Peak & Average, RU996X2, Index 68, Ch.50, MCS11)



Plot 7-144. Antenna WF8 (Peak & Average, RU996X2, Index 68, Ch.114, MCS11)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 141 of 184

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




## 7.6.6 Antenna WF7a Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


### RU26




Plot 7-146. Antenna WF7a (Peak & Average, RU26, Index 0, Ch.36, MCS11)




Plot 7-149. Antenna WF7a (Peak, RU26, Index 8, Ch.149, MCS11)




Plot 7-147. Antenna WF7a (Peak & Average, RU26, Index 8, Ch.36, MCS11)



Plot 7-150. Antenna WF7a (Peak, RU26, Index 0, Ch.165, MCS11)



Plot 7-148. Antenna WF7a (Peak, RU26, Index 0, Ch.149, MCS11)




Plot 7-151. Antenna WF7a (Peak, RU26, Index 8, Ch.165, MCS11)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 142 of 184


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).


## RU52




Plot 7-152. Antenna WF7a (Peak & Average, RU52, Index 37, Ch.64, MCS11)




Plot 7-155. Antenna WF7a (Peak & Average, RU52, Index 40, Ch.100, MCS11)




Plot 7-153. Antenna WF7a (Peak & Average, RU52, Index 40, Ch.64, MCS11)



Plot 7-156. Antenna WF7a (Peak, RU52, Index 37, Ch.140, MCS11)



Plot 7-154. Antenna WF7a (Peak & Average, RU52, Index 37, Ch.100, MCS11)



Plot 7-157. Antenna WF7a (Peak, RU52, Index 40, Ch.140, MCS11)







FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 143 of 184

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




## RU242




FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 144 of 184

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Plot 7-164. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.108, MCS11)




Plot 7-167. Antenna WF7a (Peak, RU242, Index 61, Ch.140, MCS11)




Plot 7-165. Antenna WF7a (Peak, RU242, Index 61, Ch.132, MCS11)



Plot 7-168. Antenna WF7a (Peak, RU242, Index 61, Ch.149, MCS11)



Plot 7-166. Antenna WF7a (Peak, RU242, Index 61, Ch.136, MCS11)



Plot 7-169. Antenna WF7a (Peak, RU242, Index 61, Ch.165, MCS11)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210072-11.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 145 of 184

