



Plot 7-257. In Band Emission Plot Antenna WF7b (20MHz 802.11ax RU242 (UNII Band 7) – Ch. 181)


Plot 7-260. In Band Emission Plot Antenna WF2a (40MHz 802.11ax RU484 (UNII Band 7) – Ch. 155)






Plot 7-258. In Band Emission Plot Antenna WF2a (20MHz 802.11ax RU242 (UNII Band 7) – Ch. 181)

Plot 7-261. In Band Emission Plot Antenna WF7b (80MHz 802.11ax RU996 (UNII Band 7) – Ch. 167)






Plot 7-259. In Band Emission Plot Antenna WF7b (40MHz 802.11ax RU484 (UNII Band 7) – Ch. 155)


Plot 7-262. In Band Emission Plot Antenna WF2a (80MHz 802.11ax RU996 (UNII Band 7) – Ch. 167)

FCC ID: BCGA3268	element	element MEASUREMENT REPORT (CERTIFICATION)			
Test Report S/N:	Test Dates:	EUT Type:	Page 128 of 221		
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Fage 128 01 221		





Plot 7-263. In Band Emission Plot Antenna WF7b (160MHz 802.11ax RU996x2 (UNII Band 7) – Ch. 143)



Plot 7-264. In Band Emission Plot Antenna WF2a (160MHz 802.11ax RU996x2 (UNII Band 7) – Ch. 143)

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 129 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Fage 129 01 221



7.6 Contention Based Protocol

§15.407(d)(6); RSS-248[4.7]

Test Overview and Limit

Indoor access points, subordinate devices and client devices operating in the 5.925-7.125 GHz band (herein referred to as unlicensed devices) are required to use technologies that include a contention-based protocol to avoid co-channel interference with incumbent devices sharing the band. To ensure incumbent co-channel operations are detected in a technology-agnostic manner, unlicensed devices are required to detect co-channel radio frequency energy (energy detect) and avoid simultaneous transmission.

Unlicensed indoor low-power devices must detect co-channel radio frequency power that is at least -62 dBm or lower. Upon detection of energy in the band, unlicensed low power indoor devices must vacate the channel and stay off the channel as long as detected radio frequency power is equal to or greater than the threshold (-62 dBm). The -62 dBm (or lower) threshold is referenced to a 0 dBi antenna gain.

To ensure incumbent operations are reliably detected in the band, low power indoor devices must detect RF energy throughout their intended operating channel.

Test Procedure Used

KDB 987594 D02 v03 - Section I

Test Settings

- 1. Configure the EUT to transmit with a constant duty cycle.
- Set the operating parameters of the EUT including power level, operating frequency, modulation and bandwidth
- 3. Set the signal analyzer center frequency to the nominal EUT channel center frequency. The span range of the signal analyzer shall be between two times and five times the OBW of the EUT.
- 4. Connect the output port of the EUT to the signal analyzer 2, as shown in Figure 2. Ensure that the attenuator 2 provides enough attenuation to not overload the signal analyzer 2 receiver.
- 5. Monitoring the signal analyzer 2, verify the EUT is operating and transmitting with the parameters set at step two.
- 6. Using an AWGN signal source, generate (but do not transmit, i.e., RF OFF) a 10 MHz-wide AWGN signal. Use Table 1 to determine the center frequency of the 10 MHz AWGN signal relative to the EUT's channel bandwidth and center frequency.
- Set the AWGN signal power to an extremely low level (more than 20 dB below the -62 dBm threshold).
 Connect the AWGN signal source, via a 3-dB splitter, to the signal analyzer 1 and the EUT as shown in Figure 2.
- 8. Transmit the AWGN signal (RF ON) and verify its characteristics on the signal analyzer 1.
- Monitor the signal analyzer 2 to verify if the AWGN signal has been detected and the EUT has ceased transmission. If the EUT continues to transmit, then incrementally increase the AWGN signal power level until the EUT stops transmitting.
- 10. Including all losses in the RF paths) Determine and record the AWGN signal power level (at the EUT's antenna port) at which the EUT ceased transmission. Repeat the procedure at least 10 times to verify the EUT can detect an AWGN signal with 90% (or better) level of certainty.
- 11. Refer to Table 1 to determine number of times the detection threshold testing needs to be repeated. If testing is required more than once, then go back to step 5, choose a different center frequency for the AWGN signal and repeat the process.

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 120 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 130 of 221



Test Setup




Figure 2. Contention-based protocol test setup, conducted method

Test Notes

- 1. The EUT does not support channel puncturing.
- 2. Per guidance from KDB 987594 D02 v03, contention-based protocol was tested using an AWGN signal with a bandwidth of 10MHz. The amplitude of the signal was increased until detected by the EUT, signaled by the ceasing of transmission, marker indicates the point at which the AWGN signal is introduced.
- 3. Per Guidance from KDB 987594 D04 v03, contention-based protocol was tested with receiver with the lowest antenna gain.
- 4. 15 trials were ran in order to assure that at least 90% of certainty was met.

Detection Level = Injected AWGN Power (dBm) - Antenna Gain (dBi) + Path Loss (dB)

Equation 7-1. Incumbent Detection Level Calculation

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 131 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	raye 131 UI 221



Band	Channel	Channel Frquency [MHz]	Channel BW [MHz]	Incumbent Frequency [MHz]	Injected (AWGN) [dBm]	Antenna Gain [dBi]	Adjusted Power Level [dBm]	Detection Limit [dBm]	Margin [dB]
	53	6215	20	6215	-73.61	-3.00	-70.61	-62.0	-8.61
UNII				6115	-68.05	-3.00	-65.05	-62.0	-3.05
Band 5	47	6185	160	6185	-68.27	-3.00	-65.27	-62.0	-3.27
				6260	-68.11	-3.00	-65.11	-62.0	-3.11
	149	6695	20	6695	-72.68	-3.00	-69.68	-62.0	-7.68
UNII				6590	-69.99	-3.00	-66.99	-62.0	-4.99
Band 7	143	6665	160	6665	-68.01	-3.00	-65.01	-62.0	-3.01
				6740	-68.10	-3.00	-65.10	-62.0	-3.10

Table 7-86. Contention Based Protocol - Incumbent Detection Results

		Channel	Channel	Incumbent	EUT Transmission Status		
Band	Channel	Frquency	BW	Frequency	Adjusted	AWGN Pov	ver (dBm)
		[MHz]	[MHz]	[MHz]	Normal	Minimal	Ceased
	53	6215	20	6215	-81.79	-71.86	-70.61
UNII				6110	-76.23	-66.30	-65.05
Band 5	47	6185	160	6185	-76.44	-66.52	-65.27
				6260	-76.29	-66.36	-65.11
	149	6695	20	6695	-80.66	-70.90	-69.68
UNII				6750	-77.97	-68.21	-66.99
Band 7	143	6665	160	6825	-75.99	-66.23	-65.01
				6900	-76.08	-66.32	-65.10

Table 7-87. Contention Based Protocol VLP - Detection Results - All Tx Cases


	CBP Detection (1 = Detection, Blank = No Detection)																				
Band	Channel	Channel Frquency [MHz]		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	Detection Rate [%]		Pass/Fail
	53	6215	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
UNII				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
Band 5	47	6185	160	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
	149	6695	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
UNII				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
Band 7	175	6665	160	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass

Table 7-88. Contention Based Protocol – Incumbent Detection Trial Results


FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 132 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Fage 132 01 221



AWGN Plots



Plot 7-265. AWGN Signal - UNII 5 - 20MHz



Plot 7-266. AWGN Signal - UNII 5 - 160MHz - Low

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 422 of 224
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 133 of 221





Plot 7-267. AWGN Signal - UNII 5 - 160MHz - Mid



Plot 7-268. AWGN Signal - UNII 5 - 160MHz - High

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 134 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Fage 134 01 221






Plot 7-269. AWGN Signal - UNII 7 - 20MHz



Plot 7-270. AWGN Signal - UNII 7 - 160MHz - Low

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 135 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	raye 130 01 221





Plot 7-271. AWGN Signal - UNII 7 - 160MHz - Mid




Plot 7-272. AWGN Signal - UNII 7 - 160MHz - High


FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 136 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Fage 130 01 221



Contention-Based Protocol Timing Plots




Plot 7-273. Contention Based Protocol Timing Plot – UNII 5 – 20MHz Channel 53




Plot 7-274. Contention Based Protocol Timing Plot - UNII 5 - 160MHz Channel 47 - Low

FCC ID: BCGA3268	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Page 137 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	raye 13/ 0/ 221





Plot 7-275. Contention Based Protocol Timing Plot -UNII 5 - 160MHz Channel 47 - Mid




Plot 7-276. Contention Based Protocol Timing Plot - UNII 5 - 160MHz Channel 47 - High

FCC ID: BCGA3268	element	ment MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 120 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 138 of 221






Plot 7-277. Contention Based Protocol Timing Plot – UNII 7 – 20MHz Channel 149




Plot 7-278. Contention Based Protocol Timing Plot - UNII 7 - 160MHz Channel 143 - Low

FCC ID: BCGA3268	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 139 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 139 01 221





Plot 7-279. Contention Based Protocol Timing Plot - UNII 7 - 160MHz Channel 143 - Mid




Plot 7-280. Contention Based Protocol Timing Plot - UNII 7 - 160MHz Channel 143 - High

FCC ID: BCGA3268	element	ement MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Page 140 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 140 01 221




CBP Bandwidth Reduction Plots



02:18:58 14.01.2025

Plot 7-281. 160MHz Bandwidth, Before AWGN Signal Injected - Channel 47



Plot 7-282. 160MHz Bandwidth, AWGN Signal Injected at Low End - Channel 47

FCC ID: BCGA3268	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Page 141 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 141 01 221





02:19:51 14.01.2025

Plot 7-283. 160MHz Bandwidth, AWGN Signal Injected at Center - Channel 47



02:16:21 14.01.2025

Plot 7-284. 160MHz Bandwidth, AWGN Signal Injected at High End – Channel 47

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 142 of 221	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 142 of 221	



7.7 Radiated Spurious Emissions – Above 1GHz

§15.407(b) §15.205 §15.209; RSS-Gen [8.9]

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2020 and KDB 789033 D02 v02r01, and at the appropriate frequencies. All channels, modes (e.g. RU26, RU52, RU106, RU242, RU484, RU996 and RU996x2) and modulations/data rates were investigated among all UNII bands. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

For transmitters operating in the 5.925-7.125 GHz band: All emissions outside of the 5.925-7.125 GHz band shall not exceed an EIRP of -27 dBm/MHz. Emissions found in a restricted band are subject to the limits of 15.209 and RSS-Gen (8.9) as shown in the table below.

Frequency	Field Strength [µV/m]	Measured Distance [Meters]
Above 960.0 MHz	500	3

Table 7-89. Radiated Limits

Test Procedures Used

ANSI C63.10-2020 – Sections 12.7.7, 12.7.6 KDB 789033 D02 v02r01 – Section G

Test Settings

Average Field Strength Measurements

- 1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
- 2. RBW = 1MHz
- 3. VBW = 3MHz
- 4. Detector = power average (RMS)
- 5. Number of measurement points = 1001 (Number of points must be > 2 x span/RBW)
- 6. Averaging type = power (RMS)
- 7. Sweep time = auto couple
- 8. Trace was averaged over 100 sweeps

Peak Field Strength Measurements

- 1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
- 2. RBW = 1MHz
- 3. VBW = 3MHz
- 4. Detector = peak
- 5. Sweep time = auto couple
- 6. Trace mode = max hold
- 7. Trace was allowed to stabilize

FCC ID: BCGA3268	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 143 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 143 01 221



Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-5. Test Instrument & Measurement Setup

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 144 of 221	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 144 of 221	



Test Notes

- 1. All emissions that lie in the restricted bands (denoted by a * next to the frequency) specified in §15.205 and section 8.10 of RSS-Gen are below the limit shown in Table 7-89.
- 2. All spurious emissions lying in restricted bands specified in §15.205 and section 8.10 of RSS-Gen are below the limit shown in Table 7-89. All spurious emissions that do not lie in a restricted band are subject to a limit of -27dBm/MHz. At a distance of 3 meters, the field strength limit in dBμV/m can be determined by adding a "conversion" factor of 95.2dB to the EIRP limit of -27dBm/MHz to obtain the limit for out of band spurious emissions of 68.2dBμV/m.
- 3. The antenna is manipulated through typical positions, polarity and length during the tests. The EUT is manipulated through three orthogonal planes.
- 4. The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter using CISPR quasi peak detector below 1GHz. Above 1 GHz, average and peak measurements were taken using linearly polarized horn antennas.
- 5. D is the measurement test distance and emissions 1-18GHz were measured at a 3 meters test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
- 6. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. Any emissions found to be within 20dB of the limit are fully investigated and the results are shown in this section.
- 7. All data rates and antenna configurations were investigated and only the worse case is reported.
- 8. The unit was tested with all possible modes and only the highest emission is reported.
- 9. The "-" shown in the following RSE tables are used to denote a noise floor measurement.
- 10. All radiated measurements were tested at the highest supported power setting per band.

Sample Calculations

Determining Spurious Emissions Levels

- Field Strength Level [dBμV/m] = Analyzer Level [dBm] + 107 + AFCL [dB/m]
- AFCL [dB/m] = Antenna Factor [dB/m] + Cable Loss [dB] Preamplifier Gain [dB]
- Margin [dB] = Field Strength Level [dBμV/m] Limit [dBμV/m]

Radiated Band Edge Measurement Offset

The amplitude offset shown in the radiated restricted band edge plots in Section 7.7.3 to Section 7.7.22
 was calculated using the formula:


Offset (dB) = (Antenna Factor + Cable Loss + Attenuator) - Preamplifier Gain

FCC ID: BCGA3268	element	ement MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Page 145 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	raye 140 01 221




7.7.1 SDM Primary Radiated Spurious Emission

RU106



Plot 7-285. Radiated Spurious Emissions 1-18GHz SDM Primary (802.11ax - Ch. 33 - RU106)



Plot 7-286. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax - Ch. 33 - RU106)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6115MHz


Channel: 33

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	12230.00	Average	V	-	-	-86.15	21.24	42.09	53.98	-11.89
*	12230.00	Peak	V	ı	-	-74.27	20.87	53.60	73.98	-20.38

Table 7-90. Radiated Spurious Emission Measurements SDM Primary - RU106

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dog 146 of 224
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 146 of 221





Plot 7-287. Radiated Spurious Emissions 1-18GHz SDM Primary (802.11ax – Ch. 61 – RU106)


Mode:802.11axData Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:6255MHzChannel:61

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	12510.00	Average	V	-	-	-85.47	21.42	42.96	53.98	-11.02
*	12510.00	Peak	V	-	-	-74.10	21.44	54.34	73.98	-19.64

Table 7-91. Radiated Spurious Emission Measurements SDM Primary – RU106

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 147 of 221	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device		





Plot 7-288. Radiated Spurious Emissions 1-18GHz SDM Primary (802.11ax – Ch. 93 – RU106)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6415MHz

Channel: 93


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12830.00	Average	V	-	-	-84.99	21.88	43.88	68.23	-24.35
12830.00	Peak	V	-	-	-73.23	21.88	55.65	88.23	-32.58

Table 7-92. Radiated Spurious Emission Measurements SDM Primary - RU106


FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 148 of 221	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device		



RU242



Plot 7-289. Radiated Spurious Emissions 1-18GHz SDM Primary (802.11ax - Ch. 33 - RU242)



Plot 7-290. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax - Ch. 33 - RU242)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6115MHz


Channel: 33

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	12230.00	Average	V	-	-	-85.05	20.56	42.52	53.98	-11.46
*	12230.00	Peak	V	-	-	-74.70	21.24	53.54	73.98	-20.44

Table 7-93. Radiated Spurious Emission Measurements SDM Primary – RU242

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 140 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 149 of 221





Plot 7-291. Radiated Spurious Emissions 1-18GHz SDM Primary (802.11ax – Ch. 61 – RU242)


Mode:802.11axData Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:6255MHzChannel:61

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	12510.00	Average	V	-	-	-85.32	21.44	43.12	53.98	-10.86
*	12510.00	Peak	V	-	-	-74.03	21.26	54.23	73.98	-19.75

Table 7-94. Radiated Spurious Emission Measurements SDM Primary – RU242

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 150 of 221	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device		





Plot 7-292. Radiated Spurious Emissions 1-18GHz SDM Primary (802.11ax – Ch. 93 – RU242)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6415MHz


Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12830.00	Average	V	-	-	-84.84	21.79	43.95	68.23	-24.28
12830.00	Peak	V	-	-	-73.35	21.79	55.44	88.23	-32.79

Table 7-95. Radiated Spurious Emission Measurements SDM Primary - RU242

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 454 of 224	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 151 of 221	





Plot 7-293. Radiated Spurious Emissions 1-18GHz SDM Primary (802.11ax - Ch. 117 - RU242)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6535MHz


Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13070.00	Average	Н	-	-	-85.59	22.21	43.62	68.23	-24.61
13070.00	Peak	Н	-	-	-74.30	22.21	54.91	88.23	-33.32


Table 7-96. Radiated Spurious Emission Measurements SDM Primary - RU242

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 450 of 204	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 152 of 221	





Plot 7-294. Radiated Spurious Emissions 1-18GHz SDM Primary (802.11ax - Ch. 149 - RU242)



Plot 7-295. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11ax - Ch. 146 - RU242)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6695MHz


Channel: 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	13390.00	Average	V	-	-	-85.49	22.35	43.86	53.98	-10.12
*	13390.00	Peak	V	-	-	-74.05	22.21	55.16	73.98	-18.82

Table 7-97. Radiated Spurious Emission Measurements SDM Primary – RU242

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 452 of 224	
1C2410210074-15-R1.BCG 10/25/2024 - 1/24/2025		Tablet Device	Page 153 of 221	





Plot 7-296. Radiated Spurious Emissions 1-18GHz SDM Primary (802.11ax - Ch. 181 - RU242)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6855MHz

Channel: 181

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13710.00	Average	Н	-	-	-85.67	21.70	43.02	68.23	-25.21
13710.00	Peak	Н	-	-	-74.53	21.70	54.16	88.23	-34.07


Table 7-98. Radiated Spurious Emission Measurements SDM Primary - RU242

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 454 of 224	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 154 of 221	



7.7.2 SDM Diversity Radiated Spurious Emission

RU106



Plot 7-297. Radiated Spurious Emissions 1-18GHz SDM Diversity (802.11ax - Ch. 33 - RU106)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6115MHz


Channel: 33

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	12230.00	Average	Н	-	-	-85.11	20.62	42.51	53.98	-11.47
*	12230.00	Peak	H	-	-	-74.10	20.62	53.52	73.98	-20.46


Table 7-99. Radiated Spurious Emission Measurements SDM Diversity - RU106

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 455 of 224	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 155 of 221	





Plot 7-298. Radiated Spurious Emissions 1-18GHz SDM Diversity (802.11ax - Ch. 61 - RU106)



Plot 7-299. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11ax - Ch. 61 - RU106)

 Mode:
 802.11ax

 Data Rate:
 MCS0

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 6255MHz


 Channel:
 61

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	12510.00	Average	Н	-	-	-85.35	21.44	43.09	53.98	-10.89
*	12510.00	Peak	Н	-	-	-74.05	21.44	54.39	73.98	-19.59

Table 7-100. Radiated Spurious Emission Measurements SDM Diversity - RU106

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 156 of 221	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 130 01 221	





Plot 7-300. Radiated Spurious Emissions 1-18GHz SDM Diversity (802.11ax - Ch. 93 - RU106)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6415MHz

Channel: 93


Frequence [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12830.00	Average	Н	-	-	-84.90	21.67	43.77	68.23	-24.46
12830.00	Peak	Н	-	-	-73.46	21.67	55.21	88.23	-33.02

Table 7-101. Radiated Spurious Emission Measurements SDM Diversity - RU106

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 457 of 224	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 157 of 221	



RU242



Plot 7-301. Radiated Spurious Emissions 1-18GHz SDM Diversity (802.11ax - Ch. 33 - RU242)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6115MHz


Channel: 33

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	12230.00	Average	Н	-	-	-85.30	20.62	42.32	53.98	-11.66
*	12230.00	Peak	Н	-	-	-73.71	20.62	53.91	73.98	-20.07


Table 7-102. Radiated Spurious Emission Measurements SDM Diversity - RU242

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 150 of 221	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 158 of 221	





Plot 7-302. Radiated Spurious Emissions 1-18GHz SDM Diversity (802.11ax - Ch. 61 - RU242)



Plot 7-303. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11ax - Ch. 61 - RU242)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6255MHz


Channel: 61

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	12510.00	Average	Н	-	-	-85.35	21.42	43.07	53.98	-10.91
*	12510.00	Peak	Н	-	-	-74.15	21.42	54.27	73.98	-19.71

Table 7-103. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 150 of 221	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 159 of 221	





Plot 7-304. Radiated Spurious Emissions 1-18GHz SDM Diversity (802.11ax - Ch. 93 - RU242)


Mode:802.11axData Rate:MCS0Distance of Measurements:3 MetersOperating Frequency:6415MHzChannel:93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
12830.00	Average	V	-	-	-85.32	22.27	43.96	68.23	-24.27
12830.00	Peak	V	-	-	-73.62	22.00	55.38	88.23	-32.85

Table 7-104. Radiated Spurious Emission Measurements SDM Diversity - RU242

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 160 of 221	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 160 of 221	





Plot 7-305. Radiated Spurious Emissions 1-18GHz SDM Diversity (802.11ax – Ch. 117 – RU242)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6535MHz


Channel: 117

Freque [MHz	-	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13070.	.00	Average	٧	-	-	-85.43	22.21	43.78	68.23	-24.45
13070.	.00	Peak	V	-	-	-73.97	22.21	55.24	88.23	-32.99


Table 7-105. Radiated Spurious Emission Measurements SDM Diversity - RU242

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 161 of 221	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 161 of 221	





Plot 7-306. Radiated Spurious Emissions 1-18GHz SDM Diversity (802.11ax - Ch. 149 - RU242)



Plot 7-307. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11ax - Ch. 149 - RU242)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6695MHz


Channel: 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
*	13390.00	Average	Н	-	-	-85.47	22.35	43.89	53.98	-10.09
*	13390.00	Peak	Н	-	-	-73.51	21.99	55.47	73.98	-18.51

Table 7-106. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 162 of 221	
1C2410210074-15-R1.BCG 10/25/2024 - 1/24/2025		Tablet Device	Page 162 of 221	





Plot 7-308. Radiated Spurious Emissions 1-18GHz SDM Diversity (802.11ax - Ch. 181 - RU242)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6855MHz

Channel: 181

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13710.00	Average	Н	-	-	-85.93	22.04	43.11	68.23	-25.12
13710.00	Peak	Н	-	-	-74.96	22.04	54.08	88.23	-34.15

Table 7-107. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dags 462 of 224	
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 163 of 221	



7.7.3 Antenna WF7a Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9] RU106

 Mode:
 802.11ax OFDMA


 Transfer Rate:
 MCS11

 RU Index:
 53

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 6115MHz

 Channel:
 33



Plot 7-309 Antenna WF7a Radiated Lower Band Edge (Peak & Average - UNII Band 5)

FCC ID: BCGA3268	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 164 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	raye 104 01 221



 Mode:
 802.11ax OFDMA


 Transfer Rate:
 MCS11

 RU Index:
 61

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 6115MHz

 Channel:
 33



Plot 7-310 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3268	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dog 165 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 165 of 221



7.7.4 Antenna WF7a Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9] RU106

 Mode:
 802.11ax OFDMA


 Transfer Rate:
 MCS11

 RU Index:
 53

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 6125MHz

 Channel:
 35



Plot 7-311 Antenna WF7a Radiated Lower Band Edge (Peak & Average - UNII Band 5)

FCC ID: BCGA3268	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 166 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 166 of 221



 Mode:
 802.11ax OFDMA


 Transfer Rate:
 MCS11

 RU Index:
 65

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 6125MHz

 Channel:
 35



Plot 7-312 Antenna WF7a Radiated Lower Band Edge (Peak & Average - UNII Band 5)

FCC ID: BCGA3268	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 167 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 167 of 221



7.7.5 Antenna WF7a Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9] RU106

 Mode:
 802.11ax OFDMA


 Transfer Rate:
 MCS11

 RU Index:
 53

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 6145MHz

 Channel:
 39



Plot 7-313 Antenna WF7a Radiated Lower Band Edge (Peak & Average - UNII Band 5)

FCC ID: BCGA3268	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 168 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Fage 100 01 221



 Mode:
 802.11ax OFDMA


 Transfer Rate:
 MCS11

 RU Index:
 67

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 6145MHz

 Channel:
 39



Plot 7-314 Antenna WF7a Radiated Lower Band Edge (Peak & Average - UNII Band 5)

FCC ID: BCGA3268	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 160 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 169 of 221



7.7.6 Antenna WF7a Radiated Band Edge Measurements (160MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9] RU106

 Mode:
 802.11ax OFDMA


 Transfer Rate:
 MCS11

 RU Index:
 53

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 6185MHz

 Channel:
 47



Plot 7-315 Antenna WF7a Radiated Lower Band Edge (Peak & Average - UNII Band 5)

FCC ID: BCGA3268	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 170 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 170 of 221



RU996x2

 Mode:
 802.11ax OFDMA


 Transfer Rate:
 MCS11

 RU Index:
 68

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 6185MHz

 Channel:
 47



Plot 7-316 Antenna WF7a Radiated Lower Band Edge (Peak & Average - UNII Band 5)

FCC ID: BCGA3268	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 171 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 171 of 221



7.7.7 Antenna WF2a Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9] RU106

 Mode:
 802.11ax OFDMA


 Transfer Rate:
 MCS11

 RU Index:
 53

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 6115MHz

 Channel:
 33



Plot 7-317 Antenna WF2a Radiated Lower Band Edge (Peak & Average - UNII Band 5)

FCC ID: BCGA3268	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 170 of 201
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 172 of 221



 Mode:
 802.11ax OFDMA


 Transfer Rate:
 MCS11

 RU Index:
 61

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 6115MHz

 Channel:
 33



Plot 7-318 Antenna WF2a Radiated Lower Band Edge (Peak & Average - UNII Band 5)

FCC ID: BCGA3268	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 172 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 173 of 221



7.7.8 Antenna WF2a Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9] RU106

 Mode:
 802.11ax OFDMA


 Transfer Rate:
 MCS11

 RU Index:
 53

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 6125MHz

 Channel:
 35



Plot 7-319 Antenna WF2a Radiated Lower Band Edge (Peak & Average - UNII Band 5)

FCC ID: BCGA3268	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 174 of 224
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 174 of 221



 Mode:
 802.11ax OFDMA


 Transfer Rate:
 MCS11

 RU Index:
 65

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 6125MHz

 Channel:
 35



Plot 7-320 Antenna WF2a Radiated Lower Band Edge (Peak & Average - UNII Band 5)

FCC ID: BCGA3268	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 175 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	Page 175 of 221



7.7.9 Antenna WF2a Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9] RU106

 Mode:
 802.11ax OFDMA


 Transfer Rate:
 MCS11

 RU Index:
 53

 Distance of Measurements:
 3 Meters

 Operating Frequency:
 6145MHz

 Channel:
 39



Plot 7-321 Antenna WF2a Radiated Lower Band Edge (Peak & Average - UNII Band 5)

FCC ID: BCGA3268	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 176 of 221
1C2410210074-15-R1.BCG	10/25/2024 - 1/24/2025	Tablet Device	