



Plot 7-64. Conducted Spurious Plot (LTE Band 48 - 20MHz QPSK - Mid Channel)




Plot 7-65. Conducted Spurious Plot (LTE Band 48 - 20MHz QPSK - Mid Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 40 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 49 of 139






Plot 7-66. Conducted Spurious Plot (LTE Band 48 - 20MHz QPSK - High Channel)



Plot 7-67. Conducted Spurious Plot (LTE Band 48 - 20MHz QPSK - High Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 50 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 50 of 139





Plot 7-68. Conducted Spurious Plot (LTE Band 48 - 20MHz QPSK - High Channel)




Plot 7-69. Conducted Spurious Plot (LTE Band 48 - 20MHz QPSK - High Channel)

FCC ID: BCGA3355	element part 96 measurement report		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 51 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 51 of 139



ULCA LTE Band 48




Plot 7-70. Conducted Spurious Plot (ULCA LTE Band 48 - 20+20MHz QPSK - Low Channel)




Plot 7-71. Conducted Spurious Plot (ULCA LTE Band 48 - 20+20MHz QPSK - Low Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 52 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 52 of 139






Plot 7-72. Conducted Spurious Plot (ULCA LTE Band 48 - 20+20MHz QPSK - Low Channel)



Plot 7-73. Conducted Spurious Plot (ULCA LTE Band 48 - 20+20MHz QPSK - Low Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 52 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 53 of 139






Plot 7-74. Conducted Spurious Plot (ULCA LTE Band 48 - 20+20MHz QPSK - Mid Channel)



Plot 7-75. Conducted Spurious Plot (ULCA LTE Band 48 - 20+20MHz QPSK - Mid Channel)

FCC ID: BCGA3355	element part 96 measurement report		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 54 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 54 of 139






Plot 7-76. Conducted Spurious Plot (ULCA LTE Band 48 - 20+20MHz QPSK - Mid Channel)



Plot 7-77. Conducted Spurious Plot (ULCA LTE Band 48 - 20+20MHz QPSK - Mid Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo EE of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 55 of 139






Plot 7-78. Conducted Spurious Plot (ULCA LTE Band 48 - 20+20MHz QPSK - High Channel)



Plot 7-79. Conducted Spurious Plot (ULCA LTE Band 48 - 20+20MHz QPSK - High Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo F6 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 56 of 139





Plot 7-80. Conducted Spurious Plot (ULCA LTE Band 48 - 20+20MHz QPSK - High Channel)




Plot 7-81. Conducted Spurious Plot (ULCA LTE Band 48 - 20+20MHz QPSK - High Channel)


FCC ID: BCGA3355	element part 96 measurement report		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 57 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 57 of 139



NR Band n48



Plot 7-82. Conducted Spurious Plot (NR Band n48 - 40MHz DFT-s-OFDM QPSK - Low Channel)




Plot 7-83. Conducted Spurious Plot (NR Band n48 - 40MHz DFT-s-OFDM QPSK - Low Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 59 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 58 of 139






Plot 7-84. Conducted Spurious Plot (NR Band n48 - 40MHz DFT-s-OFDM QPSK - Low Channel)




Plot 7-85. Conducted Spurious Plot (NR Band n48 - 40MHz DFT-s-OFDM QPSK - Mid Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 50 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 59 of 139






Plot 7-86. Conducted Spurious Plot (NR Band n48 - 40MHz DFT-s-OFDM QPSK - Mid Channel)




Plot 7-87. Conducted Spurious Plot (NR Band n48 - 40MHz DFT-s-OFDM QPSK - Mid Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 60 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 60 of 139






Plot 7-88. Conducted Spurious Plot (NR Band n48 - 40MHz DFT-s-OFDM QPSK - High Channel)



Plot 7-89. Conducted Spurious Plot (NR Band n48 - 40MHz DFT-s-OFDM QPSK - High Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 61 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 61 of 139





Plot 7-90. Conducted Spurious Plot (NR Band n48 - 40MHz DFT-s-OFDM QPSK - High Channel)

FCC ID: BCGA3355	element part 96 measurement report		Approved by: Technical Manager
Test Report S/N:	Test Dates: EUT Type:		Page 62 of 139
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Fage 62 01 139



7.4 Band Edge Emissions at Antenna Terminal §2.1051 §96.41(e)(ii)

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation and all ports were investigated and the worst case configuration results are reported in this section.

The conducted power of any emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0 to B MHz (where B is the bandwidth in MHz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and within 0 to B MHz below the lower CBSD-assigned channel edge. At all frequencies greater than B MHz above the upper CBSD assigned channel edge and less than B MHz below the lower CBSD-assigned channel edge, the conducted power of any end user device emission shall not exceed -25 dBm/MHz. The conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.

Test Procedure Used

KDB 971168 D01 v03r01 - Section 6.0

Test Settings

- 1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
- 2. Span was set large enough so as to capture all out of band emissions near the band edge
- 3. RBW > 1% of the emission bandwidth
- 4. $VBW > 3 \times RBW$
- 5. Detector = RMS
- 6. Number of sweep points ≥ 2 x Span/RBW
- 7. Trace mode = trace average
- 8. Sweep time = auto couple
- The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-5. LTE Test Instrument & Measurement Setup




Figure 7-6. FR1 Test Instrument & Measurement Setup


Test Notes

None


Note					
FCC ID: BCGA3355	elemen:	element part 96 measurement report			
Test Report S/N:	Test Dates:	Test Dates: EUT Type:			
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 63 of 139		



LTE Band 48



Plot 7-91. Channel Edge Plot (LTE Band 48 - 5MHz QPSK - Low Channel)




Plot 7-92. Channel Edge Plot (LTE Band 48 - 5MHz QPSK - Mid Channel)

FCC ID: BCGA3355	element Part 96 Measurement Report		Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 64 of 120	
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 64 of 139	






Plot 7-93. Channel Edge Plot (LTE Band 48 - 5MHz QPSK - High Channel)




Plot 7-94. Channel Edge Plot (LTE Band 48 - 10MHz QPSK - Low Channel)

FCC ID: BCGA3355	elemen	element part 96 measurement report	
Test Report S/N:	Test Dates:	EUT Type:	Dogs 65 of 420
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 65 of 139





Plot 7-95. Channel Edge Plot (LTE Band 48 - 10MHz QPSK - Mid Channel)



Plot 7-96. Channel Edge Plot (LTE Band 48 - 10MHz QPSK - High Channel)

FCC ID: BCGA3355	elemen	element part 96 measurement report	
Test Report S/N:	Test Dates:	EUT Type:	Page 66 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 66 of 139





Plot 7-97. Channel Edge Plot (LTE Band 48 - 15MHz QPSK - Low Channel)



Plot 7-98. Channel Edge Plot (LTE Band 48 - 15MHz QPSK - Mid Channel)

FCC ID: BCGA3355	elemen	element part 96 measurement report	
Test Report S/N:	Test Dates:	Test Dates: EUT Type:	
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 67 of 139





Plot 7-99. Channel Edge Plot (LTE Band 48 - 15MHz QPSK - High Channel)




Plot 7-100. Channel Edge Plot (LTE Band 48 - 20MHz QPSK - Low Channel)

FCC ID: BCGA3355	elemen	element part 96 measurement report	
Test Report S/N:	Test Dates:	EUT Type:	Dama 60 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 68 of 139





Plot 7-101. Channel Edge Plot (LTE Band 48 - 20MHz QPSK - Mid Channel)




Plot 7-102. Channel Edge Plot (LTE Band 48 - 20MHz QPSK - High Channel)


FCC ID: BCGA3355	elemen	element part 96 measurement report	
Test Report S/N:	Test Dates:	EUT Type:	Page 60 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 69 of 139



ULCA LTE Band 48




Plot 7-103. Channel Edge Plot (ULCA LTE Band 48 - 20+20MHz QPSK - Low Channel)



Plot 7-104. Channel Edge Plot (ULCA LTE Band 48 - 20+20MHz QPSK - Mid Channel)

FCC ID: BCGA3355	element Part 96 Measurement Report		Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 70 of 120	
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 70 of 139	






Plot 7-105. Channel Edge Plot (ULCA LTE Band 48 - 20+20MHz QPSK - High Channel)


FCC ID: BCGA3355	element part 96 measurement report		Approved by: Technical Manager
Test Report S/N:	Test Dates: EUT Type:		Dogo 71 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 71 of 139



NR Band n48



Plot 7-106. Channel Edge Plots (NR Band n48 - 10MHz DFT-s-OFDM QPSK - Low Channel)




Plot 7-107. Channel Edge Plot (NR Band n48 - 10MHz DFT-s-OFDM QPSK - Mid Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 72 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 72 of 139





Plot 7-108. Channel Edge Plot (NR Band n48 - 10MHz DFT-s-OFDM QPSK - High Channel)



Plot 7-109. Channel Edge Plot (NR Band n48 - 15MHz DFT-s-OFDM QPSK - Low Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 72 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 73 of 139






Plot 7-110. Channel Edge Plot (NR Band n48 - 15MHz DFT-s-OFDM QPSK - Mid Channel)




Plot 7-111. Channel Edge Plot (NR Band n48 - 15MHz DFT-s-OFDM QPSK - High Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 74 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 74 of 139





Plot 7-112. Channel Edge Plot (NR Band n48 - 20MHz DFT-s-OFDM QPSK - Low Channel)




Plot 7-113. Channel Edge Plot (NR Band n48 - 20MHz DFT-s-OFDM QPSK - Mid Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 75 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 75 of 139






Plot 7-114. Channel Edge Plot (NR Band n48 - 20MHz DFT-s-OFDM QPSK - High Channel)




Plot 7-115. Channel Edge Plot (NR Band n48 - 30MHz DFT-s-OFDM QPSK - Low Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 76 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 76 of 139






Plot 7-116. Channel Edge Plot (NR Band n48 - 30MHz DFT-s-OFDM QPSK - Mid Channel)




Plot 7-117. Channel Edge Plot (NR Band n48 - 30MHz DFT-s-OFDM QPSK - High Channel)

FCC ID: BCGA3355	elemen	element part 96 measurement report	
Test Report S/N:	Test Dates:	EUT Type:	Page 77 of 139
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Fage 77 01 139






Plot 7-118. Channel Edge Plot (NR Band n48 - 40MHz DFT-s-OFDM QPSK - Low Channel)



Plot 7-119. Channel Edge Plot (NR Band n48 - 40MHz DFT-s-OFDM QPSK - Mid Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 70 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 78 of 139





Plot 7-120. Channel Edge Plot (NR Band n48 - 40MHz DFT-s-OFDM QPSK - High Channel)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 70 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 79 of 139



7.5 Peak-Average Ratio §96.41(g):

Test Overview

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level. All ports were tested and only the worst case data were reported.

The peak-to-average power ratio (PAPR) of the equipment shall not exceed 13dB for more than 0.1% of the time.

Test Procedure Used

KDB 971168 D01 v03r01 - Section 5.7.1

Test Settings

- 1. The signal analyzer's CCDF measurement profile is enabled
- 2. Frequency = carrier center frequency
- 3. Measurement BW ≥ OBW or specified reference bandwidth
- 4. The signal analyzer was set to collect one million samples to generate the CCDF curve
- 5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-7. LTE Test Instrument & Measurement Setup




Figure 7-8. FR1 Test Instrument & Measurement Setup


Test Notes

None.


FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 90 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 80 of 139



LTE Band 48




Plot 7-121. PAR Plot (LTE Band 48 - 5MHz QPSK - Full RB)




Plot 7-122. PAR Plot (LTE Band 48 - 5MHz 16-QAM - Full RB)

FCC ID: BCGA3355	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 91 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 81 of 139





Plot 7-123. PAR Plot (LTE Band 48 - 5MHz 64-QAM - Full RB)



Plot 7-124. PAR Plot (LTE Band 48 - 5MHz 256-QAM - Full RB)

FCC ID: BCGA3355	elemen	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 92 of 120
1C2410210077-13-R1.BCG	7/1/2024-12/25/2024	Tablet Device	Page 82 of 139