



Plot 7-185. Lower Band Edge Plot (NR Band n2 – 20MHz DFT-s-OFDM π/2 BPSK – Full RB Configuration)




Plot 7-186. Extended Lower Band Edge Plot (NR Band n2 – 20MHz DFT-s-OFDM π/2 BPSK – Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 114 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Faye 114 01 220





Plot 7-187. Upper Band Edge Plot (NR Band n2 – 20MHz DFT-s-OFDM π/2 BPSK – Full RB Configuration)



Plot 7-188. Extended Upper Band Edge Plot (NR Band n2 – 20MHz DFT-s-OFDM π/2 BPSK – Full RB Configuration)


FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 115 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 113 01 220



WCDMA PCS



Plot 7-189. Lower Band Edge Plot (WCDMA PCS - Ch. 9262)




Plot 7-190. Extended Lower Band Edge Plot (WCDMA PCS - Ch. 9262)

FCC ID: BCGA3355	element)	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 116 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 110 01 220





Plot 7-191. Upper Band Edge Plot (WCDMA PCS - Ch. 9538)



Plot 7-192. Extended Upper Band Edge Plot (WCDMA PCS - Ch. 9538)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 117 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Page 117 of 220



7.5 Peak-Average Ratio §24.232(d)

Test Overview and Limit

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level. All ports were tested and only the worst case data were reported.

The peak to average power ratio (PAPR) of the equipment shall not exceed 13 dB for more than 0.1% of the time.

<u>Test Procedure Used</u>

KDB 971168 D01 v03r01 - Section 5.7.1

Test Settings

- 1. The signal analyzer's CCDF measurement profile is enabled
- 2. Frequency = carrier center frequency
- 3. Measurement BW ≥ OBW or specified reference bandwidth
- 4. The signal analyzer was set to collect one million samples to generate the CCDF curve
- 5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 118 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Page 116 01 220



Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-7. LTE Test Instrument & Measurement Setup




Figure 7-8. FR1 Test Instrument & Measurement Setup


Test Notes

None.


FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 119 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 119 01 220



LTE Band 25




Plot 7-193. PAR Plot (LTE Band 25 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-194. PAR Plot (LTE Band 25 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 120 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Faye 120 01 220






Plot 7-195. PAR Plot (LTE Band 25 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-196. PAR Plot (LTE Band 25 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	element Part 24 Measurement report	
Test Report S/N:	Test Dates:	EUT Type:	Page 121 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 121 01 220






Plot 7-197. PAR Plot (LTE Band 25 - 3MHz QPSK - Full RB Configuration)




Plot 7-198. PAR Plot (LTE Band 25 - 3MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	element Part 24 Measurement report	
Test Report S/N:	Test Dates:	EUT Type:	Page 122 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 122 01 220






Plot 7-199. PAR Plot (LTE Band 25 - 3MHz 64-QAM - Full RB Configuration)




Plot 7-200. PAR Plot (LTE Band 25 - 3MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA3355	element)	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 123 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 123 01 220






Plot 7-201. PAR Plot (LTE Band 25 - 5MHz QPSK - Full RB Configuration)




Plot 7-202. PAR Plot (LTE Band 25 - 5MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 124 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 124 01 220






Plot 7-203. PAR Plot (LTE Band 25 - 5MHz 64-QAM - Full RB Configuration)




Plot 7-204. PAR Plot (LTE Band 25 - 5MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	element Part 24 Measurement report	
Test Report S/N:	Test Dates:	EUT Type:	Page 125 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 123 01 220






Plot 7-205. PAR Plot (LTE Band 25 - 10MHz QPSK - Full RB Configuration)




Plot 7-206. PAR Plot (LTE Band 25 - 10MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 126 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 120 01 220






Plot 7-207. PAR Plot (LTE Band 25 - 10MHz 64-QAM - Full RB Configuration)




Plot 7-208. PAR Plot (LTE Band 25 - 10MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 127 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 127 01 220






Plot 7-209. PAR Plot (LTE Band 25 - 15MHz QPSK - Full RB Configuration)




Plot 7-210. PAR Plot (LTE Band 25 - 15MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 128 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 120 01 220






Plot 7-211. PAR Plot (LTE Band 25 - 15MHz 64-QAM - Full RB Configuration)




Plot 7-212. PAR Plot (LTE Band 25 - 15MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 129 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 129 01 220






Plot 7-213. PAR Plot (LTE Band 25 - 20MHz QPSK - Full RB Configuration)




Plot 7-214. PAR Plot (LTE Band 25 - 20MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 130 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 130 01 220





Plot 7-215. PAR Plot (LTE Band 25 - 20MHz 64-QAM - Full RB Configuration)




Plot 7-216. PAR Plot (LTE Band 25 - 20MHz 256-QAM - Full RB Configuration)


FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 131 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 131 01 220



LTE Band 2




Plot 7-217. PAR Plot (LTE Band 2 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-218. PAR Plot (LTE Band 2 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 132 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 132 01 220






Plot 7-219. PAR Plot (LTE Band 2 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-220. PAR Plot (LTE Band 2 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 133 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 133 01 220






Plot 7-221. PAR Plot (LTE Band 2 - 3MHz QPSK - Full RB Configuration)




Plot 7-222. PAR Plot (LTE Band 2 - 3MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 124 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Page 134 of 220






Plot 7-223. PAR Plot (LTE Band 2 - 3MHz 64-QAM - Full RB Configuration)




Plot 7-224. PAR Plot (LTE Band 2 - 3MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 135 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 133 01 220






Plot 7-225. PAR Plot (LTE Band 2 - 5MHz QPSK - Full RB Configuration)




Plot 7-226. PAR Plot (LTE Band 2 - 5MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 136 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Page 130 01 220






Plot 7-227. PAR Plot (LTE Band 2 - 5MHz 64-QAM - Full RB Configuration)




Plot 7-228. PAR Plot (LTE Band 2 - 5MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 137 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 137 01 220






Plot 7-229. PAR Plot (LTE Band 2 - 10MHz QPSK - Full RB Configuration)




Plot 7-230. PAR Plot (LTE Band 2 - 10MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 138 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Faye 130 01 220






Plot 7-231. PAR Plot (LTE Band 2 - 10MHz 64-QAM - Full RB Configuration)




Plot 7-232. PAR Plot (LTE Band 2 - 10MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 139 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 139 01 220






Plot 7-233. PAR Plot (LTE Band 2 - 15MHz QPSK - Full RB Configuration)




Plot 7-234. PAR Plot (LTE Band 2 - 15MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 140 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Faye 140 01 220






Plot 7-235. PAR Plot (LTE Band 2 - 15MHz 64-QAM - Full RB Configuration)




Plot 7-236. PAR Plot (LTE Band 2 - 15MHz 256-QAM - Full RB Configuration)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 141 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Page 141 of 220






Plot 7-237. PAR Plot (LTE Band 2 - 20MHz QPSK - Full RB Configuration)




Plot 7-238. PAR Plot (LTE Band 2 - 20MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA3355	element)	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 142 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 142 01 220





Plot 7-239. PAR Plot (LTE Band 2 - 20MHz 64-QAM - Full RB Configuration)




Plot 7-240. PAR Plot (LTE Band 2 - 20MHz 256-QAM - Full RB Configuration)


FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 143 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 143 01 220



NR Band n25




Plot 7-241. PAR Plot (NR Band n25 - 5MHz DFT-s-OFDM π/2 BPSK - Full RB)




Plot 7-242. PAR Plot (NR Band n25 - 5MHz DFT-s-OFDM QPSK - Full RB)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 144 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	rage 144 01 220






Plot 7-243. PAR Plot (NR Band n25 - 5MHz DFT-s-OFDM 16-QAM - Full RB)




Plot 7-244. PAR Plot (NR Band n25 - 5MHz DFT-s-OFDM 64-QAM - Full RB)

FCC ID: BCGA3355	element	element Part 24 Measurement report	
Test Report S/N:	Test Dates:	EUT Type:	Page 145 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 143 01 220






Plot 7-245. PAR Plot (NR Band n25 - 5MHz DFT-s-OFDM 256-QAM - Full RB)




Plot 7-246. PAR Plot (NR Band n25 - 10MHz DFT-s-OFDM π/2 BPSK - Full RB)

FCC ID: BCGA3355	element	element Part 24 Measurement report	
Test Report S/N:	Test Dates:	EUT Type:	Page 146 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 140 01 220






Plot 7-247. PAR Plot (NR Band n25 - 10MHz DFT-s-OFDM QPSK - Full RB)




Plot 7-248. PAR Plot (NR Band n25 - 10MHz DFT-s-OFDM 16-QAM - Full RB)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 147 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 147 01 220






Plot 7-249. PAR Plot (NR Band n25 - 10MHz DFT-s-OFDM 64-QAM - Full RB)




Plot 7-250. PAR Plot (NR Band n25 - 10MHz DFT-s-OFDM 256-QAM - Full RB)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 149 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Page 148 of 220






Plot 7-251. PAR Plot (NR Band n25 - 15MHz DFT-s-OFDM π/2 BPSK - Full RB)




Plot 7-252. PAR Plot (NR Band n25 - 15MHz DFT-s-OFDM QPSK - Full RB)

FCC ID: BCGA3355	element	element Part 24 Measurement report	
Test Report S/N:	Test Dates:	EUT Type:	Page 149 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 149 01 220






Plot 7-253. PAR Plot (NR Band n25 - 15MHz DFT-s-OFDM 16-QAM - Full RB)




Plot 7-254. PAR Plot (NR Band n25 - 15MHz DFT-s-OFDM 64-QAM - Full RB)

FCC ID: BCGA3355	element	element Part 24 Measurement report	
Test Report S/N:	Test Dates:	EUT Type:	Page 150 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 130 01 220






Plot 7-255. PAR Plot (NR Band n25 - 15MHz DFT-s-OFDM 256-QAM - Full RB)




Plot 7-256. PAR Plot (NR Band n25 - 20MHz DFT-s-OFDM π /2 BPSK - Full RB)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 151 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 151 01 220






Plot 7-257. PAR Plot (NR Band n25 - 20MHz DFT-s-OFDM QPSK - Full RB)




Plot 7-258. PAR Plot (NR Band n25 - 20MHz DFT-s-OFDM 16-QAM - Full RB)

FCC ID: BCGA3355	element)	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 152 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 132 01 220






Plot 7-259. PAR Plot (NR Band n25 - 20MHz DFT-s-OFDM 64-QAM - Full RB)




Plot 7-260. PAR Plot (NR Band n25 - 20MHz DFT-s-OFDM 256-QAM - Full RB)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 153 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Page 153 01 220






Plot 7-261. PAR Plot (NR Band n25 - 25MHz DFT-s-OFDM π /2 BPSK - Full RB)




Plot 7-262. PAR Plot (NR Band n25 - 25MHz DFT-s-OFDM QPSK - Full RB)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 154 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 154 01 220






Plot 7-263. PAR Plot (NR Band n25 - 25MHz DFT-s-OFDM 16-QAM - Full RB)




Plot 7-264. PAR Plot (NR Band n25 - 25MHz DFT-s-OFDM 64-QAM - Full RB)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 155 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 155 01 220






Plot 7-265. PAR Plot (NR Band n25 - 25MHz DFT-s-OFDM 256-QAM - Full RB)




Plot 7-266. PAR Plot (NR Band n25 - 30MHz DFT-s-OFDM π /2 BPSK - Full RB)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 156 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 130 01 220






Plot 7-267. PAR Plot (NR Band n25 - 30MHz DFT-s-OFDM QPSK - Full RB)




Plot 7-268. PAR Plot (NR Band n25 - 30MHz DFT-s-OFDM 16-QAM - Full RB)

FCC ID: BCGA3355	element element	element Part 24 Measurement report	
Test Report S/N:	Test Dates:	EUT Type:	Page 157 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 137 01 220






Plot 7-269. PAR Plot (NR Band n25 - 30MHz DFT-s-OFDM 64-QAM - Full RB)




Plot 7-270. PAR Plot (NR Band n25 - 30MHz DFT-s-OFDM 256-QAM - Full RB)

FCC ID: BCGA3355	element	element Part 24 Measurement report	
Test Report S/N:	Test Dates:	EUT Type:	Page 158 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 136 01 220





Plot 7-271. PAR Plot (NR Band n25 - 35MHz DFT-s-OFDM π/2 BPSK - Full RB)



Plot 7-272. PAR Plot (NR Band n25 - 35MHz DFT-s-OFDM QPSK - Full RB)

FCC ID: BCGA3355	element	PART 24 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 159 of 220
1C2410210077-08-R1.BCG	7/1/2024 - 12/28/2024	Tablet Device	Fage 159 01 220