



TEST SETUP PHOTOS

Report Number: 12124121-EP1V1

1. SCOPE


The purpose of this document is to show test setup diagrams and photos for the following reports

Reports
12124121-EP1V1

2. SETUP PHOTOS

2.1.1. 2.4/5GHz(DTS/BT/HDR/BLE/UNII) TECHNOLOGIES

ANTENNA PORT AND AC LINE CONDUCTED SETUP




RF ANTENNA PORT CONDUCTED



AC LINE CONDUCTED (FRONT)






AC LINE CONDUCTED (BACK)




**AC LINE CONDUCTED WITH LAPTOP
(FRONT)**




**AC LINE CONDUCTED WITH LAPTOP
(BACK)**

RADIATED RF MEASUREMENT SETUP**BELOW 30 MHz (FRONT)****BELOW 30 MHz (BACK)****BELOW 1GHz (FRONT)****BELOW 1GHz (BACK)****X-Axis Front****X-Axis Back**

**Y-Axis Front****Y-Axis Back****Z-Axis Front****Z-Axis Back**

DYNAMIC FREQUENCY SELECTION MEASUREMENT SETUP


DFS FRONT PHOTO (EUT)



DFS BACK PHOTO (EUT)



DFS FULL SETUP PHOTO (CLIENT MODE SETUP)



DFS FULL SETUP PHOTO (CLIENT-TO-CLIENT COMMUNICATIONS MODE SETUP)



DFS FULL SETUP PHOTO (PEER TO PEER MODE SETUP / EUT)



DFS FULL SETUP PHOTO (PEER TO PEER MODE SETUP / PEER DEVICE)



2.1.2. NFC TECHNOLOGY

FREQ TOLERANCE AND AC LINE CONDUCTED SETUP





FREQUENCY TOLERANCE



AC LINE CONDUCTED (FRONT)




AC LINE CONDUCTED (BACK)

RADIATED RF MEASUREMENT SETUP**BELOW 30 MHz (FRONT)****BELOW 30 MHz (BACK)****BELOW 1GHz (FRONT)****BELOW 1GHz (BACK)**

2.2. WWAN TECHNOLOGIES



FREQUENCY STABILITY



RF ANTENNA PORT CONDUCTED


2.3. ORIENTATIONS



X-ORIENTATION



Y-ORIENTATION



Z-ORIENTATION