
8.5. AVERAGE TIME OF OCCUPANCY

LIMITS

FCC §15.247 (a) (1) (iii)

RSS-247 (5.1) (d)

The average time of occupancy on any channel shall not be greater than 0.4 seconds within a period of 0.4 seconds multiplied by the number of hopping channels employed.

TEST PROCEDURE

The transmitter output is connected to a spectrum analyzer. The span is set to 0 Hz, centered on a single, selected hopping channel. The width of a single pulse is measured in a fast scan. The number of pulses is measured in a 3.16 second scan, to enable resolution of each occurrence.

The average time of occupancy in the specified 3.16 second period (79 channels * 0.4 s) is equal to $10 * (\# \text{ of pulses in } 3.16 \text{ s}) * \text{pulse width}$.


For AFH mode, the average time of occupancy in the specified 8 second period (20 channels * 0.4 seconds) is equal to $10 * (\# \text{ of pulses in } 0.8 \text{ s}) * \text{pulse width}$.

RESULTS


8.5.1. HIGH POWER BASIC DATA RATE GFSK MODULATION

Antenna 2


DH Packet	Pulse Width (msec)	Number of Pulses in 3.16 seconds	Average Time of Occupancy (sec)	Limit (sec)	Margin (sec)
GFSK Normal Mode					
DH1	0.3831	32	0.1226	0.4	-0.2774
DH3	1.639	16	0.2622	0.4	-0.1378
DH5	2.888	12	0.3466	0.4	-0.0534
DH Packet	Pulse Width (sec)	Number of Pulses in 0.8 seconds	Average Time of Occupancy (sec)	Limit (sec)	Margin (sec)
GFSK AFH Mode					
DH1	0.3831	8	0.03065	0.4	-0.3694
DH3	1.639	4	0.06556	0.4	-0.3344
DH5	2.888	3	0.08664	0.4	-0.3134




PULSE WIDTH - DH1




PULSE WIDTH - DH3




PULSE WIDTH - DH5



NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD - DH1




NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD - DH3




NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD - DH5

Antenna 5


DH Packet	Pulse Width (msec)	Number of Pulses in 3.16 seconds	Average Time of Occupancy (sec)	Limit (sec)	Margin (sec)
GFSK Normal Mode					
DH1	0.3831	30	0.1149	0.4	-0.2851
DH3	1.639	16	0.2622	0.4	-0.1378
DH5	2.888	8	0.2310	0.4	-0.1690
DH Packet	Pulse Width (sec)	Number of Pulses in 0.8 seconds	Average Time of Occupancy (sec)	Limit (sec)	Margin (sec)
GFSK AFH Mode					
DH1	0.3831	7.5	0.02873	0.4	-0.3713
DH3	1.639	4	0.06556	0.4	-0.3344
DH5	2.888	2	0.05776	0.4	-0.3422




PULSE WIDTH – DH1




PULSE WIDTH – DH3




PULSE WIDTH – DH5



NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – DH1



NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – DH3




NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – DH5

8.5.2. HIGH POWER ENCHANCED DATA RATE 8PSK MODULATION

Antenna 2

DH Packet	Pulse Width (msec)	Number of Pulses in 3.16 seconds	Average Time of Occupancy (sec)	Limit (sec)	Margin (sec)
8PSK Normal Mode					
3DH1	0.390	32	0.12464	0.4	-0.27536
3DH3	1.641	17	0.27897	0.4	-0.12103
3DH5	2.892	9	0.26028	0.4	-0.13972


Note: for AFH(8PSK) mode, please refer to the results of AFH(GFSK) mode; the channel selection and hopping rate are the same for both EDR and Basic Rate operation, data for Basic Rate in section 8.5.1 demonstrates compliance with channel occupancy when AFH is employed.




Antenna 5

DH Packet	Pulse Width (msec)	Number of Pulses in 3.16 seconds	Average Time of Occupancy (sec)	Limit (sec)	Margin (sec)
8PSK Normal Mode					
3DH1	0.3896	32	0.124672	0.4	-0.2753
3DH3	1.641	15	0.24615	0.4	-0.1539
3DH5	2.892	9	0.26028	0.4	-0.1397


Note: for AFH(8PSK) mode, please refer to the results of AFH(GFSK) mode; the channel selection and hopping rate are the same for both EDR and Basic Rate operation, data for Basic Rate in section 8.5.1 demonstrates compliance with channel occupancy when AFH is employed.




PULSE WIDTH – DH1




PULSE WIDTH – DH3




PULSE WIDTH – DH5



**NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – DH1**



**NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – DH3**




**NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – DH5**


8.5.3. LOW POWER BASIC DATA RATE GFSK MODULATION

Antenna 2


DH Packet	Pulse Width (msec)	Number of Pulses in 3.16 seconds	Average Time of Occupancy (sec)	Limit (sec)	Margin (sec)
GFSK Normal Mode					
DH1	0.383	32	0.1226	0.4	-0.2774
DH3	1.639	17	0.2786	0.4	-0.1214
DH5	2.887	8	0.2310	0.4	-0.1690
DH Packet	Pulse Width (sec)	Number of Pulses in 0.8 seconds	Average Time of Occupancy (sec)	Limit (sec)	Margin (sec)
GFSK AFH Mode					
DH1	0.383	8	0.03064	0.4	-0.3694
DH3	1.639	4.25	0.06966	0.4	-0.3303
DH5	2.887	2	0.05774	0.4	-0.3423




PULSE WIDTH – DH1




PULSE WIDTH – DH3




PULSE WIDTH – DH5



NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – DH1




NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – DH3



NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – DH5

Antenna 5


DH Packet	Pulse Width (msec)	Number of Pulses in 3.16 seconds	Average Time of Occupancy (sec)	Limit (sec)	Margin (sec)
GFSK Normal Mode					
DH1	0.3829	31	0.1187	0.4	-0.2813
DH3	1.639	15	0.2459	0.4	-0.1542
DH5	2.888	10	0.2888	0.4	-0.1112
DH Packet	Pulse Width (sec)	Number of Pulses in 0.8 seconds	Average Time of Occupancy (sec)	Limit (sec)	Margin (sec)
GFSK AFH Mode					
DH1	0.3829	7.75	0.02967	0.4	-0.3703
DH3	1.639	3.75	0.06146	0.4	-0.3385
DH5	2.888	2.5	0.07220	0.4	-0.3278




PULSE WIDTH – DH1




PULSE WIDTH – DH3




PULSE WIDTH – DH5



**NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – DH1**



**NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – DH3**




**NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – DH5**

8.5.4. LOW POWER ENCHANCED DATA RATE 8PSK MODULATION


Antenna 2

DH Packet	Pulse Width (msec)	Number of Pulses in 3.16 seconds	Average Time of Occupancy (sec)	Limit (sec)	Margin (sec)
8PSK Normal Mode					
3DH1	0.389	32	0.12448	0.4	-0.2755
3DH3	1.64	16	0.2624	0.4	-0.1376
3DH5	2.892	9	0.26028	0.4	-0.1397


Note: for AFH(8PSK) mode, please refer to the results of AFH(GFSK) mode; the channel selection and hopping rate are the same for both EDR and Basic Rate operation, data for Basic Rate in section 8.5.3 demonstrates compliance with channel occupancy when AFH is employed.




PULSE WIDTH – 3DH1




PULSE WIDTH – 3DH3




PULSE WIDTH – 3DH5



**NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – 3DH1**



**NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – 3DH3**




**NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – 3DH5**


Antenna 5

DH Packet	Pulse Width (msec)	Number of Pulses in 3.16 seconds	Average Time of Occupancy (sec)	Limit (sec)	Margin (sec)
8PSK Normal Mode					
3DH1	0.389	31	0.12059	0.4	-0.2794
3DH3	1.64	15	0.246	0.4	-0.154
3DH5	2.891	7	0.20237	0.4	-0.1976


Note: for AFH(8PSK) mode, please refer to the results of AFH(GFSK) mode; the channel selection and hopping rate are the same for both EDR and Basic Rate operation, data for Basic Rate in section 8.5.3 demonstrates compliance with channel occupancy when AFH is employed.




PULSE WIDTH – 3DH1



PULSE WIDTH – 3DH3




PULSE WIDTH – 3DH5



NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – 3DH1



NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – 3DH3



NUMBER OF PULSES IN 3.16 SECOND
OBSERVATION PERIOD – 3DH5

8.6. OUTPUT POWER

LIMITS

§15.247 (b) (1)

RSS-247 (5.4) (b)

The maximum antenna gain is less than 6 dBi, therefore the limit is 30 dBm. Alternatively, frequency hopping systems operating in the 2400-2483.5 MHz band may have hopping channel carrier frequencies that are separated by 25 kHz or two-thirds of the 20 dB bandwidth of the hopping channel, whichever is greater, provided the systems operate with an output power no greater than 125 mW.

TEST PROCEDURE

The transmitter output is connected to a power meter.

The cable assembly insertion loss of 10.5 dB (including 10 dB pad and 0.5 dB cable) was entered as an offset in the power meter to allow for a gated peak reading of power.

RESULTS

8.6.1. HIGH POWER BASIC DATA RATE GFSK MODULATION

Antenna 2

Tested By:	30554
Date:	7/27/2018

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
Low	2402	20.32	30	-9.68
Middle	2441	20.38	30	-9.62
High	2480	20.28	30	-9.72

Antenna 5

Tested By:	30554
Date:	7/27/2018

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
Low	2402	20.28	30	-9.72
Middle	2441	20.36	30	-9.64
High	2480	20.27	30	-9.73

8.6.2. HIGH POWER ENCHANCED DATA RATE 8PSK MODULATION

Antenna 2

Tested By:	30554
Date:	7/27/2018

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
Low	2402	19.80	21	-1.2
Middle	2441	19.88	21	-1.12
High	2480	19.74	21	-1.26

Antenna 5

Tested By:	30554
Date:	7/27/2018

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
Low	2402	19.81	21	-1.19
Middle	2441	19.90	21	-1.1
High	2480	19.73	21	-1.27

8.6.3. HIGH POWER ENCHANCED DATA RATE DQPSK MODULATION

Antenna 2

Tested By:	30554
Date:	7/27/2018

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
Low	2402	19.70	21	-1.3
Middle	2441	19.85	21	-1.15
High	2480	19.78	21	-1.22

Antenna 5

Tested By:	30554
Date:	7/27/2018

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
Low	2402	19.76	21	-1.24
Middle	2441	19.86	21	-1.14
High	2480	19.71	21	-1.29

8.6.4. LOW POWER BASIC DATA RATE GFSK MODULATION

Antenna 2

Tested By:	30554
Date:	7/27/2018

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
Low	2402	11.28	30	-18.72
Middle	2441	11.32	30	-18.68
High	2480	11.24	30	-18.76

Antenna 5

Tested By:	30554
Date:	7/27/2018

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
Low	2402	11.22	30	-18.78
Middle	2441	11.29	30	-18.71
High	2480	11.25	30	-18.75

8.6.5. LOW POWER ENCHANCED DATA RATE 8PSK MODULATION

Antenna 2

Tested By:	30554
Date:	7/27/2018

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
Low	2402	10.14	21	-10.86
Middle	2441	10.21	21	-10.79
High	2480	10.11	21	-10.89

Antenna 5

Tested By:	30554
Date:	7/27/2018

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
Low	2402	10.17	21	-10.83
Middle	2441	10.24	21	-10.76
High	2480	10.08	21	-10.92

8.6.6. LOW POWER ENCHANCED DATA RATE DQPSK MODULATION

Antenna 2

Tested By:	30554
Date:	7/27/2018

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
Low	2402	10.08	21	-10.92
Middle	2441	10.13	21	-10.87
High	2480	10.03	21	-10.97

Antenna 5

Tested By:	30554
Date:	7/27/2018

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
Low	2402	10.11	21	-10.89
Middle	2441	10.21	21	-10.79
High	2480	10.15	21	-10.85

8.7. AVERAGE POWER

LIMITS

None; for reporting purposes only

TEST PROCEDURE

The transmitter output is connected to a power meter.

The cable assembly insertion loss of 10.5 dB (including 10 dB pad and 0.5 dB cable) was entered as an offset in the power meter to allow for a gated average reading of power.

RESULTS

8.7.1. HIGH POWER BASIC DATA RATE GFSK MODULATION

Antenna 2

Tested By:	30554
Date	7/27/2018

Channel	Frequency (MHz)	Average Power (dBm)
Low	2402	19.78
Middle	2441	19.87
High	2480	19.73

Antenna 5

Tested By:	30554
Date	7/27/2018

Channel	Frequency (MHz)	Average Power (dBm)
Low	2402	19.73
Middle	2441	19.85
High	2480	19.71

8.7.2. HIGH POWER ENCHANCED DATA RATE 8PSK MODULATION

Antenna 2

Tested By:	30554
Date	7/27/2018

Channel	Frequency (MHz)	Average Power (dBm)
Low	2402	16.83
Middle	2441	16.93
High	2480	16.75

Antenna 5

Tested By:	30554
Date	7/27/2018

Channel	Frequency (MHz)	Average Power (dBm)
Low	2402	16.85
Middle	2441	16.95
High	2480	16.78

8.7.3. HIGH POWER ENCHANCED DATA RATE DQPSK MODULATION

Antenna 2

Tested By:	30554
Date	7/27/2018

Channel	Frequency (MHz)	Average Power (dBm)
Low	2402	16.82
Middle	2441	16.95
High	2480	16.89

Antenna 5

Tested By:	30554
Date	7/27/2018

Channel	Frequency (MHz)	Average Power (dBm)
Low	2402	16.87
Middle	2441	16.94
High	2480	16.83

8.7.4. LOW POWER BASIC DATA RATE GFSK MODULATION

Antenna 2

Tested By:	30554
Date	7/27/2018

Channel	Frequency (MHz)	Average Power (dBm)
Low	2402	10.78
Middle	2441	10.89
High	2480	10.73

Antenna 5

Tested By:	30554
Date	7/27/2018

Channel	Frequency (MHz)	Average Power (dBm)
Low	2402	10.79
Middle	2441	10.86
High	2480	10.82

8.7.5. LOW POWER ENCHANCED DATA RATE 8PSK MODULATION

Antenna 2

Tested By:	30554
Date	7/27/2018

Channel	Frequency (MHz)	Average Power (dBm)
Low	2402	7.45
Middle	2441	7.48
High	2480	7.43

Antenna 5

Tested By:	30554
Date	7/27/2018

Channel	Frequency (MHz)	Average Power (dBm)
Low	2402	7.39
Middle	2441	7.42
High	2480	7.37

8.7.6. LOW POWER ENCHANCED DATA RATE DQPSK MODULATION

Antenna 2

Tested By:	30554
Date	7/27/2018

Channel	Frequency (MHz)	Average Power (dBm)
Low	2402	7.42
Middle	2441	7.45
High	2480	7.41

Antenna 5

Tested By:	30554
Date	7/27/2018

Channel	Frequency (MHz)	Average Power (dBm)
Low	2402	7.36
Middle	2441	7.48
High	2480	7.42