











9. RESEALLED-1
ITEM NO. 1
04 1 16 199








TELIA S.A.
BORDEAUX FRANCE
869 - 894 MHz - 26 dB - 30W - F.F. AMP.
MODEL : TLB0193C
SERIAL N° : 9917 00030


MIKOM
Lin. Amplifier Booster
Freq.: 869 - 894 MHz
IdNo.: 148659
Rev.: 00

RF in

J1

RF out








TLA0221
9914 0226


TLA0238
9914 0226

TELLA SA 98CK110A











B001789 REV 2







REV. 1.0
LAYER 1
CORE Technology Inc.
TESTED
BURN IN
POT1 VOLTAGE ADJ.
AL12=18.19
AL11=15.16
+V02=20.21,22
ACF=17
TEMP=6

YAGEO 807
10W5-1.0J
P2

MAGNETIC
9055012-5
252KXH
N.C.20A 250VAC
N.C.10A 30VDC
TO 12V
CBL 5VDC
MADE IN U.S.A.

HAMLIN
HE21A0500
9738 95





Power Supply
ARC-402-24-12-C
Input Voltage: 120/240 VAC
Output Voltage: 24, 30VDC @ 9A
Output Voltage: 2, 12VDC @ 8A

DC GOOD
AC GOOD
OUTPUT

VOLTAGE ADJUST


DC IN(+13.8Vmax)

DC IN(+13.8Vmax)

AC IN

AC IN

FRONT DOOR



CORE Technology Inc.
REV. 1
BB00051
TESTED
BURN IN
POT1 VOLTAGE ADJ.
AL7=18.19
AL7=15.16
+V02=20.21,22
ACF=17
TEMP=6

Magnetron
W90S012-5
252AXH
N.O.20A 250VAC
M.C.10A 30VDC
TOP VIEW
C011 5VDC
Made in China

YAGEO 807
10W5-1.0J

HAMLIN
HE721A0500
9738 91

