

G0783ZK A

[illegible]

..2	0180	@A6@	12401	Kondens.SMD 4,7pF ±0,25pF,50V,0805	3,000 ST
..2	0190	@A6@	15321	Universaldiode SMD LL4148 100,0V 150mA	10,000 ST
..2	0200	@A6@	23663	Bipolarer Transistor PNP BCX17 100MHz	6,000 ST
..2	0210	@A6@	23861	Bipolarer Transistor NPN BCX19 150MHz	5,000 ST
..2	0220	@A6@	41715	Pindiode BA679-GS18 30V 0,050A MiniMELF	8,000 ST
..2	0230	@A6@	42010	Spule SMD 100nH ±5% 1206 verg.Keramikk.	4,000 ST
..2	0240	@A6@	51078	Spule SMD 68nH ±5% 1206 verg.Keramikk.	2,000 ST
..2	0250	@A6@	53751	Leuchtdiode Ø3mm rot	1,000 ST
..2	0260	@A6@	56168	Spule SMD 270nH ±5% 1206 verg.Keramikk.	1,000 ST
..2	0270	@A6@	57877	IC SMD LM393M SO8 2fach Komparator	8,000 ST
..2	0280	@A6@	58446	Spule SMD 220nH ±5% 1206 verg.Keramikk.	1,000 ST
..2	0290	@A6@	61440	Schottky-Diode SMD BAS70-04 -70V	7,000 ST
..2	0300	@A6@	62877	Spule SMD 1µH ±5% 1206 verg.Keramikk.	7,000 ST
..2	0310	@A6@	67045	Kontaktstreifen Klebemon.Tender Finger	0,040 M
..2	0320	@A6@	68668	Wid SMD 15,0Ohm ±5%,0,25W,1206	2,000 ST
..2	0330	@A6@	70300	Spule SMD 47nH ±5% 1206 verg.Keramikk.	2,000 ST
..2	0340	@A6@	75564	Spule SMD 12nH ±10% 1206 verg.Keramikk.	4,000 ST
..2	0350	@A6@	75655	Spule SMD 330nH ±5% 1206 verg.Keramikk.	23,000 ST
..2	0360	@A6@	85316	IC-Spann.Regler SMD LTC1044CS8 -1,5-12V	2,000 ST
..2	0370	@A6@	90092	Zenerdiode SMD ZMM4,3 4,3V,0,5W,MiniMELF	2,000 ST
..2	0380	@A6@	94037	Kondens.SMD 100,0pF 50V,0603	4,000 ST
..2	0390	@A6@	99200	Wid SMD 820,0Ohm ±5%,0,25W,1206	1,000 ST
..2	0400	@A6@	106047	IC SMD 74HC244D SO20 Octal 3 statedriver	1,000 ST
..2	0410	@A6@	110130	Miniatur-SMD-Isolator 0,947GHz	1,000 ST
..2	0420	@A6@	117549	Spule SMD 22nH ±5% 1206 verg.Keramikk.	1,000 ST
..2	0430	@A6@	117556	Spule SMD 33nH ±5% 1206 verg.Keramikk.	4,000 ST
..2	0440	@A6@	117572	Spule SMD 120nH ±5% 1206 verg.Keramikk.	2,000 ST
..2	0450	@A6@	118653	MMS-Buchse 50,0Ohm	5,000 ST
..2	0460	@A6@	120543	Kondens.1,0µF 25V,Baugröße A	10,000 ST
..2	0470	@A6@	130666	Dämpfungsglied 30dB SO-16 AT220 4Bit	2,000 ST
..2	0480	@A6@	131631	Kondens.SMD 0,5pF ±0,25pF,0603	3,000 ST
..2	0490	@A6@	131649	Kondens.SMD 1,0pF ±0,25pF,0603	1,000 ST
..2	0500	@A6@	131664	Kondens.SMD 2,2pF ±0,25pF,0603,NPO	5,000 ST
..2	0510	@A6@	131672	Kondens.SMD 47,0pF ±5%,0603 50V	19,000 ST
..2	0520	@A6@	131680	Kondens.SMD 10,0pF ±0,25pF,0603	5,000 ST
..2	0530	@A6@	131698	Kondens.SMD 1,0nF ±5%,0603 COG/NPO	294,000 ST

..2	0540	@A6@	131706	Wid SMD 0,0Ohm $\pm 2\%$,0,063W,0603			67,000	ST
..2	0550	@A6@	131714	Wid SMD 12,0Ohm $\pm 1\%$,0,063W,0603			1,000	ST
..2	0560	@A6@	131722	Wid SMD 18,0Ohm $\pm 1\%$,0,063W,0603			5,000	ST
..2	0570	@A6@	131730	Wid SMD 47,0Ohm $\pm 1\%$,0,063W,0603			3,000	ST
..2	0580	@A6@	131748	Wid SMD 100,0Ohm $\pm 1\%$,0,063W,0603			10,000	ST
..2	0590	@A6@	131755	Wid SMD 180,0Ohm $\pm 1\%$,0,063W,0603			4,000	ST
..2	0600	@A6@	131763	Wid SMD 220,0Ohm $\pm 1\%$,0,063W,0603			19,000	ST
..2	0610	@A6@	131771	Wid SMD 270,0Ohm $\pm 1\%$,0,063W,0603			2,000	ST
..2	0620	@A6@	131789	Wid SMD 820,0Ohm $\pm 1\%$,0,063W,0603			2,000	ST
..2	0630	@A6@	131797	Wid SMD 1,0kOhm $\pm 1\%$,0,063W,0603			14,000	ST
..2	0640	@A6@	131805	Wid SMD 1,8kOhm $\pm 1\%$,0,063W,0603			1,000	ST
..2	0650	@A6@	131821	Wid SMD 3,3kOhm $\pm 1\%$,0,063W,0603			2,000	ST
..2	0660	@A6@	131847	Wid SMD 10,0kOhm $\pm 1\%$,0,063W,0603			34,000	ST
..2	0670	@A6@	131854	Wid SMD 100,0kOhm $\pm 1\%$,0,063W,0603			15,000	ST
..2	0680	@A6@	133835	OP-Single Supply LM258DR2 SO-8 2 Systeme			3,000	ST
..2	0690	@A6@	134700	Wid SMD 2,7kOhm $\pm 1\%$,0,063W,0603			2,000	ST
..2	0700	@A6@	138875	Wid SMD 1,0Ohm $\pm 5\%$,0,125W,0805			4,000	ST
..2	0710	@A6@	138909	Wid SMD 1,8Ohm $\pm 5\%$,0,125W,0805			3,000	ST
..2	0720	@A6@	140201	IC SMD 74 HC 00 NAND-Gatter			1,000	ST
..2	0730	@A6@	140381	Wid SMD 10,0Ohm $\pm 1\%$,0,063W,0603			8,000	ST
..2	0740	@A6@	140482	GaAs-Fet Verstärker CLY 5			1,000	ST
..2	0750	@A6@	140483	GaAs-Fet Verstärker CLY 10			1,000	ST
..2	0760	@A6@	141902	Leuchtdiode Ø3mm rot/grün LDE 302			1,000	ST
..2	0770	@A6@	141957	Filter NFM4516P13C204FT1			6,000	ST
..2	0780	@A6@	141958	Filter NFM3212R13C471RT1			12,000	ST
..2	0790	@A6@	142275	Kondens.4,7µF SMD 10V,Elko-Tantal			32,000	ST
..2	0800	@A6@	142305	ENH-MOSFET-N Typ:BSS 138 GEG			3,000	ST
..2	0810	@A6@	142562	Kondens.SMD 100,0nF 16,0V,0603, $\pm 10\%$			4,000	ST
..2	0820	@A6@	142573	Kondens.SMD 56,0pF 63,0V,0603			4,000	ST
..2	0830	@A6@	142714	Wid SMD 22,0kOhm $\pm 1\%$,0,063W,0603			4,000	ST
..2	0840	@A6@	142715	Wid SMD 470,0Ohm $\pm 1\%$,0,063W,0603			2,000	ST
..2	0850	@A6@	142806	SAW Filter TFS195X bw25MHz fc195MHz	D142806	C	2,000	ST
..2	0860	@A6@	142825	IC SMD MAX471CSA Current-Sense Amplifier			2,000	ST
..2	0870	@A6@	142899	SAW Filter TFS150X bw25MHz fc150MHz	D142899	C	2,000	ST
..2	0880	@A6@	143387	Spule SMD 10nH $\pm 5\%$ AVX 0805,Accu-L HF			3,000	ST
..2	0890	@A6@	143505	Spule SMD 6,8nH $\pm 5\%$ 2012 High Frequenz			2,000	ST

..2	0900	@A6@	143603	Kleinspanng.Schaltbuchse DC-Buchse 2,1mm		1,000	ST
..2	0910	@A6@	143767	Kondens.SMD 100,0nF ±10%,50V,0805, X7R		37,000	ST
..2	0920	@A6@	143794	Kondens.SMD 220,0nF ±10%,16V,0805		2,000	ST
..2	0930	@A6@	143829	Varactordiode SMD MA4ST083CK-287 SOT-23		2,000	ST
..2	0940	@A6@	143938	Spule SMD 8,2nH ±5% 2012 High Frequenz		1,000	ST
..2	0950	@A6@	144025	Buchsenleiste,3-polig einreihig SMD		10,000	ST
..2	0960	@A6@	144058	2-Way-Splitter,STH-01R SMD,800-1000MHz		6,000	ST
..2	0970	@A6@	144065	Wid SMD 12,0kOhm ±1%,0,063W,0603		1,000	ST
..2	0980	@A6@	144066	Wid SMD 2,4kOhm ±1%,0,063W,0603		1,000	ST
..2	0990	@A6@	144115	Kondens.SMD 10,0nF 63V,0603,±15%		12,000	ST
..2	1000	@A6@	144117	Kondens.SMD 4,7pF 63V,0603		1,000	ST
..2	1010	@A6@	144121	Kondens.SMD 15pF 63V,0603,NPO		10,000	ST
..2	1020	@A6@	144125	Wid SMD 22,0Ohm ±1%,0,063W,0603		8,000	ST
..2	1030	@A6@	144127	Wid SMD 47kOhm ±1%,0,063W,0603		5,000	ST
..2	1040	@A6@	144128	Wid SMD 33kOhm ±1%,0,063W,0603		2,000	ST
..2	1050	@A6@	144184	Low Drop Regulator 5V MIC5205-5V,150mA	00	4,000	ST
..2	1060	@A6@	144295	Spule SMD 2,7nH ±0,3nH Typ 2012 HF		2,000	ST
..2	1070	@A6@	144372	Bipolarer Verstärker Typ:MAR-2-SM-TR		1,000	ST
..2	1080	@A6@	144374	Bipolarer Verstärker Typ:MAR-4SM-TR		1,000	ST
..2	1090	@A6@	144376	Bipolarer Verstärker Typ:MAR-7SM-TR		2,000	ST
..2	1100	@A6@	144378	Bipolarer Verstärker Typ:ERA-1-SM-TR		4,000	ST
..2	1110	@A6@	144379	Bipolarer Verstärker Typ:ERA-2-SM-TR		9,000	ST
..2	1120	@A6@	144729	Zenerdiode SMD SM6T18 18V SOD6		1,000	ST
..2	1130	@A6@	144733	Kondens.SMD 1,5pF ±5%,50V,0603,NPO		1,000	ST
..2	1140	@A6@	144734	Kondens.SMD 3,3pF ±5%,50V,0603,NPO		4,000	ST
..2	1150	@A6@	144735	Kondens.SMD 22,0pF ±5%,50V,0603,NPO		6,000	ST
..2	1160	@A6@	144738	Kondens.SMD 4,7nF ±10%,50V,0603,X7R		2,000	ST
..2	1170	@A6@	144767	Wid SMD 5,6Ohm ±1%,0,063W,0603		2,000	ST
..2	1180	@A6@	144770	Wid SMD 15,0Ohm ±1%,0,063W,0603		2,000	ST
..2	1190	@A6@	144778	Wid SMD 150,0Ohm ±1%,0,063W,0603		2,000	ST
..2	1200	@A6@	144781	Wid SMD 680,0Ohm ±1%,0,063W,0603		2,000	ST
..2	1210	@A6@	144782	Wid SMD 1,2kOhm ±1%,0,063W,0603		1,000	ST
..2	1220	@A6@	144784	Wid SMD 3,9kOhm ±1%,0,063W,0603		2,000	ST
..2	1230	@A6@	144785	Wid SMD 4,7kOhm ±1%,0,063W,0603		23,000	ST
..2	1240	@A6@	144788	Wid SMD 15,0kOhm ±1%,0,063W,0603		2,000	ST
..2	1250	@A6@	144790	Wid SMD 27,0kOhm ±1%,0,063W,0603		1,000	ST

..2	1260	@A6@	144813	Wid SMD 51,0Ohm $\pm 1\%$,0,063W,0603	6,000	ST
..2	1270	@A6@	144821	PLL Synthesizer LMX2325 National,TSSOP20	2,000	ST
..2	1280	@A6@	145207	Bipolarer Transistor BDP950/PNP,SOT-223	1,000	ST
..2	1290	@A6@	145224	Bipolarer Verstärker Typ:ERA-3SM-TR	1,000	ST
..2	1300	@A6@	145503	Schwingquarz 10MHz Gehäuse:HC-45/SMD-3	2,000	ST
..2	1310	@A6@	145821	Wid Poti SMD 20,0KOHM $\pm 20\%$	3,000	ST
..2	1320	@A6@	146089	Kondens.SMD 2,7pF $\pm 0,25$ pF,0603,NPO	7,000	ST
..2	1330	@A6@	146145	Wid Poti SMD 1,0KOHM $\pm 20\%$	2,000	ST
..2	1340	@A6@	146147	Kondens.SMD 3,3nF $\pm 10\%$,50V,0603	1,000	ST
..2	1350	@A6@	146148	Wid SMD 4,3kOhm $\pm 1\%$,0,063W,0603	3,000	ST
..2	1360	@A6@	146149	Wid SMD 5,1kOhm $\pm 1\%$,0,063W,0603	3,000	ST
..2	1370	@A6@	146151	Kondens.SMD 680,0pF 50V,0603	4,000	ST
..2	1380	@A6@	146152	Kondens.SMD 5,6pF 50V,0603	1,000	ST
..2	1390	@A6@	146396	Wid SMD 91,0kOhm $\pm 1\%$,0,063W,0603	2,000	ST
..2	1400	@A6@	147050	Spule SMD 12nH 0805 $\pm 5\%$ vergoss.Ausführ.	4,000	ST
..2	1410	@A6@	147321	GaAs-Fet Verstärker SNA-386,DC-3GHz,SMD	2,000	ST
..2	1420	@A6@	147777	NPN Silicon RF-Trans.BFR193 2GHz SOT23	2,000	ST
..2	1430	@A6@	148011	GaAs LNA AM50-0003 800-1000MHz Nf 1,2dB	3,000	ST
..2	1440	@A6@	148029	Kondens.SMD 8,2pF 50V,0603	1,000	ST
..2	1450	@A6@	148031	Kondens.SMD 39pF $\pm 5\%$,63V,0603	4,000	ST
..2	1460	@A6@	148035	Kondens.SMD 3,9pF 50V,0603	2,000	ST
..2	1470	@A6@	148405	Spule SMD 2,7nH $\pm 5\%$ 0805 Accu-L	1,000	ST
..2	1480	@A6@	148409	Spule SMD 5,6nH $\pm 5\%$ 0805 Accu-L	1,000	ST
..2	1490	@A6@	148412	Spule SMD 12,0nH $\pm 5\%$ 0805 Accu-L	3,000	ST
..2	1500	@A6@	148415	Spule SMD 22,0nH $\pm 5\%$ 0805 Accu-L	1,000	ST
..2	1510	@A6@	148501	Kondens.SMD 1,8pF 1p8 5% 50V NPO 0603	1,000	ST
..2	1520	@A6@	148692	MMIC Amplifier 250-3500MHz,SOT89	1,000	ST
..2	1530	@A6@	148783	MMIC Amplifier DC-3GHz,SCA-4	1,000	ST
..2	1540	@A6@	148837	Wid SMD 36,0Ohm $\pm 1\%$,0,063W,0603	1,000	ST
..2	1550	@A6@	148838	Wid SMD 43,0Ohm $\pm 1\%$,0,063W,0603	1,000	ST
..2	1560	@A6@	149105	Low Drop Regulator Adj.MIC5205BM5,150mA	2,000	ST
..2	1570	@A6@	149145	Spule SMD 1,8nH $\pm 5\%$ 0805 Accu-L	1,000	ST
..2	1580	@A6@	149715	Wid SMD 75,0Ohm $\pm 1\%$,0,063W,0603	1,000	ST
..2	1590	@A6@	149908	Kodierschalter DRS 13116,HEX-Codierung	5,000	ST
..2	1600	@A6@	149944	Wid SMD 24,0Ohm $\pm 1\%$,0,063W,0603	1,000	ST
..2	1610	@A6@	149975	Wid SMD 430,0Ohm $\pm 1\%$,0,063W,0603	2,000	ST

..2	1620	@A6@	151044	Low Drop Regulat.SMD MIC29302BU 3A TO263					2,000	ST
..2	1630	@A6@	151064	Western-Modular-Printbuchse SMD 8P8					1,000	ST
..2	1640	@A6@	151452	Wid SMD 510,0Ohm $\pm 1\%$,0,063W,0603					1,000	ST
..2	1650	@A6@	151698	Wid SMD 13,0kOhm $\pm 1\%$,0,063W,0603					1,000	ST
..2	1660	@A6@	152456	GaAs-Verstärker NGA-589 DC-6,0GHz,SMD					5,000	ST
..2	1670	@A6@	152459	Mischer ADE-30 SMD LO/RF 200-3000MHz					8,000	ST
..2	1680	@A6@	153604	Kondens.SMD 22,0nF $\pm 10\%$,50/63V,0603					2,000	ST
..2	1690	@A6@	154958	Spule SMD 39,0nH 0805					2,000	ST
.1	0030	@A6@	10371	LKS M2,0x4 DIN7985 WSt:1.4301					4,000	ST
.1	0040	@A6@	152100	SMA-Buchse 50,0Ohm 4-Loch,gewinkelt					1,000	ST
.1	0050	@A6@	149359	Wandmontageplan D.I.C.E.Wireless	00	G0738GF	B		1,000	ST
.1	0060	@A6@	131698	Kondens.SMD 1,0nF $\pm 5\%$,0603 COG/NPO					1,000	ST
.1	0070	@A6@	131706	Wid SMD 0,0Ohm $\pm 2\%$,0,063W,0603					5,000	ST
.1	0080	@A6@	143448	SAW Filter SAFC902.5MC 902,5MHz SMD					4,000	ST
.1	0090	@A6@	143449	SAW Filter SAFC947.5MC 947,5MHz SMD					3,000	ST
.1	0100	@A6@	150626	Duplexer4DKN712141 T-5 UL:890-915MHz	00	D150626	B		2,000	ST
.1	0110	@A6@	154687	Microcontr.prog.16C56 SOIC18 2,5-6,25V				X	1,000	ST
..2	0010	@A6@	148922	Microcontroller PIC 16C56A-04/SO-4MHz					1,000	ST
..2	0020	@A6@	154689	SW MR303 varia(GSM) PIC1 für PIC16C56-04	00	D154689	A		1,000	ST
.1	0120	@A6@	154688	Microcontr.prog.16C56 SOIC18 2,5-6,25V				X	1,000	ST
..2	0010	@A6@	148922	Microcontroller PIC 16C56A-04/SO-4MHz					1,000	ST
..2	0020	@A6@	154690	SW MR303 varia(GSM) PIC2 für PIC16C56-04	00	D154690	A		1,000	ST
.1	0130	@A6@	153114	Manual MR303D Varia	01	M0041A8	B		1,000	ST
.1	0140	@A6@	151046	Verpackung f.MR303 VARIA					1,000	ST