

Troy 2.0 – Pictures for EMC Test Setups (7000AHB)

EMISSIONS TEST REPORT

Report Number: 101276754BOX-001

Project Number: G101276754

Report Issue Date: 08/18/2013

NOTE: This document provides the setup photographs to complement the above test report. Photographs are organized per the section they belong in the test report.

PHILIPS HOME MONITORING PROPRIETARY

THIS DOCUMENT AND THE INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF PHILIPS HOME MONITORING AND, EXCEPT FOR THE RIGHTS EXPRESSLY GRANTED BY THE CONTRACT, THIS DOCUMENT SHALL BE HELD IN THE STRICTEST CONFIDENCE AND SHALL NOT BE REPRODUCED, USED OR DISCLOSED, IN WHOLE OR IN PART, WITHOUT EXPRESS WRITTEN PERMISSION OF PHILIPS HOME MONITORING.

Table of Contents

6.	Fundamental Frequency Radiated Emissions	3
6.4.	Setup Photographs	3
7.	Fundamental Frequency Radiated Emissions	7
7.4.	Setup Photographs	7
8.	Receiver Spurious Radiated Emissions	17
8.4.	Setup Photographs	17
9.	20 dB Bandwidth	21
9.4.	Setup Photographs	21

6. Fundamental Frequency Radiated Emissions


6.4. Setup Photographs

X-Axis (EUT on its short side)





Y-Axis (EUT on its long side)



Z-Axis (EUT on its back)



7. Fundamental Frequency Radiated Emissions


7.4. Setup Photographs



X-Axis (EUT on its short side), 30-1000 MHz




Y-Axis (EUT on its long side), 30-1000 MHz



Z-Axis (EUT on its back side), 30-1000 MHz




X-Axis (EUT on its short side), 1-10 GHz






Y-Axis (EUT on its long side), 1-10 GHz





Z-Axis (EUT on its back side), 1-10 GHz





8. Receiver Spurious Radiated Emissions


8.4. Setup Photographs

30-1000 MHz (Idle/Receiver Mode)





1-10GHz (Receive Mode)





9. 20 dB Bandwidth

9.4. Setup Photographs

