

**Philips Lifeline**  
 111 Lawrence Street  
 Framingham, MA 01702-8156  
 CAGE CODE NO. 0S0W2

**ENGINEERING SPECIFICATION NO.**  
**PART NUMBER**


<b>D000285744</b>
<b>300003688021</b>

<p><b><u>PHILIPS LIFELINE PROPRIETARY</u></b>          THIS DOCUMENT AND THE INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF PHILIPS LIFELINE AND, EXCEPT FOR THE RIGHTS EXPRESSLY GRANTED BY THE CONTRACT, THIS DOCUMENT SHALL BE HELD IN THE STRICTEST CONFIDENCE AND SHALL NOT BE REPRODUCED, USED OR DISCLOSED, IN WHOLE OR IN PART, WITHOUT EXPRESS WRITTEN PERMISSION OF PHILIPS LIFELINE.</p>
---

**PROGRAM NAME: 7250MHB**

**SPECIFICATION TITLE: SPECIFICATION, LABEL, LOWER HOUSING, 7250MHB**

							<b>DATE</b>
<b>PREPARED BY: I.RICE</b>							03/06/2019
<b>PART CLASSIFICATION</b> A <input type="checkbox"/> B <input type="checkbox"/> C <input checked="" type="checkbox"/>							
<b>REVISIONS</b>							
REV	DESCRIPTION	DATE	APPROVAL	REV	DESCRIPTION	DATE	APPROVAL
A	Release to Control per CN105863	04 April 2019	TU				



### 7250MHB Rear Laser Etching

Laser Etch Content Details – see Table 1 below:

Item	Description	Notes
1	<del>Philips</del> Lifeline Logo	min width 12.5 mm
2	GTIN Number	884838093638
3	Refer to IFU Icon	ISO 7000-1641
4	Serial Number	126XXXXXX, last 7 digits variable
5	Model Number	7250MHB
6	Applied Part Icon	IEC 60417-5333
7	Last 4 Digits of Serial Number	variable
8	Date of Manufacture	variable, YYYYMMDD
9	Engineering Part Number	300002706311
10	Emmission Icon	IEC 60417-5140
11	Ingress Protection (IP) Rating	IP67
12	FCC ID, IC code	USA and Canada Regulatory ID FCC ID: BDZ7250MHB IC: 655C-7250MHB
13	Product Barcode	variable
14	UBLOX FCC ID, IC code	USA and Canada Regulatory ID FCC ID: XPY1DIQN3NN IC: 8595A-1DIQN3NN

Table 1 – Content Details

ADD ITEM 14:  
 UBLOX FCC ID AND  
 IC CODE

Laser Etch Settings – see Table 2 below:

Parameter	Housing Material
	SABIC HMG47MD FDA MEDICAL ABS, CYCOLAC
Power (W)	
Filling Density (mm)	
Speed (mm/s)	
Frequency (KHz)	

General Notes: **D000285744B\_AW**

1. Refer to ~~D000285744A\_AW~~ file for actual images, fonts, and all other details.
2. Placement dimensions +/- 0.50 mm unless otherwise specified.