


Specification

Power Supply:

- 5 V  2 A (AC Adapter)
- Built-in rechargeable battery

Power consumption: Refer to the main label.

Dimensions (W x H x D):

- Approx. 138 mm X 74.6 mm X 38.3 mm

Operating Temperature: 5 °C to 35 °C

Operating Humidity: 5 % to 60 %

Water-proof: IPX5

- Degree of protection against jets of water.


Battery Life: Approx. 5 hours

(Varies by volume level and audio content.)

- Design and specifications are subject to change without notice.

Important Notice

- Fully charge the device before using for the first time.
- It is recommended that you use the 5 V AC adapter (more than 2 A) with this unit
- **Resetting**
If have a malfunction with the speaker, press the **RESET** button.



For more information, download the online owner's manual. <http://www.lg.com>

ENGLISH


LED 1 (Battery LED) status

Fully Charged: Green → White (with the power on),
Green → Off (with the power off) / Charging: Red

LED 1 (Battery LED) status

Green: ≥ 70 % / Amber: > 10 %

⚠ Blinking red indicates the battery needs to be charged.



Power	Power On / Off	Press ⏻
Battery	Check Battery Status	Hold ⏻ for 2 seconds
Bluetooth	To pair your mobile device, select LG-PN1(XX) from device list. (LED 2 (Bluetooth LED): Blink → ON)	
	Ready to pair another device	Hold ⌘ for 2 seconds
Playback Controls	Play / Pause	Press ▶
	Forward Skip	Press ▶ X 2
	Backward Skip	Press ▶ X 3


Handsfree	Receive / Disconnect Press ▶
Volume	Volume Control Press — or +
Voice Command	Use voice command of your smart device Press ⏏
Dual Mode	Hold ⏏ for 2 seconds of the each speaker's. (LED 1 (Dual Mode LED): Blink → Blink)

Dual Mode



Specification

Power Supply:

- 5 V  2 A (AC Adapter)
- Built-in rechargeable battery

Power consumption: Refer to the main label.

Dimensions (W x H x D):

- Approx. 138 mm X 74.6 mm X 38.3 mm

Operating Temperature: 5 °C to 35 °C

Operating Humidity: 5 % to 60 %

Water-proof: IPX5

- Degree of protection against jets of water.


Battery Life: Approx. 5 hours

(Varies by volume level and audio content.)

- Design and specifications are subject to change without notice.

Important Notice

- Fully charge the device before using for the first time.
- It is recommended that you use the 5 V AC adapter (more than 2 A) with this unit
- **Resetting**
If have a malfunction with the speaker, press the **RESET** button.



For more information, download the online owner's manual. <http://www.lg.com>

ENGLISH


LED 1 (Battery LED) status

Fully Charged: Green → White (with the power on),
Green → Off (with the power off) / Charging: Red

LED 2 (Bluetooth LED) status

Green: ≥ 70 % / Amber: > 10 %

ⓘ Blinking red indicates the battery needs to be charged.



Power	Power On / Off	Press
Battery	Check Battery Status	Hold for 2 seconds
Bluetooth	To pair your mobile device, select LG-PN1(XX) from device list. (LED 2 (Bluetooth LED): Blink → ON)	
	Ready to pair another device	Hold for 2 seconds
Playback Controls	Play / Pause	Press
	Forward Skip	Press X 2
	Backward Skip	Press X 3


Handsfree	Receive / Disconnect Press ▶
Volume	Volume Control Press — or +
Voice Command	Use voice command of your smart device Press ⏻
Dual Mode	Hold ⌘ for 2 seconds of the each speaker's. (LED 1 (Dual Mode LED): Blink → Blink)

Dual Mode



Specification

Power Supply:

- 5 V  2 A (AC Adapter)
- Built-in rechargeable battery

Power consumption: Refer to the main label.

Dimensions (W x H x D):

- Approx. 138 mm X 74.6 mm X 38.3 mm

Operating Temperature: 5 °C to 35 °C

Operating Humidity: 5 % to 60 %

Water-proof: IPX5

- Degree of protection against jets of water.


Battery Life: Approx. 5 hours

(Varies by volume level and audio content.)

- Design and specifications are subject to change without notice.

Important Notice

- Fully charge the device before using for the first time.
- It is recommended that you use the 5 V AC adapter (more than 2 A) with this unit
- **Resetting**
If have a malfunction with the speaker, press the **RESET** button.



For more information, download the online owner's manual. <http://www.lg.com>

ENGLISH


LED 1 (Battery LED) status

Fully Charged: Green → White (with the power on),
Green → Off (with the power off) / Charging: Red

LED 2 (Bluetooth LED) status

Green: ≥ 70 % / Amber: > 10 %

⚠ Blinking red indicates the battery needs to be charged.



Power	Power On / Off	Press ⏻
Battery	Check Battery Status	Hold ⏻ for 2 seconds
Bluetooth	To pair your mobile device, select LG-PN1(XX) from device list. (LED 2 (Bluetooth LED): Blink → ON)	
	Ready to pair another device	Hold ⌘ for 2 seconds
Playback Controls	Play / Pause	Press ⏮
	Forward Skip	Press ⏭ X 2
	Backward Skip	Press ⏮ X 3


Handsfree	Receive / Disconnect Press ▶
Volume	Volume Control Press - or +
Voice Command	Use voice command of your smart device Press ⏏
Dual Mode	Hold ⏏ for 2 seconds of the each speaker's. (LED 1 (Dual Mode LED): Blink → Blink)

Dual Mode



Specification

Power Supply:

- 5 V  2 A (AC Adapter)
- Built-in rechargeable battery

Power consumption: Refer to the main label.

Dimensions (W x H x D):

- Approx. 138 mm X 74.6 mm X 38.3 mm

Operating Temperature: 5 °C to 35 °C

Operating Humidity: 5 % to 60 %

Water-proof: IPX5

- Degree of protection against jets of water.


Battery Life: Approx. 5 hours

(Varies by volume level and audio content.)

- Design and specifications are subject to change without notice.

Important Notice

- Fully charge the device before using for the first time.
- It is recommended that you use the 5 V AC adapter (more than 2 A) with this unit
- **Resetting**
If have a malfunction with the speaker, press the **RESET** button.



For more information, download the online owner's manual. <http://www.lg.com>

ENGLISH


LED 1 (Battery LED) status

Fully Charged: Green → White (with the power on),
Green → Off (with the power off) / Charging: Red

LED 1 (Battery LED) status

Green: ≥ 70 % / Amber: > 10 %

ⓘ Blinking red indicates the battery needs to be charged.



Power	Power On / Off Press ⏻
Battery	Check Battery Status Hold ⏻ for 2 seconds
Bluetooth	To pair your mobile device, select LG-PN1(XX) from device list. (LED 2 (Bluetooth LED): Blink → ON)
	Ready to pair another device Hold ⌘ for 2 seconds
Playback Controls	Play / Pause Press ⏮
	Forward Skip Press ⏭ X 2
	Backward Skip Press ⏮ X 3


Handsfree	Receive / Disconnect Press ▶
Volume	Volume Control Press - or +
Voice Command	Use voice command of your smart device Press ⏻
Dual Mode	Hold ⏻ for 2 seconds of the each speaker's. (LED 1 (Dual Mode LED): Blink → Blink)

Dual Mode



Specification

Power Supply:

- 5 V  2 A (AC Adapter)
- Built-in rechargeable battery

Power consumption: Refer to the main label.

Dimensions (W x H x D):

- Approx. 138 mm X 74.6 mm X 38.3 mm

Operating Temperature: 5 °C to 35 °C

Operating Humidity: 5 % to 60 %

Water-proof: IPX5

- Degree of protection against jets of water.


Battery Life: Approx. 5 hours

(Varies by volume level and audio content.)

- Design and specifications are subject to change without notice.

Important Notice

- Fully charge the device before using for the first time.
- It is recommended that you use the 5 V AC adapter (more than 2 A) with this unit
- **Resetting**
If have a malfunction with the speaker, press the **RESET** button.



For more information, download the online owner's manual. <http://www.lg.com>

ENGLISH


LED 1 (Battery LED) status

Fully Charged: Green → White (with the power on),
Green → Off (with the power off) / Charging: Red

LED 1 (Battery LED) status

Green: ≥ 70 % / Amber: > 10 %

⚠ Blinking red indicates the battery needs to be charged.



Power	Power On / Off	Press
Battery	Check Battery Status	Hold for 2 seconds
Bluetooth	To pair your mobile device, select LG-PN1(XX) from device list. (LED 2 (Bluetooth LED): Blink → ON)	
	Ready to pair another device	Hold for 2 seconds
Playback Controls	Play / Pause	Press
	Forward Skip	Press X 2
	Backward Skip	Press X 3


Handsfree	Receive / Disconnect Press ▶
Volume	Volume Control Press — or +
Voice Command	Use voice command of your smart device Press ⏺
Dual Mode	Hold Ⓜ for 2 seconds of the each speaker's. (LED 1 (Dual Mode LED): Blink → Blink)

Dual Mode



Specification

Power Supply:

- 5 V  2 A (AC Adapter)
- Built-in rechargeable battery

Power consumption: Refer to the main label.

Dimensions (W x H x D):

- Approx. 138 mm X 74.6 mm X 38.3 mm

Operating Temperature: 5 °C to 35 °C

Operating Humidity: 5 % to 60 %

Water-proof: IPX5

- Degree of protection against jets of water.


Battery Life: Approx. 5 hours

(Varies by volume level and audio content.)

- Design and specifications are subject to change without notice.

Important Notice

- Fully charge the device before using for the first time.
- It is recommended that you use the 5 V AC adapter (more than 2 A) with this unit
- **Resetting**
If have a malfunction with the speaker, press the **RESET** button.



For more information, download the online owner's manual. <http://www.lg.com>

ENGLISH


LED 1 (Battery LED) status

Fully Charged: Green → White (with the power on),
Green → Off (with the power off) / Charging: Red

LED 1 (Battery LED) status

Green: ≥ 70 % / Amber: > 10 %

ⓘ Blinking red indicates the battery needs to be charged.



Power	Power On / Off	Press ⏻
Battery	Check Battery Status	Hold ⏻ for 2 seconds
Bluetooth	To pair your mobile device, select LG-PN1(XX) from device list. (LED 2 (Bluetooth LED): Blink → ON)	
	Ready to pair another device	Hold ⌘ for 2 seconds
Playback Controls	Play / Pause	Press ⏮
	Forward Skip	Press ⏭ X 2
	Backward Skip	Press ⏮ X 3


Handsfree	Receive / Disconnect Press ▶/◀
Volume	Volume Control Press — or +
Voice Command	Use voice command of your smart device Press ⏻
Dual Mode	Hold ⌘ for 2 seconds of the each speaker's. (LED 1 (Dual Mode LED): Blink → Blink)

Dual Mode



Specification

Power Supply:

- 5 V  2 A (AC Adapter)
- Built-in rechargeable battery

Power consumption: Refer to the main label.

Dimensions (W x H x D):

- Approx. 138 mm X 74.6 mm X 38.3 mm

Operating Temperature: 5 °C to 35 °C

Operating Humidity: 5 % to 60 %

Water-proof: IPX5

- Degree of protection against jets of water.


Battery Life: Approx. 5 hours

(Varies by volume level and audio content.)

- Design and specifications are subject to change without notice.

Important Notice

- Fully charge the device before using for the first time.
- It is recommended that you use the 5 V AC adapter (more than 2 A) with this unit
- **Resetting**
If have a malfunction with the speaker, press the **RESET** button.



For more information, download the online owner's manual. <http://www.lg.com>

ENGLISH


LED 1 (Battery LED) status

Fully Charged: Green → White (with the power on),
Green → Off (with the power off) / Charging: Red

LED 1 (Battery LED) status

Green: ≥ 70 % / Amber: > 10 %

ⓘ Blinking red indicates the battery needs to be charged.



Power	Power On / Off	Press ⏻
Battery	Check Battery Status	Hold ⏻ for 2 seconds
Bluetooth	To pair your mobile device, select LG-PN1(XX) from device list. (LED 2 (Bluetooth LED): Blink → ON)	
	Ready to pair another device	Hold ⌘ for 2 seconds
Playback Controls	Play / Pause	Press ⏮
	Forward Skip	Press ⏭ X 2
	Backward Skip	Press ⏮ X 3


Handsfree	Receive / Disconnect Press ▶
Volume	Volume Control Press — or +
Voice Command	Use voice command of your smart device Press ⏺
Dual Mode	Hold ⏺ for 2 seconds of the each speaker's. (LED 1 (Dual Mode LED): Blink → Blink)

Dual Mode



Specification

Power Supply:

- 5 V  2 A (AC Adapter)
- Built-in rechargeable battery

Power consumption: Refer to the main label.

Dimensions (W x H x D):

- Approx. 138 mm X 74.6 mm X 38.3 mm

Operating Temperature: 5 °C to 35 °C

Operating Humidity: 5 % to 60 %

Water-proof: IPX5

- Degree of protection against jets of water.


Battery Life: Approx. 5 hours

(Varies by volume level and audio content.)

- Design and specifications are subject to change without notice.

Important Notice

- Fully charge the device before using for the first time.
- It is recommended that you use the 5 V AC adapter (more than 2 A) with this unit
- **Resetting**
If have a malfunction with the speaker, press the **RESET** button.



For more information, download the online owner's manual. <http://www.lg.com>

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

ENGLISH

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Portable Bluetooth Speaker is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.lg.com/global/support/cedoc/cedoc#>

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm







FCC regulatory conformance:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a **Class B** digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

NOTE: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

RF Exposure

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.