



**LTE band 12/17 (1.4 MHz – QPSK\_Full RB)**

Low Channel




**LTE band 12/17 (1.4 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 12/17 (1.4 MHz – QPSK\_Full RB)**

High Channel




**LTE band 12/17 (1.4 MHz – QPSK\_1 RB)**

High Channel




**LTE band 12/17 (3 MHz – QPSK\_Full RB)**

Low Channel




**LTE band 12/17 (3 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 12/17 (3 MHz – QPSK\_Full RB)**

High Channel




**LTE band 12/17 (3 MHz – QPSK\_1 RB)**

High Channel




**LTE band 12/17 (5 MHz – QPSK\_Full RB)**

Low Channel




**LTE band 12/17 (5 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 12/17 (5 MHz – QPSK\_Full RB)**

High Channel




**LTE band 12/17 (5 MHz – QPSK\_1 RB)**

High Channel




**LTE band 12/17 (10 MHz – QPSK\_Full RB)**

Low Channel



**LTE band 12/17 (10 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 12/17 (10 MHz – QPSK\_Full RB)**

High Channel



**LTE band 12/17 (10 MHz – QPSK\_1 RB)**

High Channel






**LTE band 13 (5 MHz – QPSK\_Full RB)**

Low Channel



**LTE band 13 (5 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 13 (5 MHz – QPSK\_Full RB)**

High Channel




**LTE band 13 (5 MHz – QPSK\_1 RB)**

High Channel




**LTE band 13 (10 MHz – QPSK\_Full RB)**

Low Channel




**LTE band 13 (10 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 13 (10 MHz – QPSK\_Full RB)**

High Channel



**LTE band 13 (10 MHz – QPSK\_1 RB)**

High Channel



**LTE band 25/2 (1.4 MHz – QPSK\_Full RB)**

Low Channel



**LTE band 25/2 (1.4 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 25/2 (1.4 MHz – QPSK\_Full RB)**

High Channel




**LTE band 25/2 (1.4 MHz – QPSK\_1 RB)**

High Channel




**LTE band 25/2 (3 MHz – QPSK\_Full RB)**

Low Channel



**LTE band 25/2 (3 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 25/2 (3 MHz – QPSK\_Full RB)**

High Channel



**LTE band 25/2 (3 MHz – QPSK\_1 RB)**


High Channel






**LTE band 25/2 (5 MHz – QPSK\_Full RB)**

Low Channel




**LTE band 25/2 (5 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 25/2 (5 MHz – QPSK\_Full RB)**

High Channel




**LTE band 25/2 (5 MHz – QPSK\_1 RB)**

High Channel




**LTE band 25/2 (10 MHz – QPSK\_Full RB)**

Low Channel



**LTE band 25/2 (10 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 25/2 (10 MHz – QPSK\_Full RB)**

High Channel



**LTE band 25/2 (10 MHz – QPSK\_1 RB)**

High Channel




**LTE band 25/2 (15 MHz – QPSK\_Full RB)**

Low Channel



**LTE band 25/2 (15 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 25/2 (15 MHz – QPSK\_Full RB)**

High Channel



**LTE band 25/2 (15 MHz – QPSK\_1 RB)**

High Channel




**LTE band 25/2 (20 MHz – QPSK\_Full RB)**

Low Channel




**LTE band 25/2 (20 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 25/2 (20 MHz – QPSK\_Full RB)**

High Channel



**LTE band 25/2 (20 MHz – QPSK\_1 RB)**


High Channel






**LTE band 26/5 (1.4 MHz – QPSK\_Full RB)**

Low Channel



**LTE band 26/5 (1.4 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 26/5 (1.4 MHz – QPSK\_Full RB)**

High Channel




**LTE band 26/5 (1.4 MHz – QPSK\_1 RB)**

High Channel




**LTE band 26/5 (3 MHz – QPSK\_Full RB)**

Low Channel




**LTE band 26/5 (3 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 26/5 (3 MHz – QPSK\_Full RB)**

High Channel




**LTE band 26/5 (3 MHz – QPSK\_1 RB)**

High Channel




**LTE band 26/5 (5 MHz – QPSK\_Full RB)**

Low Channel



**LTE band 26/5 (5 MHz – QPSK\_1 RB)**


Low Channel



**LTE band 26/5 (5 MHz – QPSK\_Full RB)**  
 High Channel




**LTE band 26/5 (5 MHz – QPSK\_1 RB)**  
 High Channel




**LTE band 26/5 (10 MHz – QPSK\_Full RB)**

Low Channel



**LTE band 26/5 (10 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 26/5 (10 MHz – QPSK\_Full RB)**

High Channel



**LTE band 26/5 (10 MHz – QPSK\_1 RB)**


High Channel






**LTE band 26 (15 MHz – QPSK\_Full RB)**

Low Channel




**LTE band 26 (15 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 26 (15 MHz – QPSK\_Full RB)**

High Channel




**LTE band 26 (15 MHz – QPSK\_1 RB)**


High Channel




**LTE band 41 (5 MHz – QPSK\_Full RB)**  
 Low Channel




**LTE band 41 (5 MHz – QPSK\_1 RB)**  
 Low Channel



**LTE band 41 (5 MHz – QPSK\_Full RB)**  
 High Channel




**LTE band 41 (5 MHz – QPSK\_1 RB)**  
 High Channel




**LTE band 41 (10 MHz – QPSK\_Full RB)**

Low Channel




**LTE band 41 (10 MHz – QPSK\_1 RB)**


Low Channel




**LTE band 41 (10 MHz – QPSK\_Full RB)**  
 High Channel




**LTE band 41 (10 MHz – QPSK\_1 RB)**  
 High Channel




**LTE band 41 (15 MHz – QPSK\_Full RB)**  
 Low Channel




**LTE band 41 (15 MHz – QPSK\_1 RB)**  
 Low Channel



**LTE band 41 (15 MHz – QPSK\_Full RB)**  
 High Channel




**LTE band 41 (15 MHz – QPSK\_1 RB)**  
 High Channel







**LTE band 41 (20 MHz – QPSK\_Full RB)**  
 Low Channel




**LTE band 41 (20 MHz – QPSK\_1 RB)**  
 Low Channel



**LTE band 41 (20 MHz – QPSK\_Full RB)**  
 High Channel




**LTE band 41 (20 MHz – QPSK\_1 RB)**  
 High Channel




**LTE band 66/4 (1.4 MHz – QPSK\_Full RB)**

Low Channel




**LTE band 66/4 (1.4 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 66/4 (1.4 MHz – QPSK\_Full RB)**

High Channel




**LTE band 66/4 (1.4 MHz – QPSK\_1 RB)**

High Channel




**LTE band 66/4 (3 MHz – QPSK\_Full RB)**

Low Channel



**LTE band 66/4 (3 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 66/4 (3 MHz – QPSK\_Full RB)**

High Channel




**LTE band 66/4 (3 MHz – QPSK\_1 RB)**

High Channel




**LTE band 66/4 (5 MHz – QPSK\_Full RB)**

Low Channel




**LTE band 66/4 (5 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 66/4 (5 MHz – QPSK\_Full RB)**

High Channel



**LTE band 66/4 (5 MHz – QPSK\_1 RB)**


High Channel






**LTE band 66/4 (10 MHz – QPSK\_Full RB)**

Low Channel



**LTE band 66/4 (10 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 66/4 (10 MHz – QPSK\_Full RB)**

High Channel




**LTE band 66/4 (10 MHz – QPSK\_1 RB)**

High Channel




**LTE band 66/4 (15 MHz – QPSK\_Full RB)**

Low Channel



**LTE band 66/4 (15 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 66/4 (15 MHz – QPSK\_Full RB)**

High Channel



**LTE band 66/4 (15 MHz – QPSK\_1 RB)**

High Channel




**LTE band 66/4 (20 MHz – QPSK\_Full RB)**

Low Channel



**LTE band 66/4 (20 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 66/4 (20 MHz – QPSK\_Full RB)**

High Channel




**LTE band 66/4 (20 MHz – QPSK\_1 RB)**

High Channel




**LTE band 71 (5 MHz – QPSK\_Full RB)**

Low Channel




**LTE band 71 (5 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 71 (5 MHz – QPSK\_Full RB)**

High Channel



**LTE band 71 (5 MHz – QPSK\_1 RB)**


High Channel






**LTE band 71 (10 MHz – QPSK\_Full RB)**

Low Channel




**LTE band 71 (10 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 71 (10 MHz – QPSK\_Full RB)**

High Channel




**LTE band 71 (10 MHz – QPSK\_1 RB)**

High Channel




**LTE band 71 (15 MHz – QPSK\_Full RB)**

Low Channel



**LTE band 71 (15 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 71 (15 MHz – QPSK\_Full RB)**

High Channel




**LTE band 71 (15 MHz – QPSK\_1 RB)**

High Channel




**LTE band 71 (20 MHz – QPSK\_Full RB)**

Low Channel




**LTE band 71 (20 MHz – QPSK\_1 RB)**

Low Channel




**LTE band 71 (20 MHz – QPSK\_Full RB)**

High Channel



**LTE band 71 (20 MHz – QPSK\_1 RB)**

High Channel



## 8. Frequency Stability

### 8.1. Limit

#### FCC

- § 2.1055 (a), § 2.1055 (d) & following:

- §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table of this section.

For Mobile devices operating in the 824 to 849 MHz band at a power level less than or equal to 3 Watts, the limit specified in Table C-1 is +/- 2.5 ppm.

- §24.235, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

- §27.54, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

#### IC

- RSS-Gen Issue 5

6.11, for licensed devices, the following measurement conditions apply:

a. at the temperatures of -30°C (-22°F), +20°C (+68°F) and +50°C (+122°F), and at the manufacturer's rated supply voltage

- RSS-130 Issue 2

4.5, the transmitter frequency stability limit shall be determined as follows:

For equipment that is capable of transmitting numerous channels simultaneously for different applications (e.g. LTE and narrowband – internet of things (IoT)), the occupied bandwidth shall be the bandwidth representing the sum of the occupied bandwidths of these channels.

The frequency stability shall be sufficient to ensure that the occupied bandwidth remains within each frequency block range when tested at the temperature and supply voltage variations specified in RSS-Gen.

- RSS-132 Issue 3

5.3, the carrier frequency shall not depart from the reference frequency in excess of ±2.5 ppm for mobile stations and ±1.5 ppm for base stations.

- RSS-133 Issue 6

6.3, the carrier frequency shall not depart from the reference frequency, in excess of ±2.5 ppm for mobile stations and ±1.0 ppm for base stations.

- RSS-139 Issue 3

6.4, the frequency stability shall be sufficient to ensure that the occupied bandwidth stays within the operating frequency block when tested to the temperature and supply voltage variations specified in RSS-Gen.

- RSS-199 Issue 3


4.3, the transmitter frequency stability limit shall be determined as follows:

- (a) the frequency offset shall be measured according to the procedure described in RSS-Gen and recorded.
- (b) using a resolution bandwidth equal to that permitted within the 1 MHz band immediately outside the channel edge, as found in section 4.5, reference points will be selected at the unwanted emission limits, which comply with the attenuation specified in section 4.5 for the type of device under test, on the emission mask of the lowest and highest channels. The frequency at these points shall be recorded as  $f_L$  and  $f_H$  respectively.

The applicant shall ensure compliance with frequency stability requirements by showing that  $f_L$  minus the frequency offset and  $f_H$  plus the frequency offset is within the frequency range in which the equipment is designed to operate.

### 8.2. Test Procedure

1. Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to a Mobile Test Unit via feed-through attenuators.
2. The EUT was placed inside the temperature chamber.
3. After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from Mobile Test Unit.





### 8.3. Test Results

Ambient temperature : (23 ± 1) °C  
 Relative humidity : 47 % R.H.

#### LTE band 7 at middle channel

Reference Frequency: 2 535.0 MHz			
Frequency Stability versus Temperature			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50	12	-3.3	-0.001 3
40		6.4	0.002 5
30		2.5	0.001 0
23		-2.2	-0.000 9
10		-1.4	-0.000 6
0		-3.1	-0.001 2
-10		-5.1	-0.002 0
-20		-3.2	-0.001 3
-30		5.3	0.002 1
Frequency Stability versus Power Supply			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
23	13.8	1.3	0.000 5
	10.2	5.2	0.002 1

**LTE band 12/17 at middle channel**

Reference Frequency: 707.5 MHz			
Frequency Stability versus Temperature			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50	12	1.3	0.001 8
40		-6.4	-0.009 0
30		1.1	0.001 6
23		3.2	0.004 5
10		-4.2	-0.005 9
0		-4.2	-0.005 9
-10		5.4	0.007 6
-20		1.3	0.001 8
-30		2.6	0.003 7
Frequency Stability versus Power Supply			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
23	13.8	4.3	0.006 1
	10.2	-3.2	-0.004 5

**LTE band 13 at middle channel**

Reference Frequency: 782.0 MHz			
Frequency Stability versus Temperature			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50	12	6.2	0.007 9
40		5.6	0.007 2
30		1.1	0.001 4
23		2.4	0.003 1
10		-1.1	-0.001 4
0		-1.6	-0.002 0
-10		-3.1	-0.004 0
-20		2.4	0.003 1
-30		2.8	0.003 6
Frequency Stability versus Power Supply			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
23	13.8	-3.1	-0.004 0
	10.2	2.5	0.003 2

**LTE band 25/2 at middle channel**

Reference Frequency: 1 882.5 MHz			
Frequency Stability versus Temperature			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50	12	3.2	0.001 7
40		2.8	0.001 5
30		3.1	0.001 6
23		4.1	0.002 2
10		-1.8	-0.001 0
0		2.1	0.001 1
-10		-3.4	-0.001 8
-20		4.7	0.002 5
-30		2.4	0.001 3
Frequency Stability versus Power Supply			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
23	13.8	-3.1	-0.001 6
	10.2	-2.4	-0.001 3

**LTE band 26/5 at middle channel**

Reference Frequency: 836.5 MHz			
Frequency Stability versus Temperature			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50	12	3.1	0.003 7
40		-3.5	-0.004 2
30		-4.6	-0.005 5
23		-3.4	-0.004 1
10		-1.2	-0.001 4
0		1.4	0.001 7
-10		3.3	0.003 9
-20		5.3	0.006 3
-30		4.1	0.004 9
Frequency Stability versus Power Supply			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
23	13.8	1.5	0.001 8
	10.2	4.2	0.005 0

**LTE band 41 at middle channel**

Reference Frequency: 2 593.0 MHz			
Frequency Stability versus Temperature			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50	12	2.4	0.000 9
40		4.6	0.001 8
30		-2.1	-0.000 8
23		-2.3	-0.000 9
10		4.4	0.001 7
0		-3.4	-0.001 3
-10		1.5	0.000 6
-20		-5.1	-0.002 0
-30		1.2	0.000 5
Frequency Stability versus Power Supply			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
23	13.8	1.6	0.000 6
	10.2	4.3	0.001 7

**LTE band 66/4 at middle channel**

Reference Frequency: 1 745.0 MHz			
Frequency Stability versus Temperature			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50	12	5.5	0.003 2
40		7.1	0.004 1
30		-2.3	-0.001 3
23		-1.5	-0.000 9
10		2.1	0.001 2
0		3.3	0.001 9
-10		-2.1	-0.001 2
-20		-4.4	-0.002 5
-30		-3.9	-0.002 2
Frequency Stability versus Power Supply			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
23	13.8	-4.4	-0.002 5
	10.2	1.5	0.000 9

**LTE band 71 at middle channel**

Reference Frequency: 680.5 MHz			
Frequency Stability versus Temperature			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50	12	6.3	0.009 3
40		4.7	0.006 9
30		-4.1	-0.006 0
23		-3.6	-0.005 3
10		-1.8	-0.002 6
0		5.1	0.007 5
-10		4.9	0.007 2
-20		-3.8	-0.005 6
-30		5.7	0.008 4
Frequency Stability versus Power Supply			
Environment Temperature (°C)	Power Supplied (V <sub>dc</sub> )	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
23	13.8	4.1	0.006 0
	10.2	2.4	0.003 5

**- End of the Test Report -**