



Modular Approval Declaration Letter AMERICA

HACS-F007 Modular Approval Declaration Letter HCT America LLC (TCB@hctamerica.com) 44364 S. Grimmer Blvd. Fremont, CA 94538 TEL: +1.510.933.8848, Fax: +1.510.933.8849

Page 1 of 2



Date : Jan. 10, 2014

Rev : 2.1

REVISION TABLE

Rev	Description of Change	Date	Approved
1.0	Original Release(Obsolete)	06/14/2012	QM
2.0	Updated Template(Obsolete)	10/01/2012	QM
2.1	Updated address	01/10/2014	QM



HACS-F007 Modular Approval Declaration Letter HCT America LLC (TCB@hctamerica.com) 44364 S. Grimmer Blvd. Fremont, CA 94538 TEL: +1.510.933.8848, Fax: +1.510.933.8849

Page 2 of 2

Date: July 2, 2014

Subject : Modular Approval Declaration Letter

FCC ID: BEJ9QK-TWFMB008D is seeking FCC equipment authorization as

Single Modular Transmitter ■					
☐ Single Limited Modular Transmitter					
Equipment Under Testing ('EUT') satisfy the requirement for					
⊠ Single Modular Approval					
☐ Single Limited Modular Approval					
as detailed in FCC Public Notice DA00-1407.					
Š		∐ NO			
The modular transmitter must have buffered modulation/data inputs.		□NO			
The modular transmitter must have its own power supply regulation.		☐ NO			
The modular transmitter must comply with the antenna requirements of section 15.203 and 15.204(c).	⊠ YES	□NO			
The modular transmitter must be tested in a stand-alone configuration.	YES	☐ NO			
The modular transmitter must be labeled with its own FCC ID number.		☐ NO			
The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacture must provide adequate instruction along with the module to explain any such requirements.	⊠ YES	□NO			
The modular transmitter must comply with any applicable RF exposure requirements.	⊠ YES	□NO			
 Note: Limited modular approval may be granted if EUT does not meet all of the requirement shown above Limited modular approval may be granted in case that the applicant can demonstrate to retain control over the final installation of the device such that compliance of the end product is assured. In that case, an operating condition on the limited modular approval for the module shall state that the module is only designated for the end product manufactured by a specific manufacturer When limited modular approval is sought, the application for equipment certification shall state how control of the end product into which the module will be installed and maintained such that full compliance of the end product is always ensured. It shall be provided that clear and specific instructions describing the conditions limitations and procedures for third-parties to use and/or integrate the module into a host device For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, it shall be provided that the technical description of how such control is implemented to ensure to prevent the third party from modifying (see KDB 594280). Compliance of a module in its final configuration is the responsibility of the applicant. A host device will not be considered certified if the instructions regarding antenna configuration provided in the original description, of one or more separately certified modules it contains, were not followed. Example: A separately certified low-power transceiver module using Bluetooth technology which is housed in a desktop computer, laptop or peripheral does not require the overall system to be recertified, if the desktop computer, laptop or peripheral as a stand-alone unit complies with all applicable technical standards. 					
	Single Limited Modular Transmitter prement Under Testing ('EUT') satisfy the requirement for Single Modular Approval Single Limited Modular Approval Setailed in FCC Public Notice DA00-1407. CRequirement of Modular Approval The modular transmitter must have its own RF shielding. The modular transmitter must have buffered modulation/data inputs. The modular transmitter must have its own power supply regulation. The modular transmitter must comply with the antenna requirements of section 15.203 and 15.204(c). The modular transmitter must be tested in a stand-alone configuration. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacture must provide adequate instruction along with the module to explain any such requirements. The modular transmitter must comply with any applicable RF exposure requirements. Limited modular approval may be granted if EUT does not meet all of the requirement shown above Limited modular approval may be granted in case that the applicant can demonstrate to retain control installation of the device such that compliance of the end product is assured. In that case, an operating limited modular approval for the module shall state that the module is only designated for the end prosectic manufacturer When limited modular approval for the module shall state that the module is only designated for the end prosectic instructions describing the conditions limitations and process use and/or integrate the module into a host device For non-Software Defined Radio transmitter modules where software is used to ensure to prevent the this (see KDB 594280). Compliance of a module in its final configuration is the responsibility of the applicant. A host device wider that the instructions regarding antenna configuration provided in the original description, of one certified modules it contains, were not followed. Example: As separately certified low-power transceiver module using Bluetooth technology which is he	Single Limited Modular Transmitter prement Under Testing ('EUT') satisfy the requirement for Single Modular Approval Single Limited Modular Approval detailed in FCC Public Notice DA00-1407. C Requirement of Modular Approval The modular transmitter must have its own RF shielding. The modular transmitter must have buffered modulation/data inputs. The modular transmitter must have its own power supply regulation. The modular transmitter must comply with the antenna requirements of section 15.203 and 15.204(c). The modular transmitter must be tested in a stand-alone configuration. The modular transmitter must be labeled with its own FCC ID number. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacture must provide adequate instruction along with the module to explain any such requirements. The modular transmitter must comply with any applicable RF exposure requirements. The modular approval may be granted If EUT does not meet all of the requirement shown above Limited modular approval may be granted in case that the applicant can demonstrate to retain control over the final installation of the device such that compliance of the end product is always ensure that modular approval for the module shall state that the module is only designated for the end product is always ensure that shall be provided that clear and specific instructions describing the conditions limitations and procedures for third use and/or integrate the module in its final configuration is the responsibility of the applicant. A host device will not be conscertified if the instructions regarding antenna configuration provided in the original description, of one or more sepa certified modules it contains, were not followed. Example: A separately certified low-power transceiver module using Bluetooth technology which is housed in a decapility of the provided that clearly one of the granter of a configuration provided that the sektop computer, laptop or per			

topsho

Jacob Cho / Director, Standards & Compliance

Company Name: LG Electronics USA.

Company Address: 1000 Sylvan Avenue, Englewood Cliffs, New Jersey, United States