

Agilent 06:27:38 Oct 22, 1970
L
FCC ID: BEJAX490 Con Spurs FM C-991
Mkr1 1.649 GHz
Ref 26 dBm
Atten 40 dB
-32.28 dBm
#Peak
Log
10
dB/
Offst
0.35
dB
Dl
-13.0
dBm
LgAv
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 10 MHz
Stop 2.500 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Freq/Channel
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies



Agilent 06:28:02 Oct 22, 1970
L
FCC ID: BEJAX490 Con Spurs FM C-991
Mkr1 3.300 GHz
Ref 26 dBm
Atten 40 dB
-31.32 dBm
#Peak
Log
10
dB/
Offst
0.35
dB
Dl
-13.0
dBm
LgAv
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 2.500 GHz
Stop 10.000 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 12.52 ms (601 pts)
Freq/Channel
Center Freq
6.25000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
10.0000000 GHz
CF Step
750.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent 06:23:40 Oct 22, 1970
L
FCC ID: BEJAX490 Con Spurs FM C-383
Mkr1 1.674 GHz
Ref 26 dBm
Atten 40 dB
-30.72 dBm
#Peak
Log
10
dB/
Offst
0.35
dB
Dl
-13.0
dBm
LgAv
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 10 MHz
Stop 2.500 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Freq/Channel
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent 06:23:58 Oct 22, 1970
L
FCC ID: BEJAX490 Con Spurs FM C-383
Mkr1 3.350 GHz
Ref 26 dBm
Atten 40 dB
-30.97 dBm
#Peak
Log
10
dB/
Offst
0.35
dB
Dl
-13.0
dBm
LgAv
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 2.500 GHz
Stop 10.000 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 12.52 ms (601 pts)
Freq/Channel
Center Freq
6.25000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
10.0000000 GHz
CF Step
750.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent 06:29:13 Oct 22, 1970
L
Freq/Channel
FCC ID: BEJAX490 Con Spurs FM C-799
Mkr1 1.699 GHz
Ref 26 dBm
Atten 40 dB
-31.44 dBm
#Peak
Log
10
dB/
Offst
0.35
dB
Dl
-13.0
dBm
LgAv
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 10 MHz
Stop 2.500 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent 06:29:43 Oct 22, 1970
L
Freq/Channel
FCC ID: BEJAX490 Con Spurs FM C-799
Mkr1 3.400 GHz
Ref 26 dBm
Atten 40 dB
-31.21 dBm
#Peak
Log
10
dB/
Offst
0.35
dB
Dl
-13.0
dBm
LgAv
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 2.500 GHz
Stop 10.000 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 12.52 ms (601 pts)
Center Freq
6.25000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
10.0000000 GHz
CF Step
750.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: BEJAX490 Con Spurs Cell CDMA C-1013
Mkr1 1.649 GHz
Ref 24 dBm
Atten 30 dB
-40.66 dBm
#Avg
Log
10
dB/
Offst
10.4
dB
DI
-13.0
dBm
#PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 10 MHz
Stop 2.500 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 9.52 ms (601 pts)
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
2.40148000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: BEJAX490 Con Spurs Cell CDMA C-1013
Mkr1 3.300 GHz
Ref 24 dBm
Atten 30 dB
-44.23 dBm
#Avg
Log
10
dB/
Offst
10.4
dB
DI
-13.0
dBm
#PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 2.500 GHz
Stop 10.000 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 28.6 ms (601 pts)
Center Freq
6.25000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
10.0000000 GHz
CF Step
2.40148000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: BEJAX490 Power Out Cell CDMA C-1013
Ref 24 dBm
Atten 30 dB
#Avg
Log
10
dB/
Offst
10.4
dB
#PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center 824.70 MHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
#Sweep 5 s (601 pts)
Center Freq
824.700000 MHz
Start Freq
819.700000 MHz
Stop Freq
829.700000 MHz
CF Step
2.40148000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: BEJAX490 Band Edge Cell CDMA C-1013
Mkr1 824.000 MHz
Ref 24 dBm
Atten 30 dB
-16.09 dBm
#Avg
Log
10
dB/
Offst
10.4
dB
DI
-13.0
dBm
#PAvg
V1 S2
S3 FC
AA
¤(f):
f>50k
Swp
1
Center 824.000 MHz
Span 5 MHz
#Res BW 13 kHz
#VBW 13 kHz
#Sweep 5 s (601 pts)
Center Freq
824.000000 MHz
Start Freq
821.500000 MHz
Stop Freq
826.500000 MHz
CF Step
2.40148000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: BEJAX490 4MHz Span Cell CDMA C-1013
Mkr1 822.927 MHz
Ref 24 dBm
Atten 30 dB
-36.86 dBm
#Avg
Log
10
dB/
Offst
10.4
dB
Dl
-13.0
dBm
#PAvg
V1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Start 819.000 MHz
Stop 823.000 MHz
#Res BW 13 kHz
#VBW 13 kHz
#Sweep 5 s (601 pts)
Center Freq
821.000000 MHz
Start Freq
819.000000 MHz
Stop Freq
823.000000 MHz
CF Step
2.40148000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
R T
Freq/Channel
FCC ID: BEJAX490 Con Spurs Cell. CDMA C-0384
Mkr1 1.674 GHz
Ref 24 dBm
Atten 30 dB
-39.34 dBm
#Avg
Log
10
dB/
Offst
10.4
dB
Dl
-13.0
dBm
#PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 10 MHz
Stop 2.500 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 9.52 ms (601 pts)
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
2.40148000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies



Agilent
L
Freq/Channel
FCC ID: BEJAX490 Con Spurs Cell. CDMA C-0384
Mkr1 3.350 GHz
Ref 24 dBm
Atten 30 dB
-43.12 dBm
#Avg
Log
10
dB/
Offst
10.4
dB
Dl
-13.0
dBm
#PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center 6.250 GHz
Span 7.5 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 28.6 ms (601 pts)
Center Freq
6.25000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
10.0000000 GHz
CF Step
2.40148000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies



Agilent
R L
Freq/Channel
FCC ID: BEJAX490 Power Out Cell. CDMA C-0384
Ref 24 dBm
Atten 30 dB
#Avg
Log
10
dB/
Offst
10.4
dB
#PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center 836.52 MHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
#Sweep 5 s (601 pts)
Center Freq
836.520000 MHz
Start Freq
831.520000 MHz
Stop Freq
841.520000 MHz
CF Step
2.40148000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
Ch Freq 836.52 MHz
Trig Free
Occupied Bandwidth
FCC ID: BEJAX490 Occpd BW Cell CDMA C-0384
Ref 24 dBm
Atten 30 dB
#Samp
Log
10
dB/
Offst
10.4
dB
Center 836.520 MHz
Span 3 MHz
#Res BW 30 kHz
#VBW 300 kHz
Sweep 9.76 ms (601 pts)
Occupied Bandwidth
1.2555 MHz
Occ BW % Pwr 99.00 %
x dB -26.00 dB
Transmit Freq Error -39.295 Hz
x dB Bandwidth 1.388 MHz*
Center Freq
836.520000 MHz
Start Freq
835.020000 MHz
Stop Freq
838.020000 MHz
CF Step
2.40148000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
Ch Freq 836.52 MHz
Trig Free
Channel Power
FCC ID: BEJAX490 Ch. Power Cell. CDMA C-0384
Ref 24 dBm
Atten 30 dB
#Avg
Log
10
dB/
Offst
10.4
dB
Center 836.520 MHz
Span 1.883 MHz
#Res BW 18 kHz
#VBW 180 kHz
Sweep 17 ms (601 pts)
Channel Power
23.97 dBm / 1.2555 MHz
Power Spectral Density
-37.02 dBm/Hz
Center Freq
836.520000 MHz
Start Freq
835.578375 MHz
Stop Freq
837.461625 MHz
CF Step
2.40148000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: BEJAX490 Con Spurs Cell. CDMA C-0777
Mkr1 1.695 GHz
Ref 24 dBm
Atten 30 dB
-39.55 dBm
#Avg
Log
10
dB/
Offst
10.4
dB
Dl
-13.0
dBm
#PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center 1.255 GHz
Span 2.49 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 9.52 ms (601 pts)
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
2.40148000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: BEJAX490 Con Spurs Cell. CDMA C-0777
Mkr1 3.388 GHz
Ref 24 dBm
Atten 30 dB
-44.12 dBm
#Avg
Log
10
dB/
Offst
10.4
dB
Dl
-13.0
dBm
#PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 2.500 GHz
Stop 10.000 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 28.6 ms (601 pts)
Center Freq
6.25000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
10.0000000 GHz
CF Step
2.40148000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies



Agilent
R L
Freq/Channel
FCC ID: BEJAX490 Power Out Cell. CDMA C-0777
Ref 24 dBm
Atten 30 dB
#Avg
Log
10
dB/
Offst
10.4
dB
#PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center 848.31 MHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
#Sweep 5 s (601 pts)
Center Freq
848.310000 MHz
Start Freq
843.310000 MHz
Stop Freq
853.310000 MHz
CF Step
2.40148000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies



Agilent
R L
Freq/Channel
FCC ID: BEJAX490 Band Edge Cell. CDMA C-0777
Mkr1 849.000 MHz
Ref 24 dBm
Atten 30 dB
-13.57 dBm
#Avg
Log
10
dB/
Offst
10.4
dB
DI
-13.0
dBm
#PAvg
V1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center 849.000 MHz
Span 5 MHz
#Res BW 13 kHz
#VBW 13 kHz
#Sweep 5 s (601 pts)
Center Freq
849.000000 MHz
Start Freq
846.500000 MHz
Stop Freq
851.500000 MHz
CF Step
2.40148000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: BEJAX490 4MHz Span Cell. CDMA C-0777
Mkr1 850.007 MHz
Ref 24 dBm
Atten 30 dB
-38.80 dBm
#Avg
Log
10
dB/
Offst
10.4
dB
Dl
-13.0
dBm
#PAvg
V1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Start 850.000 MHz
Stop 854.000 MHz
#Res BW 13 kHz
#VBW 13 kHz
#Sweep 5 s (601 pts)
Center Freq
852.000000 MHz
Start Freq
850.000000 MHz
Stop Freq
854.000000 MHz
CF Step
2.40148000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: BEJAX490 Con Spurs PCS CDMA C-25
Mkr1 2.438 GHz
Ref 24 dBm
Atten 30 dB
-47.91 dBm
#Avg
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 10 MHz
Stop 2.500 GHz
#Res BW 1 MHz
VBW 1 MHz
Sweep 9.52 ms (601 pts)
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
FCC ID: BEJAX490 Con Spurs PCS CDMA C-25
Mkr1 14.17 GHz
Ref 24 dBm
Atten 30 dB
-41.12 dBm
#Avg
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 2.50 GHz
Stop 20.00 GHz
#Res BW 1 MHz
VBW 1 MHz
Sweep 66.76 ms (601 pts)
Freq/Channel
Center Freq
11.2500000 GHz
Start Freq
2.50000000 GHz
Stop Freq
20.0000000 GHz
CF Step
1.75000000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
FCC ID: BEJAX490 Power Out PCS CDMA C-25
Ref 24 dBm
Atten 30 dB
#Avg
Log
10
dB/
Offst
10.5
dB
PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center 1.851 25 GHz
Span 10 MHz
#Res BW 3 MHz
VBW 3 MHz
#Sweep 5 s (601 pts)
Freq/Channel
Center Freq
1.85125000 GHz
Start Freq
1.84625000 GHz
Stop Freq
1.85625000 GHz
CF Step
1.00000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
FCC ID: BEJAX490 Band Edge PCS CDMA C-25
Mkr1 1.850 000 GHz
Ref 24 dBm
Atten 30 dB
-23.40 dBm
#Avg
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
PAvg
V1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center 1.850 000 GHz
Span 5 MHz
#Res BW 13 kHz
VBW 13 kHz
#Sweep 5 s (601 pts)
Freq/Channel
Center Freq
1.85000000 GHz
Start Freq
1.84750000 GHz
Stop Freq
1.85250000 GHz
CF Step
500.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
FCC ID: BEJAX490 4MHz Span PCS CDMA C-25
Mkr1 1.848 987 GHz
Ref 24 dBm
Atten 30 dB
-39.60 dBm
#Avg
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
PAvg
V1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Start 1.845 000 GHz
Stop 1.849 000 GHz
#Res BW 13 kHz
VBW 13 kHz
#Sweep 5 s (601 pts)
Freq/Channel
Center Freq
1.84700000 GHz
Start Freq
1.84500000 GHz
Stop Freq
1.84900000 GHz
CF Step
400.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies



Agilent
R L
Freq/Channel
FCC ID: BEJAX490 Con Spurs PCS CDMA C-600
Mkr1 2.380 GHz
Ref 24 dBm
Atten 30 dB
-48.11 dBm
#Avg
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center 1.255 GHz
Span 2.49 GHz
#Res BW 1 MHz
VBW 1 MHz
Sweep 9.52 ms (601 pts)
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies



Agilent
L
Freq/Channel
FCC ID: BEJAX490 Con Spurs PCS CDMA C-600
Mkr1 3.75 GHz
Ref 24 dBm
Atten 30 dB
-39.95 dBm
#Avg
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 2.50 GHz
Stop 20.00 GHz
#Res BW 1 MHz
VBW 1 MHz
Sweep 66.76 ms (601 pts)
Center Freq
11.2500000 GHz
Start Freq
2.50000000 GHz
Stop Freq
20.0000000 GHz
CF Step
1.75000000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: BEJAX490 Power Out PCS CDMA C-600
Ref 24 dBm
Atten 30 dB
#Avg
Log
10
dB/
Offst
10.5
dB
PAvg
V1 S2
S3 FC
AA
FTun
Swp
Center 1.880 00 GHz
Span 10 MHz
#Res BW 3 MHz
VBW 3 MHz
#Sweep 5 s (601 pts)
Center Freq
1.88000000 GHz
Start Freq
1.87500000 GHz
Stop Freq
1.88500000 GHz
CF Step
1.00000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
Ch Freq 1.88 GHz
Trig Free
Occupied Bandwidth
FCC ID: BEJAX490 Occpd BW PCS CDMA C-600
Ref 24 dBm
Atten 30 dB
#Samp
Log
10
dB/
Offst
10.5
dB
Center 1.880 000 GHz
Span 3 MHz
#Res BW 30 kHz
#VBW 300 kHz
Sweep 9.76 ms (601 pts)
Occupied Bandwidth
1.2507 MHz
Occ BW % Pwr 99.00 %
x dB -26.00 dB
Transmit Freq Error 16.919 kHz
x dB Bandwidth 1.391 MHz*
Center Freq
1.88000000 GHz
Start Freq
1.87850000 GHz
Stop Freq
1.88150000 GHz
CF Step
300.000000 kHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies



Agilent
L
Freq/Channel
Ch Freq 1.88 GHz
Trig Free
Channel Power
FCC ID: BEJAX490 Ch. Power PCS CDMA C-600
Ref 24 dBm
Atten 30 dB
#Avg
Log
10
dB/
Offst
10.5
dB
Center 1.880 000 GHz
Span 1.876 MHz
#Res BW 18 kHz
#VBW 180 kHz
Sweep 16.92 ms (601 pts)
Channel Power
Power Spectral Density
23.99 dBm / 1.2507 MHz
-36.98 dBm/Hz
Center Freq
1.88000000 GHz
Start Freq
1.87906198 GHz
Stop Freq
1.88093803 GHz
CF Step
187.605000 kHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies



Agilent
R L
Freq/Channel
FCC ID: BEJAX490 Con Spurs PCS CDMA C-1175
Mkr1 2.475 GHz
Ref 24 dBm
Atten 30 dB
-48.07 dBm
#Avg
Log
10
dB/
Offst
10.5
dB
DI
-13.0
dBm
PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 10 MHz
Stop 2.500 GHz
#Res BW 1 MHz
VBW 1 MHz
Sweep 9.52 ms (601 pts)
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: BEJAX490 Con Spurs PCS CDMA C-1175
Mkr1 3.81 GHz
Ref 24 dBm
Atten 30 dB
-34.44 dBm
#Avg
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 2.50 GHz
Stop 20.00 GHz
#Res BW 1 MHz
VBW 1 MHz
Sweep 66.76 ms (601 pts)
Center Freq
11.2500000 GHz
Start Freq
2.50000000 GHz
Stop Freq
20.0000000 GHz
CF Step
1.75000000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: BEJAX490 Power Out PCS CDMA C-1175
Ref 24 dBm
Atten 30 dB
#Avg
Log
10
dB/
Offst
10.5
dB
PAvg
V1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center 1.908 75 GHz
Span 10 MHz
#Res BW 3 MHz
VBW 3 MHz
#Sweep 5 s (601 pts)
Center Freq
1.90875000 GHz
Start Freq
1.90375000 GHz
Stop Freq
1.91375000 GHz
CF Step
1.00000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: BEJAX490 Band Edge PCS CDMA C-1175
Mkr1 1.910 000 GHz
Ref 24 dBm
Atten 30 dB
-26.11 dBm
#Avg
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
PAvg
V1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center 1.910 000 GHz
Span 5 MHz
#Res BW 13 kHz
VBW 13 kHz
#Sweep 5 s (601 pts)
Center Freq
1.91000000 GHz
Start Freq
1.90750000 GHz
Stop Freq
1.91250000 GHz
CF Step
500.000000 kHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: BEJAX490 4MHz Span PCS CDMA C-1175
Mkr1 1.911 000 GHz
Ref 24 dBm
Atten 30 dB
-41.34 dBm
#Avg
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
PAvg
V1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Start 1.911 000 GHz
Stop 1.915 000 GHz
#Res BW 13 kHz
VBW 13 kHz
#Sweep 5 s (601 pts)
Center Freq
1.91300000 GHz
Start Freq
1.91100000 GHz
Stop Freq
1.91500000 GHz
CF Step
400.000000 kHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Copyright 2000-2002 Agilent Technologies

PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:BEJAX490
LG Eelctronics
Tri-Mode Phone
FM Channel
Operating Frequency: 836.490 MHz
Output Power : 26.0 dBm

Test Mode:Unmodulated Signal



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:BEJAX490
LG Eelctronics
Tri-Mode Phone
FM Channel
Operating Frequency: 836.490 MHz
Output Power : 26.0 dBm

Test Mode:Voice



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:BEJAX490
LG Eelctronics
Tri-Mode Phone
FM Channel
Operating Frequency: 836.490 MHz
Output Power : 26.0 dBm

Test Mode:Wide Band Data



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:BEJAX490
LG Eelctronics
Tri-Mode Phone
FM Channel
Operating Frequency: 836.490 MHz
Output Power : 26.0 dBm

Test Mode:SAT



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:BEJAX490
LG Eelctronics
Tri-Mode Phone
FM Channel
Operating Frequency: 836.490 MHz
Output Power : 26.0 dBm

Test Mode:ST



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:BEJAX490
LG Eelctronics
Tri-Mode Phone
FM Channel
Operating Frequency: 836.490 MHz
Output Power : 26.0 dBm

Test Mode:SAT + Voice



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:BEJAX490
LG Eelctronics
Tri-Mode Phone
FM Channel
Operating Frequency: 836.490 MHz
Output Power : 26.0 dBm

Test Mode:SAT + ST



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:BEJAX490
LG Eelctronics
Tri-Mode Phone
FM Channel
Operating Frequency: 836.490 MHz
Output Power : 26.0 dBm

Test Mode:SAT + DTMF




FCC ID: BEJAX49Ø AMPS Mode MKR 883.94 MHz
REF -6Ø.Ø dBm ATTEN 1Ø dB PG 25.Ø dB -93.86 dBm
PEAK
LOG
5
dB/
OFFST
6.Ø
dB
DL
-8Ø.Ø
dBm
VA SB
SC FC
CORR
START 869.ØØ MHz STOP 894.ØØ MHz
#RES BW 1ØØ kHz #VBW 3ØØ kHz SWP 2Ø msec



FCC ID: BEJAX490
CDMA Mode
MKR 880.56 MHz
-94.06 dBm
REF -60.0 dBm
ATTEN 10 dB
PG 25.0 dB
PEAK
LOG
5
dB/
OFFST
6.0
dB
DL
-80.0
dBm
VA SB
SC FC
CORR
START 869.00 MHz
STOP 894.00 MHz
#RES BW 100 kHz
#VBW 300 kHz
SWP 20 msec

SUBJECT: Modulation Characteristics — Test Report No.: 0602230111

FCC Part 24/22 — Test Date: 03.08-09.2006

EUT: Tri-Mode Dual-Band Analog/PCS Phone (AMPS/CDMA) w/ Bluetooth

Model: *AX490*

FCC ID: **BEJAX490**

REFERENCE: 1 kHz = 0 dB



SUBJECT: Modulation Characteristics
FCC Part 24/22

Test Report No.: 0602230111
Test Date: 03.08-09.2006

EUT: Tri-Mode Dual-Band Analog/PCS Phone (AMPS/CDMA) w/ Bluetooth
Model: *AX490*
FCC ID: **BEJAX490**

REFERENCE: 1 kHz = 0 dB



SUBJECT: Modulation Characteristics
FCC Part 24/22

Test Report No.: 0602230111
Test Date: 03.08-09.2006

EUT: Tri-Mode Dual-Band Analog/PCS Phone (AMPS/CDMA) w/ Bluetooth
Model: *AX490*
FCC ID: **BEJAX490**

REFERENCE: 1 kHz = 0 dB