

INTERNAL PHOTO

1. MAIN

1.1 Front



1.2 Rear



2. POWER

2.1 Front



2.2 Rear



SUNGHO

MODEL	SH 250	X2	LG P/N	8708B000058
AC INPUT (EING.)	100~127VAC 5.0A		50/60Hz	
	200~240VAC 4.0A		50/60Hz	
DC -----	+3.3V	+5V	+12V	-12V +5VSB
	17A	13A	15A	0.3A 2.5A
OUTPUT (AUSG.)	Total combined output of 3.3 V and 5 V is < 100W.			
	TOTAL : 250W MAX			

CAUTION:
DO NOT REMOVE THE COVER.
SHOCK HAZARD! PLEASE WAIT
10 SECONDS AFTER POWER OFF.

ACHTUNG!
BEWAHRE DAS GEHÄUSE UNTERSTRECKT OFFEN.
STROMSCHOCK GEFAHR! WARTEN SIE 10 SEKUNDEN NACH
STROM AB.

ATTENTION:
NE PAS OUVRIR.
RISQUE D'ÉLECTROCUTION. ATTENDRE 10 SECONDES APRÈS L'ARRÊT DU COURANT.

REMARK:
DO NOT REPAIR, ONLY REPAIR THE MAIN BOARD.
REPAIR THE MAIN BOARD WITH ORIGINAL
PARTS ONLY. CONTACT US IMMEDIATELY.

Product of Korea

AGENT

1. JAPAN AREA : (NAME) ;
2. AMERICA :
3. EUROPE AND UK : (NAME) (P) (NAME)
4. AUSTRALIA :
5. ASIA / SOUTH : (NAME) (P) (NAME) / (NAME)

[illegible]

3.2 Rear



4.FDD

4.1 Front



4.2 Rear



5. CDRW/DVD-ROM

5.1 Front



5.2 Rear




6. CPU

6.1 Front



6.2 Rear



7. MEMORY

7.1 Front



7.2 Rear

