



LG FCC ID: BEJLB885C (Analog Input) PCTEST Engineering Lab.  
 1200 x 1024 NI 80KHz./75Hz. LINE A



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	23.137	41.25	-	-	41.25	48.00	-6.75
2	23.137	41.27	-	-	41.27	48.00	-6.73
3	27.034	34.55	-	-	34.55	48.00	-13.45
4	27.270	34.02	-	-	34.02	48.00	-13.98
5	26.726	33.94	-	-	33.94	48.00	-14.06
6	26.529	33.00	-	-	33.00	48.00	-14.20
7	27.529	33.01	-	-	33.01	48.00	-14.99
8	27.299	33.01	-	-	33.01	48.00	-14.99
9	26.203	32.24	-	-	32.24	48.00	-15.76
10	26.459	32.59	-	-	32.59	48.00	-15.41


LG FCC ID: BEJLB885C (Analog Input) PCTEST Engineering Lab.  
 1200 x 1024 NI 80KHz./75Hz. LINE B



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	23.130	40.52	-	-	40.52	48.00	-7.48
2	23.130	40.40	-	-	40.40	48.00	-7.60
3	27.037	34.55	-	-	34.55	48.00	-13.45
4	26.720	33.95	-	-	33.95	48.00	-14.05
5	26.515	33.15	-	-	33.15	48.00	-14.85
6	27.525	32.93	-	-	32.93	48.00	-15.07
7	27.704	31.69	-	-	31.69	48.00	-16.31
8	26.199	32.00	-	-	32.00	48.00	-15.92
9	.503	20.65	-	-	20.65	48.00	-19.35
10	25.984	31.26	-	-	31.26	48.00	-16.74

LG FCC ID: BEJLB005C (Analog Input)  
1024 x 768 NI 69KHz./05Hz. LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	23.132	41.45	-	-	41.45	48.00	-6.55
2	23.134	41.35	-	-	41.35	48.00	-6.65
3	27.074	32.58	-	-	32.58	48.00	-15.42
4	26.695	33.48	-	-	33.48	48.00	-14.68
5	27.233	33.30	-	-	33.30	48.00	-14.70
6	26.968	33.24	-	-	33.24	48.00	-14.76
7	26.683	33.46	-	-	33.46	48.00	-14.54
8	26.962	33.16	-	-	33.16	48.00	-14.84
9	27.499	32.69	-	-	32.69	48.00	-15.31
10	27.501	32.59	-	-	32.59	48.00	-15.41

LG FCC ID: BEJLB005C (Analog Input)  
1024 x 768 NI 69KHz./05Hz. LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	23.136	41.48	-	-	41.48	48.00	-6.52
2	23.136	41.49	-	-	41.49	48.00	-6.51
3	23.216	25.21	-	-	25.21	48.00	-22.79
4	26.692	33.38	-	-	33.38	48.00	-14.62
5	27.230	33.43	-	-	33.43	48.00	-14.57
6	27.499	32.54	-	-	32.54	48.00	-15.46
7	26.954	32.88	-	-	32.88	48.00	-15.12
8	.451	27.83	-	-	27.83	48.00	-20.17
9	26.149	31.78	-	-	31.78	48.00	-16.22
10	26.531	32.41	-	-	32.41	48.00	-15.59

LG FCC ID: BEJLB885C (Analog Input)  
800 x 600 NI 54KHz./85Hz. LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	23.230	41.05	-	-	41.05	48.00	-6.95
2	23.230	41.16	-	-	41.16	48.00	-6.84
3	23.095	32.07	-	-	32.07	48.00	-15.93
4	26.661	33.35	-	-	33.35	48.00	-14.65
5	27.206	33.27	-	-	33.27	48.00	-14.73
6	26.933	33.16	-	-	33.16	48.00	-14.84
7	27.470	32.56	-	-	32.56	48.00	-15.44
8	26.139	31.42	-	-	31.42	48.00	-16.58
9	27.606	31.39	-	-	31.39	48.00	-16.61
10	26.403	32.05	-	-	32.05	48.00	-15.95

LG FCC ID: BEJLB885C (Analog Input)  
800 x 600 NI 54KHz./85Hz. LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	23.230	40.81	-	-	40.81	48.00	-7.19
2	23.185	30.91	-	-	30.91	48.00	-9.09
3	23.097	32.01	-	-	32.01	48.00	-15.99
4	26.660	33.11	-	-	33.11	48.00	-14.89
5	26.934	32.73	-	-	32.73	48.00	-15.27
6	27.201	32.06	-	-	32.06	48.00	-15.94
7	27.472	32.17	-	-	32.17	48.00	-15.83
8	27.475	32.22	-	-	32.22	48.00	-15.78
9	.452	27.73	-	-	27.73	48.00	-20.27
10	.634	26.90	-	-	26.90	48.00	-21.02

LG FCC ID: BEJLB885C (Analog Input)  
640 x 480 NI 43KHz./85Hz. LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	23.246	41.23	-	-	41.23	48.00	-6.77
2	23.207	39.89	-	-	39.89	48.00	-8.11
3	26.934	32.87	-	-	32.87	48.00	-15.13
4	27.203	32.91	-	-	32.91	48.00	-15.09
5	26.656	33.30	-	-	33.30	48.00	-14.70
6	26.399	31.75	-	-	31.75	48.00	-16.25
7	27.472	32.30	-	-	32.30	48.00	-15.70
8	27.470	32.25	-	-	32.25	48.00	-15.75
9	26.531	32.09	-	-	32.09	48.00	-15.91
10	27.606	31.21	-	-	31.21	48.00	-16.79


LG FCC ID: BEJLB885C (Analog Input)  
640 x 480 NI 43KHz./85Hz. LINE B

PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	23.248	41.15	-	-	41.15	48.00	-6.85
2	23.098	32.33	-	-	32.33	48.00	-15.67
3	27.466	32.83	-	-	32.83	48.00	-15.17
4	26.659	33.71	-	-	33.71	48.00	-14.29
5	26.930	33.22	-	-	33.22	48.00	-14.78
6	27.197	33.39	-	-	33.39	48.00	-14.61
7	26.520	32.25	-	-	32.25	48.00	-15.75
8	27.067	32.73	-	-	32.73	48.00	-15.27
9	26.392	31.97	-	-	31.97	48.00	-16.03
10	27.735	31.25	-	-	31.25	48.00	-16.75

LG FCC ID:BEJLB005C (DIGITAL INPUT) PCTEST Engineering Lab.  
 1200 x 1024 NI 00KHz./75Hz. LINE A



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	26.892	33.46	-	-	33.46	48.00	-14.54
2	26.606	32.80	-	-	32.80	48.00	-15.20
3	26.608	32.66	-	-	32.66	48.00	-15.34
4	27.036	32.92	-	-	32.92	48.00	-15.08
5	26.384	32.12	-	-	32.12	48.00	-15.88
6	27.190	32.48	-	-	32.48	48.00	-15.52
7	27.455	32.93	-	-	32.93	48.00	-15.07
8	26.006	31.14	-	-	31.14	48.00	-16.86
9	27.033	32.97	-	-	32.97	48.00	-15.03
10	28.004	31.66	-	-	31.66	48.00	-16.34


LG FCC ID:BEJLB005C (DIGITAL INPUT) PCTEST Engineering Lab.  
 1200 x 1024 NI 00KHz./75Hz. LINE B



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	27.032	34.70	-	-	34.70	48.00	-13.30
2	26.491	33.75	-	-	33.75	48.00	-14.25
3	27.537	33.22	-	-	33.22	48.00	-14.78
4	27.247	33.71	-	-	33.71	48.00	-14.29
5	26.715	33.53	-	-	33.53	48.00	-14.47
6	23.126	34.81	-	-	34.81	48.00	-13.19
7	23.126	34.80	-	-	34.80	48.00	-13.20
8	27.795	31.92	-	-	31.92	48.00	-16.08
9	28.064	31.39	-	-	31.39	48.00	-16.61
10	28.392	30.05	-	-	30.05	48.00	-17.95

LG FCC ID:BEJLB005C (DIGITAL INPUT)  
1024 x 768 NI 69KHz./85Hz. LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	27.859	33.78	-	-	33.78	48.00	-14.22
2	26.687	33.59	-	-	33.59	48.00	-14.41
3	27.227	33.39	-	-	33.39	48.00	-14.61
4	27.324	32.18	-	-	32.18	48.00	-15.98
5	23.124	35.08	-	-	35.08	48.00	-12.92
6	27.493	32.26	-	-	32.26	48.00	-15.74
7	26.152	31.52	-	-	31.52	48.00	-16.48
8	27.599	31.95	-	-	31.95	48.00	-16.05
9	26.431	31.56	-	-	31.56	48.00	-16.44
10	25.998	31.82	-	-	31.82	48.00	-16.18

LG FCC ID:BEJLB005C (DIGITAL INPUT)  
1024 x 768 NI 69KHz./85Hz. LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	27.879	33.68	-	-	33.68	48.00	-14.40
2	23.127	34.88	-	-	34.88	48.00	-13.20
3	26.544	33.68	-	-	33.68	48.00	-14.32
4	27.884	33.69	-	-	33.69	48.00	-14.31
5	27.343	32.11	-	-	32.11	48.00	-15.89
6	23.126	34.76	-	-	34.76	48.00	-13.24
7	26.715	33.34	-	-	33.34	48.00	-14.66
8	26.814	31.95	-	-	31.95	48.00	-16.05
9	27.783	31.38	-	-	31.38	48.00	-16.78
10	26.288	31.64	-	-	31.64	48.00	-16.36

LG FCC ID:BEJLB005C (DIGITAL INPUT)  
800 x 600 NI 54KHz./05Hz. LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	26.694	33.52	-	-	33.52	48.00	-14.48
2	27.223	33.49	-	-	33.49	48.00	-14.51
3	26.021	32.34	-	-	32.34	48.00	-15.66
4	23.242	34.32	-	-	34.32	48.00	-13.68
5	26.963	32.94	-	-	32.94	48.00	-15.06
6	26.559	33.39	-	-	33.39	48.00	-14.61
7	27.097	33.41	-	-	33.41	48.00	-14.59
8	27.224	33.43	-	-	33.43	48.00	-14.57
9	26.154	31.68	-	-	31.68	48.00	-16.32
10	26.423	31.30	-	-	31.30	48.00	-16.70

LG FCC ID:BEJLB005C (DIGITAL INPUT)  
800 x 600 NI 54KHz./05Hz. LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	23.243	35.93	-	-	35.93	48.00	-12.07
2	27.233	33.92	-	-	33.92	48.00	-14.08
3	26.562	33.45	-	-	33.45	48.00	-14.55
4	27.100	33.82	-	-	33.82	48.00	-14.18
5	26.830	32.23	-	-	32.23	48.00	-15.77
6	27.501	32.25	-	-	32.25	48.00	-15.75
7	26.694	33.33	-	-	33.33	48.00	-14.67
8	.456	27.62	-	-	27.62	48.00	-20.38
9	23.223	35.87	-	-	35.87	48.00	-12.13
10	27.370	31.53	-	-	31.53	48.00	-16.47

LG FCC ID:BEJLB005C (DIGITAL INPUT)  
640 x 400 NI 43KHz./85Hz. LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	27.230	34.28	-	-	34.28	48.00	-13.72
2	26.965	32.99	-	-	32.99	48.00	-15.01
3	26.566	33.83	-	-	33.83	48.00	-14.17
4	23.237	33.74	-	-	33.74	48.00	-14.26
5	27.491	32.69	-	-	32.69	48.00	-15.31
6	26.294	31.15	-	-	31.15	48.00	-16.85
7	26.027	32.41	-	-	32.41	48.00	-15.59
8	23.121	28.02	-	-	28.02	48.00	-19.98
9	27.769	32.51	-	-	32.51	48.00	-15.49
10	.451	25.38	-	-	25.38	48.00	-22.62

LG FCC ID:BEJLB005C (DIGITAL INPUT)  
640 x 400 NI 43KHz./85Hz. LINE B

PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	23.240	34.61	-	-	34.61	48.00	-13.39
2	27.233	33.75	-	-	33.75	48.00	-14.25
3	26.697	32.74	-	-	32.74	48.00	-15.26
4	26.564	33.04	-	-	33.04	48.00	-14.96
5	27.103	33.19	-	-	33.19	48.00	-14.81
6	27.491	32.24	-	-	32.24	48.00	-15.76
7	26.964	32.42	-	-	32.42	48.00	-15.58
8	27.771	31.92	-	-	31.92	48.00	-16.08
9	27.642	31.76	-	-	31.76	48.00	-16.24
10	26.895	31.31	-	-	31.31	48.00	-16.69