


ATTACHMENT D – TEST PLOT(S)

LGE FCC ID: BEJLG56AH (FPD1510)
640 x 480 DVI Digital LINE-A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.197	42.62	63.75	-21.13	34.74	53.77	-19.03
2	.462	29.10	56.66	-27.56	24.67	46.67	-22.00
3	.330	31.67	59.46	-27.79	27.51	49.49	-21.98
4	.151	39.76	65.96	-26.20	32.21	56.00	-23.79
5	.263	32.28	61.34	-29.06	28.17	51.37	-23.20
6	.594	28.13	56.00	-27.87	23.13	46.00	-22.87
7	1.527	26.12	56.00	-29.88	21.88	46.00	-24.12
8	.396	28.23	57.95	-29.72	22.23	47.98	-25.75
9	.794	25.37	56.00	-30.63	19.76	46.00	-26.24
10	1.059	26.06	56.00	-29.94	21.86	46.00	-24.14

LGE FCC ID: BEJLG56AH (FPD1510)
640 x 480 DVI Digital LINE-B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.197	43.58	63.74	-20.16	36.01	53.79	-17.78
2	1.986	25.03	56.00	-30.97	18.32	46.00	-27.68
3	.462	29.18	56.66	-27.48	24.45	46.68	-22.23
4	.151	42.65	65.92	-23.27	36.16	56.00	-19.84
5	.595	28.02	56.00	-27.98	23.33	46.00	-22.67
6	.329	32.29	59.47	-27.18	27.90	49.48	-21.58
7	.263	32.99	61.34	-28.35	29.40	51.37	-21.97
8	1.987	25.27	56.00	-30.73	20.36	46.00	-25.64
9	1.324	25.69	56.00	-30.31	21.27	46.00	-24.73
10	1.721	25.24	56.00	-30.76	19.94	46.00	-26.06

LGE FCC ID: BEJLG56AH (FPD1510)
800 x 600 DVI Digital LINE-A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.197	41.96	63.74	-21.78	34.02	53.78	-19.76
2	.462	28.51	56.67	-28.16	23.02	46.69	-23.67
3	.334	31.04	59.36	-28.32	26.81	49.49	-22.68
4	.594	27.53	56.00	-28.47	22.75	46.00	-23.25
5	.263	31.73	61.33	-29.60	27.36	51.38	-24.02
6	.399	28.12	57.87	-29.75	22.36	47.95	-25.59
7	1.522	25.75	56.00	-30.25	21.28	46.00	-24.72
8	1.129	24.76	56.00	-31.24	20.04	46.00	-25.96
9	1.324	25.65	56.00	-30.35	20.56	46.00	-25.44
10	1.785	21.47	56.00	-34.53	20.70	46.00	-25.30

LGE FCC ID: BEJLG56AH (FPD1510)
800 x 600 DVI Digital LINE-B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.197	42.66	63.75	-21.09	34.91	53.78	-18.87
2	.462	29.04	56.66	-27.62	24.67	46.67	-22.00
3	.398	28.80	57.89	-29.09	23.20	47.94	-24.74
4	.334	31.66	59.36	-27.70	27.58	49.48	-21.90
5	.595	28.13	56.00	-27.87	23.62	46.00	-22.38
6	.263	32.15	61.33	-29.18	28.08	51.37	-23.29
7	1.523	26.21	56.00	-29.79	19.87	46.00	-26.13
8	1.308	21.45	56.00	-34.55	21.72	46.00	-24.28
9	1.257	25.60	56.00	-30.40	20.10	46.00	-25.90
10	1.125	25.55	56.00	-30.45	20.56	46.00	-25.44

LGE FCC ID: BEJLG56AH (FPD1510)
1024 x 768 DVI Digital LINE-A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.197	41.37	63.75	-22.38	33.93	53.76	-19.83
2	.462	27.90	56.66	-28.76	23.39	46.68	-23.29
3	.397	27.76	57.91	-30.15	21.64	47.92	-26.28
4	.334	30.73	59.36	-28.63	26.26	49.50	-23.24
5	.599	27.08	56.00	-28.92	22.41	46.00	-23.59
6	1.324	25.43	56.00	-30.57	20.98	46.00	-25.02
7	1.722	25.02	56.00	-30.98	20.14	46.00	-25.86
8	.860	25.27	56.00	-30.73	20.27	46.00	-25.73
9	.263	31.24	61.33	-30.09	27.31	51.36	-24.05
10	1.523	25.48	56.00	-30.52	20.75	46.00	-25.25

LGE FCC ID: BEJLG56AH (FPD1510)
1024 x 768 DVI Digital LINE-B

PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.197	42.12	63.74	-21.62	34.36	53.79	-19.43
2	.594	27.67	56.00	-28.33	23.17	46.00	-22.83
3	.462	28.59	56.66	-28.07	24.33	46.68	-22.35
4	.330	31.17	59.46	-28.29	26.57	49.50	-22.93
5	.263	31.79	61.33	-29.54	27.50	51.37	-23.87
6	1.328	25.79	56.00	-30.21	21.43	46.00	-24.57
7	1.524	25.86	56.00	-30.14	21.04	46.00	-24.96
8	1.793	25.74	56.00	-30.26	21.47	46.00	-24.53
9	.396	28.15	57.94	-29.79	22.55	47.96	-25.41
10	.528	24.37	56.00	-31.63	19.18	46.00	-26.82