



ATTACHMENT D – TEST PLOTS

LGE FCC ID: BEJLM568E FCC Class II
 640 x 480 38KHz./75Hz. LINE A PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.202	56.33	63.52	-7.19	48.07	53.51	-5.44
2	.151	42.98	65.95	-22.97	34.28	56.00	-21.72
3	.339	47.93	59.24	-11.31	39.07	49.25	-10.18
4	.270	48.60	61.11	-12.51	38.03	51.09	-13.06
5	.473	40.41	56.45	-16.04	36.19	46.47	-10.28
6	.407	44.04	57.71	-13.67	33.66	47.64	-13.98
7	.610	36.48	56.00	-19.52	33.34	46.00	-12.66
8	.678	35.30	56.00	-20.70	29.40	46.00	-16.60
9	.881	35.84	56.00	-20.16	30.00	46.00	-16.00
10	1.153	34.30	56.00	-21.70	27.67	46.00	-18.33

LGE FCC ID: BEJLM568E FCC Class II
 640 x 480 38KHz./75Hz. LINE B PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	45.68	65.95	-20.27	38.35	56.00	-17.65
2	.202	56.77	63.53	-6.76	48.14	53.49	-5.35
3	.407	44.06	57.72	-13.66	35.27	47.74	-12.47
4	.270	48.47	61.11	-12.64	39.20	51.14	-11.94
5	.338	47.89	59.24	-11.35	38.92	49.25	-10.33
6	.474	41.38	56.45	-15.07	36.04	46.47	-10.43
7	.407	44.06	57.72	-13.66	35.22	47.73	-12.51
8	.543	36.98	56.00	-19.02	28.25	46.00	-17.75
9	.609	36.72	56.00	-19.28	34.06	46.00	-11.94
10	.750	32.68	56.00	-23.32	24.97	46.00	-21.03

LGE FCC ID: BEJLM568E FCC Class II
 800 x 600 47KHz./75Hz. LINE A PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	41.73	65.95	-24.22	30.72	56.00	-25.28
2	.202	55.01	63.52	-8.51	47.12	53.52	-6.40
3	.339	45.98	59.24	-13.26	36.64	49.23	-12.59
4	.407	43.03	57.71	-14.68	35.11	47.66	-12.55
5	.546	35.53	56.00	-20.47	28.13	46.00	-17.87
6	.474	38.34	56.44	-18.10	35.42	46.47	-11.05
7	.273	49.82	61.02	-11.20	37.82	51.13	-13.31
8	.474	39.54	56.45	-16.91	35.57	46.46	-10.89
9	.678	35.15	56.00	-20.85	27.29	46.00	-18.71
10	.881	35.27	56.00	-20.73	29.25	46.00	-16.75

LGE FCC ID: BEJLM568E FCC Class II
 800 x 600 47KHz./75Hz. LINE B PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	45.83	65.95	-20.12	38.10	56.00	-17.90
2	.202	56.87	63.53	-6.66	48.90	53.55	-4.65
3	.339	47.77	59.23	-11.46	37.53	49.30	-11.77
4	.271	49.16	61.10	-11.94	39.52	51.14	-11.62
5	.407	44.74	57.71	-12.97	36.53	47.72	-11.19
6	.474	41.31	56.45	-15.14	36.93	46.47	-9.54
7	.543	37.48	56.00	-18.52	29.97	46.00	-16.03
8	.678	35.51	56.00	-20.49	30.58	46.00	-15.42
9	.610	37.06	56.00	-18.94	31.61	46.00	-14.39
10	.881	35.74	56.00	-20.26	30.38	46.00	-15.62

LGE FCC ID: BEJLM568E FCC Class II
 1024 x 768 60KHz./75Hz. LINE A **PCTEST Engineering Lab.**



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.202	52.01	63.52	-11.51	42.20	53.56	-11.36
2	.151	49.76	65.95	-16.19	33.73	56.00	-22.27
3	.270	41.19	61.11	-19.92	34.04	51.14	-17.10
4	.338	37.10	59.25	-22.15	32.20	49.28	-17.08
5	1.155	34.53	56.00	-21.47	31.98	46.00	-14.02
6	1.359	35.20	56.00	-20.80	32.75	46.00	-13.25
7	1.563	34.77	56.00	-21.23	31.57	46.00	-14.43
8	1.087	34.74	56.00	-21.26	32.27	46.00	-13.73
9	1.631	34.81	56.00	-21.19	31.81	46.00	-14.19
10	1.291	34.07	56.00	-21.93	30.42	46.00	-15.58

LGE FCC ID: BEJLM568E FCC Class II
 1024 x 768 60KHz./75Hz. LINE B **PCTEST Engineering Lab.**



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.202	49.96	63.53	-13.57	42.42	53.64	-11.22
2	.474	35.07	56.45	-21.38	31.80	46.39	-14.51
3	.151	52.85	65.95	-13.10	45.02	56.00	-10.98
4	.610	34.63	56.00	-21.37	31.68	46.00	-14.32
5	.406	34.50	57.73	-23.23	29.17	47.75	-18.58
6	.338	36.60	59.25	-22.65	32.65	49.27	-16.62
7	1.086	34.51	56.00	-21.49	31.47	46.00	-14.53
8	.950	32.93	56.00	-23.07	29.65	46.00	-16.35
9	1.358	35.07	56.00	-20.93	31.98	46.00	-14.02
10	.261	39.89	61.39	-21.50	33.19	51.25	-18.06