


LGE FCC ID: BEJLP1000 -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01; ConvF(4.70,4.70,4.70)
Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.309 mW/g, SAR (10g): 0.178 mW/g


LGE PCS CDMA phone Model: LG-LP1000
PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flat Phantom; Standard Battery
Conducted Power = 24.5dBm; Spacing = 1.5cm from flat phantom to closest point of fixed antenna, No BeltClip/No Holster
Test Date -- 02/05/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01; ConvF(4.70,4.70,4.70)
Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.535 mW/g, SAR (10g): 0.290 mW/g

LGE PCS CDMA phone Model: LG-LP1000
PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flat Phantom; Standard Battery
Conducted Power = 24.5dBm; Spacing = 1.5cm from flat phantom to closest point of fixed antenna, No BeltClip/No Holster
Test Date -- 02/05/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01; ConvF(4.70,4.70,4.70)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.303 mW/g, SAR (10g): 0.171 mW/g

LGE PCS CDMA phone Model: LG-LP1000

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.5dBm; Spacing = 1.5cm from flat phantom to closest point of fixed antenna, No BeltClip/No Holster


Test Date -- 02/05/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01; ConvF(5.16,5.16,5.16)
Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.328 mW/g, SAR (10g): 0.188 mW/g


LGE PCS CDMA phone Model: LG-LP1000
PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery
Conducted Power = 24.5dBm; Right Head Phantom, Cheek/Touch Position
Test Date -- 02/06/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01; ConvF(5.16,5.16,5.16)
Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.419 mW/g SAR (10g): 0.245 mW/g


LGE PCS CDMA phone Model: LG-LP1000
PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery
Conducted Power = 24.5dBm; Right Head Phantom, Cheek/Touch Position
Test Date -- 02/06/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01; ConvF(5.16,5.16,5.16)
Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.252 mW/g, SAR (10g): 0.142 mW/g

LGE PCS CDMA phone Model: LG-LP1000
PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery
Conducted Power = 24.5dBm; Right Head Phantom, Cheek/Touch Position
Test Date -- 02/06/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01; ConvF(5.16,5.16,5.16)
Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.506 mW/g, SAR (10g): 0.278 mW/g

LGE PCS CDMA phone Model: LG-LP1000

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery

Conducted Power = 24.5dBm; Right Head Phantom, Ear/15degree Tilt Position


Test Date -- 02/06/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01; ConvF(5.16,5.16,5.16)
Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.759 mW/g SAR (10g): 0.420 mW/g


LGE PCS CDMA phone Model: LG-LP1000
PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery
Conducted Power = 24.5dBm; Right Head Phantom, Ear/15degree Tilt Position
Test Date -- 02/06/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01; ConvF(5.16,5.16,5.16)
Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.395 mW/g, SAR (10g): 0.220 mW/g

LGE PCS CDMA phone Model: LG-LP1000
PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery
Conducted Power = 24.5dBm; Right Head Phantom, Ear/15degree Tilt Position
Test Date -- 02/06/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01; ConvF(5.16,5.16,5.16)
Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.446 mW/g SAR (10g): 0.244 mW/g

LGE PCS CDMA phone Model: LG-LP1000

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Cheek/Touch Position

Test Date -- 02/06/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01; ConvF(5.16,5.16,5.16)
Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.534 mW/g SAR (10g): 0.296 mW/g

LGE PCS CDMA phone Model: LG-LP1000

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Cheek/Touch Position

Test Date -- 02/06/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01; ConvF(5.16,5.16,5.16)
Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.243 mW/g SAR (10g): 0.131 mW/g

LGE PCS CDMA phone Model: LG-LP1000

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Cheek/Touch Position

Test Date -- 02/06/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01; ConvF(5.16,5.16,5.16)
Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.502 mW/g SAR (10g): 0.251 mW/g

LGE PCS CDMA phone Model: LG-LP1000

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Ear/15degree Tilt Position

Test Date -- 02/06/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01; ConvF(5.16,5.16,5.16)
Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.765 mW/g SAR (10g): 0.410 mW/g

LGE PCS CDMA phone Model: LG-LP1000

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Ear/15degree Tilt Position

Test Date -- 02/06/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01; ConvF(5.16,5.16,5.16)
Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.367 mW/g SAR (10g): 0.189 mW/g

LGE PCS CDMA phone Model: LG-LP1000

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Ear/15degree Tilt Position

Test Date -- 02/06/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.765 mW/g, SAR (10g): 0.410 mW/g

LGE PCS CDMA phone Model: LG-LP1000

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Ear/15degree Tilt Position

Test Date -- 02/06/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLP1000 -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900MHz Muscle: $\sigma = 1.52 \text{ mho/m}$ $\epsilon_r = 53.3$ $\rho = 1.00 \text{ g/cm}^3$; Antenna Position -- Out; Crest Factor 1.0

SAR (lg): 0.535 mW/g, SAR (10g): 0.290 mW/g

LGE PCS CDMA phone Model: LG-LP1000

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.5dBm; Spacing = 1.5cm from flat phantom to closest point of fixed antenna, No BeltClip/No Holster

Test Date -- 02/05/2002 [FCC/OET Bulletin 65 - Supplement C, July 20011]

