

LGE FCC ID: BEJLSI1100-- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.895 mW/g, SAR (10g): 0.531 mW/g

LGE Wireless Local Loop Phone Model: LSI-1100/1150

PCS CDMA Mode, Ch; 0025 [1851.25 MHz]; Standard Battery; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 23.0 dBm; Right Head Phantom, Cheek Touch position

Test Date -- 06/21/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLSI1100-- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.327 mW/g, SAR (10g): 0.190 mW/g

LGE Wireless Local Loop Phone Model: LSI-1100/1150


PCS CDMA Mode, Ch; 0600 [1880.00 MHz]; Standard Battery; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 23.0 dBm; Right Head Phantom, Cheek Touch position

Test Date -- 06/21/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



LGE FCC ID: BEJLSI1100-- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.423 mW/g, SAR (10g): 0.250 mW/g

LGE Wireless Local Loop Phone Model: LSI-1100/1150

PCS CDMA Mode, Ch; 1175 [1908.75 MHz]; Standard Battery; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 23.0 dBm; Right Head Phantom, Cheek Touch position

Test Date -- 06/21/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLSI1100-- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.29 mW/g, SAR (10g): 0.714 mW/g

LGE Wireless Local Loop Phone Model: LSI-1100/1150

PCS CDMA Mode, Ch; 0025 [1851.25 MHz]; Standard Battery; Ambient Temp. =22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 23.0 dBm; Right Head Phantom, EAR/15 Degree Tilt position

Test Date -- 06/21/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLSI1100-- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.774 mW/g, SAR (10g): 0.441 mW/g

LGE Wireless Local Loop Phone Model: LSI-1100/1150

PCS CDMA Mode, Ch; 0600 [1880.00 MHz]; Standard Battery; Ambient Temp. =22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 23.0 dBm; Right Head Phantom, EAR/15 Degree Tilt position

Test Date -- 06/21/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLSI1100-- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.799 mW/g, SAR (10g): 0.460 mW/g

LGE Wireless Local Loop Phone Model: LSI-1100/1150


PCS CDMA Mode, Ch; 1175 [1908.75 MHz]; Standard Battery; Ambient Temp. =22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 23.0 dBm; Right Head Phantom, EAR/15 Degree Tilt position

Test Date -- 06/21/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



LGE FCC ID: BEJLSI1100-- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.824 mW/g, SAR (10g): 0.478 mW/g

LGE Wireless Local Loop Phone Model: LSI-1100/1150


PCS CDMA Mode, Ch; 0025 [1851.25 MHz]; Standard Battery; Ambient Temp. =22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 23.0 dBm; Left Head Phantom, Cheek Touch position

Test Date -- 06/21/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



LGE FCC ID: BEJLSI1100-- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.524 mW/g, SAR (10g): 0.302 mW/g

LGE Wireless Local Loop Phone Model: LSI-1100/1150


PCS CDMA Mode, Ch; 0600 [1880.00 MHz]; Standard Battery; Ambient Temp. =22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 23.0 dBm; Left Head Phantom, Cheek Touch position

Test Date -- 06/21/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



LGE FCC ID: BEJLSI1100-- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.611 mW/g, SAR (10g): 0.345 mW/g

LGE Wireless Local Loop Phone Model: LSI-1100/1150


PCS CDMA Mode, Ch; 1175 [1908.75 MHz]; Standard Battery; Ambient Temp. =22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 23.0 dBm; Left Head Phantom, Cheek Touch position

Test Date -- 06/21/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



LGE FCC ID: BEJLSI1100-- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.31 mW/g, SAR (10g): 0.734 mW/g

LGE Wireless Local Loop Phone Model: LSI-1100/1150

PCS CDMA Mode, Ch; 0025 [1851.25 MHz]; Standard Battery; Ambient Temp. =22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 23.0 dBm; Left Head Phantom, EAR/15 Degree Tilt position

Test Date -- 06/21/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



LGE FCC ID: BEJLSI1100-- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.901 mW/g, SAR (10g): 0.499 mW/g

LGE Wireless Local Loop Phone Model: LSI-1100/1150


PCS CDMA Mode, Ch; 0600 [1880.00 MHz]; Standard Battery; Ambient Temp. =22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 23.0 dBm; Left Head Phantom, EAR/15 Degree Tilt position

Test Date -- 06/21/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



LGE FCC ID: BEJLSI1100-- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.998 mW/g, SAR (10g): 0.546 mW/g

LGE Wireless Local Loop Phone Model: LSI-1100/1150


PCS CDMA Mode, Ch; 1175 [1908.75 MHz]; Standard Battery; Ambient Temp. =22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 23.0 dBm; Left Head Phantom, EAR/15 Degree Tilt position

Test Date -- 06/21/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



LGE FCC ID: BEJLSI1100 -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe: ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.31 mW/g, SAR (10g): 0.734 mW/g

LGE Wireless Local Loop Phone Model: LSI-1100/1150

PCS CDMA Mode, Ch; 0025 [1851.25 MHz]; Standard Battery; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 23.0 dBm; Left Head Phantom, EAR/15 Degree Tilt position

Test Date -- 06/21/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]

