

November 20, 2004

Federal Communications Commission
Equipment Authorization Branch
7435 Oakland Mills Road
Columbia, MD 21046

SUBJECT: LG Electronics USA

FCC ID: BEJLX5450
911 Call Processing Per Section 22.921

Gentlemen:

LG Electronics Inc. on behalf of LG Electronics USA hereby certifies that the wireless telephone (FCC ID: BEJLX5450) processes 911 calls in a manner that it believes to be consistent with Section 22.921 of the Commission's Rules. The procedure recognizes when a 911 call is made and, at such time, will override any programming in the mobile unit that determines the handling of a non-911 call. Once a 911 call is made, the user will be provided visual feedback that a 911 call is in progress. If the call is not connected to the currently acquired network within 17 seconds, the phone will try other networks, including both analog systems and all other compatible digital networks. Upon the interruption or the normal ending of a call, the phone will remain in the emergency call back mode to await a callback from the Public Safety Answering Point for up to five minutes.

This attestation statement supercedes the earlier statement.

Sincerely,



E.S.Park
Research Engineer
CDMA Handset Lab
LG Electronics Inc.

**AFFIDAVIT FOR ESN PROTECTION
OF CELLULAR MOBILE TELEPHONES**

We hereby certify that the LGE Handheld Portable Cellular Telephone(**FCC ID: BEJLX5450**) is so designed that it complies with all the requirements for ESN protection specified in section 22.919 of the FCC Rules.

- A) The transmitter in service has a unique ESN.
- B) The ESN host component is permanently attached to a main circuit board of the mobile transmitter and the integrity of the unit operating software cannot be altered. The ESN is plated from fraudulent contact and tampering. The ESN is encoded using multiplication by a polynomial and the ESN data programmed in the memory with other information.
- C) The ESN is factory-set and cannot be altered, transferred, removed or otherwise able to be manipulated. Cellular mobile equipment is specifically designed such that any attempt to remove, tamper with, or change the ESN chip, its logic system, or firmware originally programmed by the manufacturer will render the mobile transmitter inoperative.

Sincerely,



E.S.Park
Research Engineer
CDMA Handset Lab
LG Electronics Inc.



459-9, Kasan-dong, Kemchun-ku
Seoul 153-023, Korea

Tel : 82-2-850-3850
Fax : 82-2-850-3861
espark@lge.com

November 15. 2002

Federal Communication Commission
Equipment Authorization Branch
7435 Oakland Mills Road
Columbia, MID 21046

Subject : LG Electronics Inc..
FCC ID: BEJLX5450
User's Manual RF Exposure Warning Statement

Gentlemen:

LG Electronics, Inc. hereby conforms that the attached RF exposure warning page will be ready visible to the user, and will be placed at a prominent location in the front of user's manual.

If you have any questions or comments concerned the above, please do not hesitate to contact PCTEST Lab. or me at (410)290-6652

Sincerely,

A handwritten signature in black ink, appearing to be 'E.S. Park', is written above a horizontal line.

E.S.Park
Research Engineer
CDMA Handset Lab
LG Electronics Inc.