



LG ELECTRONICS 2048x1536 LINE A
 FCC ID: BEJNB230A with D-SUB Cable PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.164	47.72	65.26	-17.54	35.88	55.21	-19.33
2	.162	57.83	65.37	-7.54	28.39	54.89	-26.50
3	.169	55.56	64.99	-9.43	25.94	54.54	-28.60
4	11.596	36.35	60.00	-23.65	31.23	50.00	-18.77
5	11.716	33.36	60.00	-26.64	31.52	50.00	-18.48
6	11.233	31.87	60.00	-28.13	29.70	50.00	-20.30
7	11.837	31.66	60.00	-28.34	29.79	50.00	-20.21
8	11.354	32.20	60.00	-27.80	30.30	50.00	-19.70
9	16.305	32.81	60.00	-27.19	27.91	50.00	-22.09
10	11.475	32.78	60.00	-27.22	28.53	50.00	-21.47

LG ELECTRONICS 2048x1536 LINE B
 FCC ID: BEJNB230A with D-SUB Cable PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.164	46.11	65.27	-19.16	35.15	55.39	-20.24
2	11.629	39.54	60.00	-20.46	33.51	50.00	-16.49
3	.177	53.09	64.64	-11.55	25.18	54.20	-29.02
4	23.214	36.91	60.00	-23.09	30.37	50.00	-19.63
5	23.215	36.88	60.00	-23.12	30.23	50.00	-19.77
6	.182	52.04	64.38	-12.34	24.74	53.96	-29.22
7	25.362	33.30	60.00	-26.70	22.20	50.00	-27.80
8	26.449	34.25	60.00	-25.75	20.95	50.00	-29.05
9	25.845	33.28	60.00	-26.72	17.71	50.00	-32.29
10	19.379	33.83	60.00	-26.17	27.26	50.00	-22.74

LG ELECTRONICS 2048x1536 LINE A
 FCC ID: BEJNB230A with BNC Cable PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.165	48.48	65.21	-16.73	32.94	55.03	-22.09
2	.166	48.32	65.17	-16.85	33.24	55.02	-21.78
3	23.250	39.84	60.00	-20.16	30.86	50.00	-19.14
4	.169	55.55	64.99	-9.44	28.86	54.54	-25.68
5	17.875	34.90	60.00	-25.10	32.05	50.00	-17.95
6	23.028	29.71	60.00	-30.29	23.18	50.00	-26.82
7	17.513	34.31	60.00	-25.69	28.60	50.00	-21.40
8	17.754	34.76	60.00	-25.24	32.25	50.00	-17.75
9	17.392	35.52	60.00	-24.48	29.66	50.00	-20.34
10	15.501	34.20	60.00	-25.80	23.53	50.00	-26.47

LG ELECTRONICS 2048x1536 LINE B
 FCC ID: BEJNB230A with BNC Cable PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.253	45.19	60.00	-14.81	37.50	50.00	-12.50
2	.165	48.18	65.21	-17.03	32.40	55.13	-22.73
3	.173	46.22	64.81	-18.59	28.52	55.16	-26.64
4	23.253	45.25	60.00	-14.75	34.24	50.00	-15.76
5	.169	55.91	64.99	-9.08	29.15	54.54	-25.39
6	.184	52.07	64.30	-12.23	23.95	53.78	-29.83
7	15.474	36.83	60.00	-23.17	24.12	50.00	-25.88
8	17.754	35.50	60.00	-24.50	32.91	50.00	-17.09
9	24.584	35.97	60.00	-24.03	35.08	50.00	-14.92
10	17.875	34.95	60.00	-25.05	32.73	50.00	-17.27

LG ELECTRONICS 1920x1440 LINE A
 FCC ID: BEJNB230A with BNC Cable PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.247	45.44	60.00	-14.56	35.05	50.00	-14.95
2	.183	47.63	64.35	-16.72	41.60	54.39	-12.79
3	23.209	45.42	60.00	-14.58	36.91	50.00	-13.09
4	15.499	36.93	60.00	-23.07	29.10	50.00	-20.90
5	24.583	35.58	60.00	-24.42	34.66	50.00	-15.34
6	23.248	45.33	60.00	-14.67	30.56	50.00	-19.44
7	22.990	33.91	60.00	-26.09	27.72	50.00	-22.28
8	21.810	31.01	60.00	-28.99	26.09	50.00	-23.91
9	.193	49.17	63.89	-14.72	22.86	53.49	-30.63
10	22.353	29.13	60.00	-30.87	24.88	50.00	-25.12

LG ELECTRONICS 1920x1440 LINE B
 FCC ID: BEJNB230A with BNC Cable PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.211	43.88	60.00	-16.12	36.60	50.00	-13.40
2	.181	46.13	64.44	-18.31	34.29	54.61	-20.32
3	23.210	43.86	60.00	-16.14	36.35	50.00	-13.65
4	.190	51.06	64.05	-12.99	23.31	53.64	-30.33
5	24.584	35.75	60.00	-24.25	34.76	50.00	-15.24
6	15.499	35.36	60.00	-24.64	29.68	50.00	-20.32
7	22.988	33.43	60.00	-26.57	26.79	50.00	-23.21
8	22.900	31.15	60.00	-28.85	26.31	50.00	-23.69
9	23.900	30.07	60.00	-29.93	25.69	50.00	-24.31
10	21.809	29.77	60.00	-30.23	25.49	50.00	-24.51

LG ELECTRONICS 1800x1440 LINE A
 FCC ID: BEJNB230A with D-SUB Cable PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.185	44.74	64.25	-19.51	30.29	54.41	-24.12
2	23.204	39.64	60.00	-20.36	30.90	50.00	-19.10
3	23.244	39.57	60.00	-20.43	30.93	50.00	-19.07
4	.190	52.76	64.05	-11.29	23.54	53.64	-30.10
5	19.373	34.47	60.00	-25.53	28.22	50.00	-21.78
6	18.007	33.39	60.00	-26.61	29.76	50.00	-20.24
7	17.901	34.06	60.00	-25.94	29.13	50.00	-20.87
8	21.271	31.83	60.00	-28.17	26.60	50.00	-23.40
9	24.584	33.67	60.00	-26.33	32.67	50.00	-17.33
10	15.485	29.28	60.00	-30.72	19.86	50.00	-30.14

LG ELECTRONICS 1800x1440 LINE B
 FCC ID: BEJNB230A with D-SUB Cable PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.188	45.27	64.14	-18.87	31.17	54.40	-23.23
2	23.205	38.33	60.00	-21.67	31.69	50.00	-18.31
3	.195	49.33	63.81	-14.48	26.49	53.41	-26.92
4	19.373	34.67	60.00	-25.33	28.06	50.00	-21.94
5	17.796	34.56	60.00	-25.44	30.85	50.00	-19.15
6	17.901	35.00	60.00	-25.00	29.61	50.00	-20.39
7	18.007	33.84	60.00	-26.16	30.32	50.00	-19.68
8	17.480	34.41	60.00	-25.59	30.16	50.00	-19.84
9	24.584	33.88	60.00	-26.12	33.00	50.00	-17.00
10	18.112	33.89	60.00	-26.11	29.49	50.00	-20.51

LG ELECTRONICS 1600x1200 LINE A
 FCC ID: BEJNB230A with BNC Cable PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.180	46.69	64.48	-17.79	33.26	54.71	-21.45
2	23.202	36.18	60.00	-23.82	30.07	50.00	-19.93
3	.188	53.46	64.13	-10.67	23.48	53.72	-30.24
4	24.584	33.28	60.00	-26.72	32.27	50.00	-17.73
5	19.368	32.44	60.00	-27.56	26.56	50.00	-23.44
6	27.113	31.39	60.00	-28.61	24.52	50.00	-25.48
7	15.485	30.21	60.00	-29.79	24.28	50.00	-25.72
8	27.113	31.14	60.00	-28.86	24.40	50.00	-25.60
9	11.622	28.27	60.00	-31.73	23.08	50.00	-26.92
10	23.020	27.12	60.00	-32.88	21.93	50.00	-28.07

LG ELECTRONICS 1600x1200 LINE B
 FCC ID: BEJNB230A with BNC Cable PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.179	46.28	64.54	-18.26	32.91	54.80	-21.89
2	23.206	37.45	60.00	-22.55	30.73	50.00	-19.27
3	23.188	31.70	60.00	-28.30	21.21	50.00	-28.79
4	.197	48.34	63.73	-15.39	26.50	53.34	-26.84
5	24.584	33.63	60.00	-26.37	32.72	50.00	-17.28
6	.178	46.27	64.56	-18.29	34.14	54.73	-20.59
7	19.371	31.44	60.00	-28.56	25.69	50.00	-24.31
8	17.538	30.66	60.00	-29.34	26.95	50.00	-23.05
9	17.633	30.34	60.00	-29.66	26.24	50.00	-23.76
10	17.444	30.13	60.00	-29.87	26.52	50.00	-23.48

LG ELECTRONICS 1280x1024 LINE A
 FCC ID: BEJNB230A with D-SUB Cable PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.194	43.80	63.84	-20.04	28.44	54.20	-25.76
2	23.202	35.52	60.00	-24.48	26.16	50.00	-23.84
3	15.495	33.31	60.00	-26.69	22.64	50.00	-27.36
4	23.202	35.42	60.00	-24.58	27.28	50.00	-22.72
5	16.945	31.44	60.00	-28.56	26.90	50.00	-23.10
6	17.331	30.12	60.00	-29.88	26.50	50.00	-23.50
7	19.368	30.88	60.00	-29.12	25.67	50.00	-24.33
8	17.139	31.06	60.00	-28.94	26.51	50.00	-23.49
9	.197	50.07	63.74	-13.67	22.29	53.34	-31.05
10	16.946	31.82	60.00	-28.18	27.30	50.00	-22.70

LG ELECTRONICS 1280x1024 LINE B
 FCC ID: BEJNB230A with D-SUB Cable PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.194	43.94	63.85	-19.91	25.88	54.20	-28.32
2	23.206	35.80	60.00	-24.20	29.11	50.00	-20.89
3	.201	48.72	63.58	-14.86	23.26	53.19	-29.93
4	16.945	32.83	60.00	-27.17	28.09	50.00	-21.91
5	15.497	33.89	60.00	-26.11	28.39	50.00	-21.61
6	16.624	31.88	60.00	-28.12	28.02	50.00	-21.98
7	17.139	31.54	60.00	-28.46	27.21	50.00	-22.79
8	16.817	32.47	60.00	-27.53	28.22	50.00	-21.78
9	16.560	31.84	60.00	-28.16	29.37	50.00	-20.63
10	19.371	31.15	60.00	-28.85	21.81	50.00	-28.19

LG ELECTRONICS 1024x768 LINE A PCTEST Engineering Lab.
 FCC ID: BEJNB230A with BNC Cable




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.201	40.81	60.00	-19.19	35.11	50.00	-14.89
2	.190	44.10	64.03	-19.93	30.69	54.22	-23.53
3	23.202	41.13	60.00	-18.87	34.63	50.00	-15.37
4	23.202	39.82	60.00	-20.18	26.10	50.00	-23.90
5	15.495	35.95	60.00	-24.05	30.69	50.00	-19.31
6	.193	50.93	63.89	-12.96	26.48	53.49	-27.01
7	24.583	33.70	60.00	-26.30	32.80	50.00	-17.20
8	19.369	29.89	60.00	-30.11	24.81	50.00	-25.19
9	.150	28.78	65.99	-37.21	22.99	56.00	-33.01
10	22.980	30.19	60.00	-29.81	21.08	50.00	-28.92

LG ELECTRONICS 1024x768 LINE B PCTEST Engineering Lab.
 FCC ID: BEJNB230A with BNC Cable




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.206	41.59	60.00	-18.41	34.93	50.00	-15.07
2	.190	44.84	64.03	-19.19	32.22	54.13	-21.91
3	.190	52.30	64.05	-11.75	24.70	53.64	-28.94
4	15.498	36.85	60.00	-23.15	31.72	50.00	-18.28
5	24.584	33.99	60.00	-26.01	33.05	50.00	-16.95
6	23.122	30.89	60.00	-29.11	23.30	50.00	-26.70
7	19.371	29.90	60.00	-30.10	24.81	50.00	-25.19
8	.150	27.60	65.99	-38.39	22.93	56.00	-33.07
9	21.736	27.91	60.00	-32.09	23.46	50.00	-26.54
10	17.446	28.21	60.00	-31.79	24.79	50.00	-25.21

LG ELECTRONICS 800x600 LINE A
 FCC ID: BEJNB230A with D-SUB Cable PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.201	43.02	60.00	-16.98	36.13	50.00	-13.87
2	23.203	43.04	60.00	-16.96	29.65	50.00	-20.35
3	.160	34.64	65.48	-30.84	25.19	55.74	-30.55
4	23.188	37.03	60.00	-22.97	24.99	50.00	-25.01
5	23.241	42.76	60.00	-17.24	32.32	50.00	-17.68
6	.201	40.41	63.57	-23.16	28.32	53.65	-25.33
7	15.495	37.46	60.00	-22.54	32.07	50.00	-17.93
8	24.584	34.79	60.00	-25.21	33.00	50.00	-17.00
9	22.978	31.22	60.00	-28.78	23.43	50.00	-26.57
10	.195	45.66	63.81	-18.15	26.25	53.41	-27.16


LG ELECTRONICS 800x600 LINE B
 FCC ID: BEJNB230A with D-SUB Cable PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.205	43.55	60.00	-16.45	36.65	50.00	-13.35
2	.150	32.65	65.99	-33.34	24.25	55.74	-31.49
3	.197	42.12	63.74	-21.62	27.67	53.78	-26.11
4	23.205	42.39	60.00	-17.61	25.19	50.00	-24.81
5	15.496	37.85	60.00	-22.15	24.85	50.00	-25.15
6	24.584	34.68	60.00	-25.32	33.25	50.00	-16.75
7	27.071	22.13	60.00	-37.87	18.56	50.00	-31.44
8	22.983	31.53	60.00	-28.47	22.67	50.00	-27.33
9	19.371	31.72	60.00	-28.28	26.40	50.00	-23.60
10	18.912	30.53	60.00	-29.47	26.05	50.00	-23.95



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.150	44.89	65.98	-21.09	35.55	56.00	-20.45
2	23.241	41.84	60.00	-18.16	34.69	50.00	-15.31
3	23.190	36.80	60.00	-23.20	23.56	50.00	-26.44
4	23.241	41.82	60.00	-18.18	31.04	50.00	-18.96
5	22.978	30.30	60.00	-29.70	22.98	50.00	-27.02
6	15.495	37.59	60.00	-22.41	24.30	50.00	-25.70
7	.207	38.37	63.33	-24.96	28.72	53.45	-24.73
8	22.979	30.33	60.00	-29.67	21.58	50.00	-28.42
9	24.583	33.37	60.00	-26.63	32.29	50.00	-17.71
10	22.822	24.96	60.00	-35.04	20.37	50.00	-29.63



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.150	44.37	65.98	-21.61	34.29	56.00	-21.71
2	23.207	41.19	60.00	-18.81	34.85	50.00	-15.15
3	.206	41.24	63.35	-22.11	31.02	53.58	-22.56
4	15.498	36.71	60.00	-23.29	23.83	50.00	-26.17
5	24.584	33.63	60.00	-26.37	32.70	50.00	-17.30
6	.208	47.76	63.28	-15.52	23.46	52.91	-29.45
7	22.983	29.94	60.00	-30.06	22.65	50.00	-27.35
8	22.982	30.80	60.00	-29.20	21.78	50.00	-28.22
9	19.372	28.47	60.00	-31.53	22.89	50.00	-27.11
10	14.319	28.06	60.00	-31.94	26.23	50.00	-23.77