



5240 MHz





Date: 9.JAN.2023 14:53:28




Date: 9.JAN.2023 14:52:57


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	23.60	19.00	No limit
5300	23.60	19.00	No limit
5320	23.69	19.00	No limit



5320 MHz





Date: 9.JAN.2023 14:57:04





Date: 9.JAN.2023 14:56:33

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	24.35	19.00	No limit
5580	23.89	19.00	No limit
5700	23.26	19.00	No limit


5500 MHz




5580 MHz



5700 MHz




Date: 9.JAN.2023 15:01:07




Date: 9.JAN.2023 15:00:34

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	17.95	19.00	500	Pass
5785	18.00	19.00	500	Pass
5825	17.89	19.00	500	Pass

5745 MHz




Date: 9.JAN.2023 15:02:31




Date: 9.JAN.2023 15:01:56

5785 MHz




Date: 9.JAN.2023 15:03:52




Date: 9.JAN.2023 15:03:17

5825 MHz





Date: 9.JAN.2023 15:05:04



Date: 9.JAN.2023 15:04:29



Test Mode	IEEE 802.11ax (HE40)_Aux Antenna
-----------	----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	43.00	38.00	No limit
5230	42.30	38.00	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	43.10	38.00	No limit
5310	42.40	38.00	No limit

5270 MHz





5310 MHz





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	42.70	37.80	No limit
5550	42.30	38.00	No limit
5670	43.21	38.00	No limit


5510 MHz




5550 MHz



5670 MHz





Date: 9.JAN.2023 16:15:32





Date: 9.JAN.2023 16:14:48

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	33.40	37.80	500	Pass
5795	33.39	38.00	500	Pass

5755 MHz




5795 MHz




Test Mode	IEEE 802.11ax (HE80)_Aux Antenna
-----------	----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	83.20	77.60	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	83.80	76.80	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	84.39	76.80	No limit
5610	83.61	76.80	No limit


5530 MHz



5610 MHz




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	73.59	77.20	500	Pass




Test Mode	IEEE 802.11ax (HE160)_Aux Antenna
-----------	-----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5250	162.80	155.20	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5570	164.80	156.00	No limit




For Straddle Channel:

Test Mode	IEEE 802.11a_Main Antenna
-----------	---------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5720	23.59	17.00	No limit




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5720	15.20	17.00	No limit




Test Mode	IEEE 802.11a_Aux Antenna
-----------	--------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5720	24.10	17.00	No limit




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5720	15.20	17.00	No limit




Test Mode	IEEE 802.11n (HT20)_Aux Antenna
-----------	---------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5720	23.81	17.90	No limit




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5720	17.45	17.90	No limit




Test Mode	IEEE 802.11n (HT40)_Aux Antenna
-----------	---------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5710	43.70	36.60	No limit




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5710	36.50	36.60	No limit




Test Mode	IEEE 802.11ac (VHT80)_Aux Antenna
-----------	-----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5690	85.59	75.60	No limit




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5690	76.20	75.60	No limit




Test Mode	IEEE 802.11ax (HE20)_Aux Antenna
-----------	----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5720	23.79	19.10	No limit




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5720	14.60	19.10	No limit




Test Mode	IEEE 802.11ax (HE40)_Aux Antenna
-----------	----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5710	43.30	37.80	No limit




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5710	35.99	37.80	No limit




Test Mode	IEEE 802.11ax (HE80)_Aux Antenna
-----------	----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5690	84.80	76.80	No limit



Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5690	53.19	76.80	No limit



APPENDIX E CONDUCTED OUTPUT POWER

Test Mode	IEEE 802.11a_Main Antenna	Tested Date	2023/1/7
-----------	---------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	14.96	0.0313	24.00	0.2512	Complies
5200	14.89	0.0308	24.00	0.2512	Complies
5240	14.92	0.0310	24.00	0.2512	Complies
5260	14.89	0.0308	24.00	0.2512	Complies
5300	14.86	0.0306	24.00	0.2512	Complies
5320	14.93	0.0311	24.00	0.2512	Complies
5500	14.93	0.0311	24.00	0.2512	Complies
5580	14.97	0.0314	24.00	0.2512	Complies
5700	14.90	0.0309	24.00	0.2512	Complies
5745	14.92	0.0310	30.00	1.0000	Complies
5785	14.87	0.0307	30.00	1.0000	Complies
5825	14.98	0.0315	30.00	1.0000	Complies

Test Mode	IEEE 802.11a_Aux Antenna	Tested Date	2023/1/7
-----------	--------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	14.96	0.0313	24.00	0.2512	Complies
5200	14.92	0.0310	24.00	0.2512	Complies
5240	14.95	0.0313	24.00	0.2512	Complies
5260	14.92	0.0310	24.00	0.2512	Complies
5300	14.88	0.0308	24.00	0.2512	Complies
5320	14.86	0.0306	24.00	0.2512	Complies
5500	14.93	0.0311	24.00	0.2512	Complies
5580	14.93	0.0311	24.00	0.2512	Complies
5700	14.91	0.0310	24.00	0.2512	Complies
5745	14.92	0.0310	30.00	1.0000	Complies
5785	14.90	0.0309	30.00	1.0000	Complies
5825	14.95	0.0313	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT20)_Main Antenna	Tested Date	2023/1/7
-----------	----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	11.98	0.0158	24.00	0.2512	Complies
5200	11.92	0.0156	24.00	0.2512	Complies
5240	11.96	0.0157	24.00	0.2512	Complies
5260	11.89	0.0155	24.00	0.2512	Complies
5300	11.87	0.0154	24.00	0.2512	Complies
5320	11.85	0.0153	24.00	0.2512	Complies
5500	11.84	0.0153	24.00	0.2512	Complies
5580	11.98	0.0158	24.00	0.2512	Complies
5700	11.93	0.0156	24.00	0.2512	Complies
5745	11.93	0.0156	30.00	1.0000	Complies
5785	11.89	0.0155	30.00	1.0000	Complies
5825	11.96	0.0157	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT20)_Aux Antenna	Tested Date	2023/1/7
-----------	---------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	11.93	0.0156	24.00	0.2512	Complies
5200	11.82	0.0152	24.00	0.2512	Complies
5240	11.92	0.0156	24.00	0.2512	Complies
5260	11.87	0.0154	24.00	0.2512	Complies
5300	11.77	0.0150	24.00	0.2512	Complies
5320	11.91	0.0155	24.00	0.2512	Complies
5500	11.87	0.0154	24.00	0.2512	Complies
5580	11.84	0.0153	24.00	0.2512	Complies
5700	11.79	0.0151	24.00	0.2512	Complies
5745	11.92	0.0156	30.00	1.0000	Complies
5785	11.90	0.0155	30.00	1.0000	Complies
5825	11.85	0.0153	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT20)_Total	Tested Date	2023/1/7
-----------	---------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	14.97	0.0314	24.00	0.2512	Complies
5200	14.88	0.0308	24.00	0.2512	Complies
5240	14.95	0.0313	24.00	0.2512	Complies
5260	14.89	0.0308	24.00	0.2512	Complies
5300	14.83	0.0304	24.00	0.2512	Complies
5320	14.89	0.0308	24.00	0.2512	Complies
5500	14.87	0.0307	24.00	0.2512	Complies
5580	14.92	0.0311	24.00	0.2512	Complies
5700	14.87	0.0307	24.00	0.2512	Complies
5745	14.94	0.0312	30.00	1.0000	Complies
5785	14.91	0.0309	30.00	1.0000	Complies
5825	14.92	0.0310	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT40)_Main Antenna	Tested Date	2023/1/7
-----------	----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	11.96	0.0157	24.00	0.2512	Complies
5230	11.95	0.0157	24.00	0.2512	Complies
5270	11.88	0.0154	24.00	0.2512	Complies
5310	11.93	0.0156	24.00	0.2512	Complies
5510	11.93	0.0156	24.00	0.2512	Complies
5550	11.91	0.0155	24.00	0.2512	Complies
5670	11.97	0.0157	24.00	0.2512	Complies
5755	11.91	0.0155	30.00	1.0000	Complies
5795	11.83	0.0152	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT40)_Aux Antenna	Tested Date	2023/1/7
-----------	---------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	11.99	0.0158	24.00	0.2512	Complies
5230	11.98	0.0158	24.00	0.2512	Complies
5270	11.93	0.0156	24.00	0.2512	Complies
5310	11.96	0.0157	24.00	0.2512	Complies
5510	11.87	0.0154	24.00	0.2512	Complies
5550	11.84	0.0153	24.00	0.2512	Complies
5670	11.93	0.0156	24.00	0.2512	Complies
5755	11.89	0.0155	30.00	1.0000	Complies
5795	11.98	0.0158	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT40)_Total	Tested Date	2023/1/7
-----------	---------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.99	0.0315	24.00	0.2512	Complies
5230	14.98	0.0314	24.00	0.2512	Complies
5270	14.92	0.0310	24.00	0.2512	Complies
5310	14.96	0.0313	24.00	0.2512	Complies
5510	14.91	0.0310	24.00	0.2512	Complies
5550	14.89	0.0308	24.00	0.2512	Complies
5670	14.96	0.0313	24.00	0.2512	Complies
5755	14.91	0.0310	30.00	1.0000	Complies
5795	14.92	0.0310	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT20)_Main Antenna	Tested Date	2023/1/7
-----------	------------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	11.79	0.0151	24.00	0.2512	Complies
5200	11.70	0.0148	24.00	0.2512	Complies
5240	11.73	0.0149	24.00	0.2512	Complies
5260	11.71	0.0148	21.00	0.1259	Complies
5300	11.61	0.0145	21.00	0.1259	Complies
5320	11.58	0.0144	21.00	0.1259	Complies
5500	11.67	0.0147	21.00	0.1259	Complies
5580	11.65	0.0146	21.00	0.1259	Complies
5700	11.65	0.0146	21.00	0.1259	Complies
5745	11.71	0.0148	30.00	1.0000	Complies
5785	11.63	0.0146	30.00	1.0000	Complies
5825	11.75	0.0150	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT20)_AuxAntenna	Tested Date	2023/1/7
-----------	----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	11.78	0.0151	24.00	0.2512	Complies
5200	11.62	0.0145	24.00	0.2512	Complies
5240	11.65	0.0146	24.00	0.2512	Complies
5260	11.62	0.0145	21.00	0.1259	Complies
5300	11.48	0.0141	21.00	0.1259	Complies
5320	11.66	0.0147	21.00	0.1259	Complies
5500	11.69	0.0148	21.00	0.1259	Complies
5580	11.56	0.0143	21.00	0.1259	Complies
5700	11.53	0.0142	21.00	0.1259	Complies
5745	11.77	0.0150	30.00	1.0000	Complies
5785	11.64	0.0146	30.00	1.0000	Complies
5825	11.56	0.0143	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT20)_Total	Tested Date	2023/1/7
-----------	-----------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	14.80	0.0302	24.00	0.2512	Complies
5200	14.67	0.0293	24.00	0.2512	Complies
5240	14.70	0.0295	24.00	0.2512	Complies
5260	14.68	0.0293	21.00	0.1259	Complies
5300	14.56	0.0285	21.00	0.1259	Complies
5320	14.63	0.0290	21.00	0.1259	Complies
5500	14.69	0.0294	21.00	0.1259	Complies
5580	14.62	0.0289	21.00	0.1259	Complies
5700	14.60	0.0288	21.00	0.1259	Complies
5745	14.75	0.0299	30.00	1.0000	Complies
5785	14.65	0.0291	30.00	1.0000	Complies
5825	14.67	0.0293	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT40)_Main Antenna	Tested Date	2023/1/7
-----------	------------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	11.69	0.0148	24.00	0.2512	Complies
5230	11.77	0.0150	24.00	0.2512	Complies
5270	11.70	0.0148	21.00	0.1259	Complies
5310	11.69	0.0148	21.00	0.1259	Complies
5510	11.62	0.0145	21.00	0.1259	Complies
5550	11.76	0.0150	21.00	0.1259	Complies
5670	11.76	0.0150	21.00	0.1259	Complies
5755	11.63	0.0146	30.00	1.0000	Complies
5795	11.57	0.0144	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT40)_Aux Antenna	Tested Date	2023/1/7
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	11.72	0.0149	24.00	0.2512	Complies
5230	11.72	0.0149	24.00	0.2512	Complies
5270	11.68	0.0147	21.00	0.1259	Complies
5310	11.67	0.0147	21.00	0.1259	Complies
5510	11.56	0.0143	21.00	0.1259	Complies
5550	11.63	0.0146	21.00	0.1259	Complies
5670	11.77	0.0150	21.00	0.1259	Complies
5755	11.61	0.0145	30.00	1.0000	Complies
5795	11.77	0.0150	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT40)_Total	Tested Date	2023/1/7
-----------	-----------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.72	0.0296	24.00	0.2512	Complies
5230	14.76	0.0299	24.00	0.2512	Complies
5270	14.70	0.0295	21.00	0.1259	Complies
5310	14.69	0.0294	21.00	0.1259	Complies
5510	14.60	0.0288	21.00	0.1259	Complies
5550	14.71	0.0296	21.00	0.1259	Complies
5670	14.78	0.0300	21.00	0.1259	Complies
5755	14.63	0.0290	30.00	1.0000	Complies
5795	14.68	0.0294	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT80)_ Main Antenna	Tested Date	2023/1/7
-----------	-------------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	11.93	0.0156	24.00	0.2512	Complies
5290	11.89	0.0155	24.00	0.2512	Complies
5530	11.89	0.0155	24.00	0.2512	Complies
5610	11.82	0.0152	24.00	0.2512	Complies
5775	11.96	0.0157	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT80)_Aux Antenna	Tested Date	2023/1/7
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	11.95	0.0157	24.00	0.2512	Complies
5290	11.96	0.0157	24.00	0.2512	Complies
5530	11.89	0.0155	24.00	0.2512	Complies
5610	11.87	0.0154	24.00	0.2512	Complies
5775	11.95	0.0157	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT80)_Total	Tested Date	2023/1/7
-----------	-----------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.95	0.0313	24.00	0.2512	Complies
5290	14.94	0.0312	24.00	0.2512	Complies
5530	14.90	0.0309	24.00	0.2512	Complies
5610	14.86	0.0306	24.00	0.2512	Complies
5775	14.97	0.0314	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT160) _Main Antenna	Tested Date	2023/1/7
-----------	--------------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	11.96	0.0157	24.00	0.2512	Complies
5570	11.93	0.0156	24.00	0.2512	Complies

Test Mode	IEEE 802.11ac (VHT160)_Aux Antenna	Tested Date	2023/1/7
-----------	------------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	11.94	0.0156	24.00	0.2512	Complies
5570	11.90	0.0155	24.00	0.2512	Complies

Test Mode	IEEE 802.11ac (VHT160)_Total	Tested Date	2023/1/7
-----------	------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	14.96	0.0313	24.00	0.2512	Complies
5570	14.93	0.0311	24.00	0.2512	Complies

Test Mode	IEEE 802.11ax (HE20) _Main Antenna	Tested Date	2023/1/7
-----------	------------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	11.93	0.0156	24.00	0.2512	Complies
5200	11.94	0.0156	24.00	0.2512	Complies
5240	11.95	0.0157	24.00	0.2512	Complies
5260	11.91	0.0155	24.00	0.2512	Complies
5300	11.92	0.0156	24.00	0.2512	Complies
5320	11.88	0.0154	24.00	0.2512	Complies
5500	11.86	0.0153	24.00	0.2512	Complies
5580	11.94	0.0156	24.00	0.2512	Complies
5700	11.93	0.0156	24.00	0.2512	Complies
5745	11.92	0.0156	30.00	1.0000	Complies
5785	11.89	0.0155	30.00	1.0000	Complies
5825	11.92	0.0156	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE20) _Aux Antenna	Tested Date	2023/1/7
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	11.97	0.0157	24.00	0.2512	Complies
5200	11.91	0.0155	24.00	0.2512	Complies
5240	11.88	0.0154	24.00	0.2512	Complies
5260	11.92	0.0156	24.00	0.2512	Complies
5300	11.86	0.0153	24.00	0.2512	Complies
5320	11.89	0.0155	24.00	0.2512	Complies
5500	11.96	0.0157	24.00	0.2512	Complies
5580	11.95	0.0157	24.00	0.2512	Complies
5700	11.90	0.0155	24.00	0.2512	Complies
5745	11.96	0.0157	30.00	1.0000	Complies
5785	11.90	0.0155	30.00	1.0000	Complies
5825	11.86	0.0153	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE20)_Total	Tested Date	2023/1/7
-----------	----------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	14.96	0.0313	24.00	0.2512	Complies
5200	14.94	0.0312	24.00	0.2512	Complies
5240	14.93	0.0311	24.00	0.2512	Complies
5260	14.93	0.0311	24.00	0.2512	Complies
5300	14.90	0.0309	24.00	0.2512	Complies
5320	14.90	0.0309	24.00	0.2512	Complies
5500	14.92	0.0310	24.00	0.2512	Complies
5580	14.96	0.0313	24.00	0.2512	Complies
5700	14.93	0.0311	24.00	0.2512	Complies
5745	14.95	0.0313	30.00	1.0000	Complies
5785	14.91	0.0309	30.00	1.0000	Complies
5825	14.90	0.0309	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE40) _Main Antenna	Tested Date	2023/1/7
-----------	------------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	11.93	0.0156	24.00	0.2512	Complies
5230	11.88	0.0154	24.00	0.2512	Complies
5270	11.91	0.0155	24.00	0.2512	Complies
5310	11.82	0.0152	24.00	0.2512	Complies
5510	11.93	0.0156	24.00	0.2512	Complies
5550	11.98	0.0158	24.00	0.2512	Complies
5670	11.89	0.0155	24.00	0.2512	Complies
5755	12.98	0.0199	30.00	1.0000	Complies
5795	11.93	0.0156	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE40)_Aux Antenna	Tested Date	2023/1/7
-----------	----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	11.93	0.0156	24.00	0.2512	Complies
5230	12.96	0.0198	24.00	0.2512	Complies
5270	10.89	0.0123	24.00	0.2512	Complies
5310	11.89	0.0155	24.00	0.2512	Complies
5510	11.78	0.0151	24.00	0.2512	Complies
5550	11.97	0.0157	24.00	0.2512	Complies
5670	11.91	0.0155	24.00	0.2512	Complies
5755	11.83	0.0152	30.00	1.0000	Complies
5795	11.79	0.0151	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE40)_Total	Tested Date	2023/1/7
-----------	----------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.94	0.0312	24.00	0.2512	Complies
5230	15.46	0.0352	24.00	0.2512	Complies
5270	14.44	0.0278	24.00	0.2512	Complies
5310	14.87	0.0307	24.00	0.2512	Complies
5510	14.87	0.0307	24.00	0.2512	Complies
5550	14.99	0.0315	24.00	0.2512	Complies
5670	14.91	0.0310	24.00	0.2512	Complies
5755	15.45	0.0351	30.00	1.0000	Complies
5795	14.87	0.0307	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE80)_Main Antenna	Tested Date	2023/1/7
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	11.89	0.0155	24.00	0.2512	Complies
5290	11.98	0.0158	24.00	0.2512	Complies
5530	11.88	0.0154	24.00	0.2512	Complies
5610	11.87	0.0154	24.00	0.2512	Complies
5775	11.89	0.0155	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE80)_Aux Antenna	Tested Date	2023/1/7
-----------	----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	11.93	0.0156	24.00	0.2512	Complies
5290	11.88	0.0154	24.00	0.2512	Complies
5530	11.86	0.0153	24.00	0.2512	Complies
5610	11.92	0.0156	24.00	0.2512	Complies
5775	11.91	0.0155	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE80)_Total	Tested Date	2023/1/7
-----------	----------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.92	0.0310	24.00	0.2512	Complies
5290	14.94	0.0312	24.00	0.2512	Complies
5530	14.88	0.0308	24.00	0.2512	Complies
5610	14.91	0.0309	24.00	0.2512	Complies
5775	14.91	0.0310	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE160)_Main Antenna	Tested Date	2023/1/7
-----------	------------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	11.96	0.0157	24.00	0.2512	Complies
5570	11.92	0.0156	24.00	0.2512	Complies

Test Mode	IEEE 802.11ax (HE160)_Aux Antenna	Tested Date	2023/1/7
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	11.99	0.0158	24.00	0.2512	Complies
5570	11.89	0.0155	24.00	0.2512	Complies

Test Mode	IEEE 802.11ax (HE160)_Total	Tested Date	2023/1/7
-----------	-----------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	14.99	0.0315	24.00	0.2512	Complies
5570	14.92	0.0310	24.00	0.2512	Complies

For Straddle Channel:

Test Mode	IEEE 802.11a_Main Antenna	Tested Date	2023/1/7
-----------	---------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	14.90	0.0309	24.00	0.2512	Complies
5720	6.88	0.0049	30.00	1.0000	Complies

Test Mode	IEEE 802.11a_Aux Antenna	Tested Date	2023/1/7
-----------	--------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	14.94	0.0312	24.00	0.2512	Complies
5720	6.99	0.0050	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT20)_Main Antenna	Tested Date	2023/1/7
-----------	----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	11.86	0.0153	24.00	0.2512	Complies
5720	4.41	0.0028	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT20)_Aux Antenna	Tested Date	2023/1/7
-----------	---------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	11.83	0.0152	24.00	0.2512	Complies
5720	4.21	0.0026	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT20)_Total	Tested Date	2023/1/7
-----------	---------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	14.86	0.0306	24.00	0.2512	Complies
5720	7.32	0.0054	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT40)_Main Antenna	Tested Date	2023/1/7
-----------	----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	11.86	0.0153	24.00	0.2512	Complies
5710	-0.62	0.0009	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT40)_Aux Antenna	Tested Date	2023/1/7
-----------	---------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	11.97	0.0157	24.00	0.2512	Complies
5710	-0.87	0.0008	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT40)_Total	Tested Date	2023/1/7
-----------	---------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	14.93	0.0311	24.00	0.2512	Complies
5710	2.27	0.0017	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT20)_Main Antenna	Tested Date	2023/1/7
-----------	------------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	11.68	0.0147	24.00	0.2512	Complies
5720	4.11	0.0026	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT20)_Aux Antenna	Tested Date	2023/1/7
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	11.75	0.0150	24.00	0.2512	Complies
5720	4.14	0.0026	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT20)_Total	Tested Date	2023/1/7
-----------	-----------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	14.73	0.0297	24.00	0.2512	Complies
5720	7.14	0.0052	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT40)_Main Antenna	Tested Date	2023/1/7
-----------	------------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	11.69	0.0148	24.00	0.2512	Complies
5710	-0.89	0.0008	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT40)_Aux Antenna	Tested Date	2023/1/7
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	11.72	0.0149	24.00	0.2512	Complies
5710	-0.95	0.0008	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT40)_Total	Tested Date	2023/1/7
-----------	-----------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	14.72	0.0296	24.00	0.2512	Complies
5710	2.09	0.0016	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT80)_Main Antenna	Tested Date	2023/1/7
-----------	------------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	11.84	0.0153	24.00	0.2512	Complies
5690	-4.80	0.0003	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT80)_Aux Antenna	Tested Date	2023/1/7
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	11.98	0.0158	24.00	0.2512	Complies
5690	-5.26	0.0003	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT80)_Total	Tested Date	2023/1/7
-----------	-----------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	14.92	0.0311	24.00	0.2512	Complies
5690	-2.01	0.0006	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE20)_Main Antenna	Tested Date	2023/1/7
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	11.83	0.0152	24.00	0.2512	Complies
5720	4.74	0.0030	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE20)_Aux Antenna	Tested Date	2023/1/7
-----------	----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	11.83	0.0152	24.00	0.2512	Complies
5720	4.75	0.0030	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE20)_Total	Tested Date	2023/1/7
-----------	----------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	14.84	0.0305	24.00	0.2512	Complies
5720	7.76	0.0060	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE40)_Main Antenna	Tested Date	2023/1/7
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	11.99	0.0158	24.00	0.2512	Complies
5710	0.13	0.0010	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE40)_Aux Antenna	Tested Date	2023/1/7
-----------	----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	11.96	0.0157	24.00	0.2512	Complies
5710	-0.09	0.0010	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE40)_Total	Tested Date	2023/1/7
-----------	----------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	14.99	0.0315	24.00	0.2512	Complies
5710	3.03	0.0020	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE80)_Main Antenna	Tested Date	2023/1/7
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	11.91	0.0155	24.00	0.2512	Complies
5690	-3.89	0.0004	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE80)_Aux Antenna	Tested Date	2023/1/7
-----------	----------------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	11.91	0.0155	24.00	0.2512	Complies
5690	-4.48	0.0004	30.00	1.0000	Complies





Test Mode	IEEE 802.11ax (HE80)_Total	Tested Date	2023/1/7
-----------	----------------------------	-------------	----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	14.92	0.0310	24.00	0.2512	Complies
5690	-1.16	0.0008	30.00	1.0000	Complies





APPENDIX F POWER SPECTRAL DENSITY

Test Mode	IEEE 802.11a_Main Antenna
-----------	---------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	4.56	0.12	4.68	17.00	Pass
5200	4.72	0.12	4.84	17.00	Pass
5240	4.39	0.12	4.51	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	4.15	0.12	4.27	11.00	Pass
5300	3.91	0.12	4.03	11.00	Pass
5320	3.45	0.12	3.57	11.00	Pass





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	4.45	0.12	4.57	11.00	Pass
5580	4.74	0.12	4.86	11.00	Pass
5700	4.06	0.12	4.18	11.00	Pass







Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	1.63	8.62	0.12	8.74	30.00	Pass
5785	1.47	8.46	0.12	8.58	30.00	Pass
5825	1.55	8.54	0.12	8.66	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$







Test Mode	IEEE 802.11a_Aux Antenna
-----------	--------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	4.29	0.12	4.41	17.00	Pass
5200	4.27	0.12	4.39	17.00	Pass
5240	3.93	0.12	4.05	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	3.78	0.12	3.90	11.00	Pass
5300	3.43	0.12	3.55	11.00	Pass
5320	3.14	0.12	3.26	11.00	Pass





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	3.89	0.12	4.01	11.00	Pass
5580	4.27	0.12	4.39	11.00	Pass
5700	3.81	0.12	3.93	11.00	Pass







Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	1.32	8.31	0.12	8.43	30.00	Pass
5785	1.05	8.04	0.12	8.16	30.00	Pass
5825	1.60	8.59	0.12	8.71	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$







Test Mode	IEEE 802.11n (HT20)_Main Antenna
-----------	----------------------------------



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	0.88	0.00	0.88	17.00	Pass
5200	1.00	0.00	1.00	17.00	Pass
5240	0.65	0.00	0.65	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	0.43	0.00	0.43	11.00	Pass
5300	0.17	0.00	0.17	11.00	Pass
5320	-0.16	0.00	-0.16	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	0.69	0.00	0.69	11.00	Pass
5580	1.00	0.00	1.00	11.00	Pass
5700	0.51	0.00	0.51	11.00	Pass







Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-2.07	4.92	0.00	4.92	30.00	Pass
5785	-2.17	4.82	0.00	4.82	30.00	Pass
5825	-1.85	5.14	0.00	5.14	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$







Test Mode	IEEE 802.11n (HT20)_Aux Antenna
-----------	---------------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	0.59	0.00	0.59	17.00	Pass
5200	0.71	0.00	0.71	17.00	Pass
5240	0.42	0.00	0.42	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	0.17	0.00	0.17	11.00	Pass
5300	-0.24	0.00	-0.24	11.00	Pass
5320	-0.53	0.00	-0.53	11.00	Pass





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	0.21	0.00	0.21	11.00	Pass
5580	0.64	0.00	0.64	11.00	Pass
5700	0.13	0.00	0.13	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-2.47	4.52	0.00	4.52	30.00	Pass
5785	-2.51	4.48	0.00	4.48	30.00	Pass
5825	-1.83	5.16	0.00	5.16	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11n (HT20)_Total
-----------	---------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	3.75	0.00	3.75	17.00	Pass
5200	3.87	0.00	3.87	17.00	Pass
5240	3.55	0.00	3.55	17.00	Pass
5260	3.31	0.00	3.31	11.00	Pass
5300	2.98	0.00	2.98	11.00	Pass
5320	2.67	0.00	2.67	11.00	Pass
5500	3.47	0.00	3.47	11.00	Pass
5580	3.83	0.00	3.83	11.00	Pass
5700	3.33	0.00	3.33	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	0.74	7.73	0.00	7.73	30.00	Pass
5785	0.67	7.66	0.00	7.66	30.00	Pass
5825	1.17	8.16	0.00	8.16	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11n (HT40)_Main Antenna
-----------	----------------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-2.44	0.00	-2.44	17.00	Pass
5230	-2.62	0.00	-2.62	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-2.91	0.00	-2.91	11.00	Pass
5310	-3.29	0.00	-3.29	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-2.49	0.00	-2.49	11.00	Pass
5550	-2.36	0.00	-2.36	11.00	Pass
5670	-2.99	0.00	-2.99	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-6.03	0.96	0.00	0.96	30.00	Pass
5795	-5.48	1.51	0.00	1.51	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT40)_Aux Antenna
-----------	---------------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-2.27	0.00	-2.27	17.00	Pass
5230	-2.38	0.00	-2.38	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-2.93	0.00	-2.93	11.00	Pass
5310	-3.26	0.00	-3.26	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-2.66	0.00	-2.66	11.00	Pass
5550	-2.41	0.00	-2.41	11.00	Pass
5670	-2.96	0.00	-2.96	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-5.81	1.18	0.00	1.18	30.00	Pass
5795	-5.11	1.88	0.00	1.88	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode | IEEE 802.11n (HT40)_Total


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	0.66	0.00	0.66	17.00	Pass
5230	0.51	0.00	0.51	17.00	Pass
5270	0.09	0.00	0.09	11.00	Pass
5310	-0.26	0.00	-0.26	11.00	Pass
5510	0.44	0.00	0.44	11.00	Pass
5550	0.63	0.00	0.63	11.00	Pass
5670	0.04	0.00	0.04	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-2.91	4.08	0.00	4.08	30.00	Pass
5795	-2.28	4.71	0.00	4.71	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ac (VHT80)_Main Antenna
-----------	------------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-5.26	0.00	-5.26	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-5.83	0.00	-5.83	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-5.24	0.00	-5.24	11.00	Pass
5610	-5.62	0.00	-5.62	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-9.06	-2.07	0.00	-2.07	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_Aux Antenna
-----------	-----------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-3.79	0.00	-3.79	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-4.50	0.00	-4.50	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-4.53	0.00	-4.53	11.00	Pass
5610	-4.50	0.00	-4.50	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-8.12	-1.13	0.00	-1.13	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-1.45	0.00	-1.45	17.00	Pass
5290	-2.10	0.00	-2.10	11.00	Pass
5530	-1.86	0.00	-1.86	11.00	Pass
5610	-2.01	0.00	-2.01	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-5.55	1.44	0.00	1.44	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ac (VHT160)_Main Antenna
-----------	-------------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-8.24	0.19	-8.05	17.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-8.04	0.19	-7.85	11.00	Pass




Test Mode	IEEE 802.11ac (VHT160)_Aux Antenna
-----------	------------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-8.20	0.19	-8.01	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-8.38	0.19	-8.19	11.00	Pass







Test Mode	IEEE 802.11ac (VHT160)_Total
-----------	------------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-5.21	0.19	-5.02	17.00	Pass
5570	-5.20	0.19	-5.01	11.00	Pass

Test Mode	IEEE 802.11ax (HE20)_Main Antenna
-----------	-----------------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	0.97	0.00	0.97	17.00	Pass
5200	1.06	0.00	1.06	17.00	Pass
5240	0.76	0.00	0.76	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	0.60	0.00	0.60	11.00	Pass
5300	0.23	0.00	0.23	11.00	Pass
5320	0.00	0.00	0.00	11.00	Pass





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	0.79	0.00	0.79	11.00	Pass
5580	1.19	0.00	1.19	11.00	Pass
5700	0.65	0.00	0.65	11.00	Pass







Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-2.67	4.32	0.00	4.32	30.00	Pass
5785	-2.79	4.20	0.00	4.20	30.00	Pass
5825	-2.55	4.44	0.00	4.44	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$







Test Mode | IEEE 802.11ax (HE20)_Aux Antenna





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	1.25	0.00	1.25	17.00	Pass
5200	1.40	0.00	1.40	17.00	Pass
5240	1.06	0.00	1.06	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	0.84	0.00	0.84	11.00	Pass
5300	0.42	0.00	0.42	11.00	Pass
5320	0.12	0.00	0.12	11.00	Pass





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	0.85	0.00	0.85	11.00	Pass
5580	1.14	0.00	1.14	11.00	Pass
5700	0.67	0.00	0.67	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-2.69	4.30	0.00	4.30	30.00	Pass
5785	-2.75	4.24	0.00	4.24	30.00	Pass
5825	-3.34	3.65	0.00	3.65	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE20)_Total
-----------	----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	4.12	0.00	4.12	17.00	Pass
5200	4.24	0.00	4.24	17.00	Pass
5240	3.92	0.00	3.92	17.00	Pass
5260	3.73	0.00	3.73	11.00	Pass
5300	3.34	0.00	3.34	11.00	Pass
5320	3.07	0.00	3.07	11.00	Pass
5500	3.83	0.00	3.83	11.00	Pass
5580	4.18	0.00	4.18	11.00	Pass
5700	3.67	0.00	3.67	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	0.33	7.32	0.00	7.32	30.00	Pass
5785	0.24	7.23	0.00	7.23	30.00	Pass
5825	0.08	7.07	0.00	7.07	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ax (HE40)_Main Antenna
-----------	-----------------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-2.24	0.00	-2.24	17.00	Pass
5230	-2.44	0.00	-2.44	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-2.77	0.00	-2.77	11.00	Pass
5310	-3.06	0.00	-3.06	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-2.26	0.00	-2.26	11.00	Pass
5550	-2.14	0.00	-2.14	11.00	Pass
5670	-2.74	0.00	-2.74	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-6.05	0.94	0.00	0.94	30.00	Pass
5795	-6.12	0.87	0.00	0.87	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE40)_Aux Antenna
-----------	----------------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-2.29	0.00	-2.29	17.00	Pass
5230	-2.46	0.00	-2.46	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-2.92	0.00	-2.92	11.00	Pass
5310	-3.26	0.00	-3.26	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-2.71	0.00	-2.71	11.00	Pass
5550	-2.52	0.00	-2.52	11.00	Pass
5670	-3.08	0.00	-3.08	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-6.32	0.67	0.00	0.67	30.00	Pass
5795	-6.31	0.68	0.00	0.68	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode | IEEE 802.11ax (HE40)_Total


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	0.75	0.00	0.75	17.00	Pass
5230	0.56	0.00	0.56	17.00	Pass
5270	0.17	0.00	0.17	11.00	Pass
5310	-0.15	0.00	-0.15	11.00	Pass
5510	0.53	0.00	0.53	11.00	Pass
5550	0.68	0.00	0.68	11.00	Pass
5670	0.10	0.00	0.10	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-3.17	3.82	0.00	3.82	30.00	Pass
5795	-3.20	3.79	0.00	3.79	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ax (HE80)_Main Antenna
-----------	-----------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-5.18	0.00	-5.18	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-5.85	0.00	-5.85	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-5.11	0.00	-5.11	11.00	Pass
5610	-5.45	0.00	-5.45	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-9.11	-2.12	0.00	-2.12	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE80)_Aux Antenna
-----------	----------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-5.20	0.00	-5.20	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-5.85	0.00	-5.85	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-5.12	0.00	-5.12	11.00	Pass
5610	-5.45	0.00	-5.45	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-9.16	-2.17	0.00	-2.17	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE80)_Total
-----------	----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-2.18	0.00	-2.18	17.00	Pass
5290	-2.84	0.00	-2.84	11.00	Pass
5530	-2.10	0.00	-2.10	11.00	Pass
5610	-2.44	0.00	-2.44	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-6.12	0.87	0.00	0.87	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ax (HE160)_Main Antenna
-----------	------------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-8.45	0.15	-8.30	17.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-8.45	0.15	-8.30	11.00	Pass




Test Mode	IEEE 802.11ax (HE160)_Aux Antenna
-----------	-----------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-8.55	0.15	-8.40	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-8.42	0.15	-8.27	11.00	Pass



Test Mode	IEEE 802.11ax (HE160)_Total
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-5.49	0.15	-5.34	17.00	Pass
5570	-5.42	0.15	-5.27	11.00	Pass


For Straddle Channel:

Test Mode	IEEE 802.11a_Main Antenna
-----------	---------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	4.50	0.12	4.62	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	3.55	0.54	0.12	0.66	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11a_Aux Antenna
-----------	--------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	4.85	0.12	4.97	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	3.78	0.77	0.12	0.89	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT20)_Main Antenna
-----------	----------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	1.42	0.00	1.42	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	0.49	-2.52	0.00	-2.52	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT20)_Aux Antenna
-----------	---------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	1.57	0.00	1.57	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	0.26	-2.75	0.00	-2.75	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11n (HT20)_Total
-----------	---------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	4.51	0.00	4.51	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	-6.61	0.38	0.00	0.38	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11n (HT40)_Main Antenna
-----------	----------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5710	-2.16	0.00	-2.16	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5710	-5.33	-8.34	0.00	-8.34	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT40)_Aux Antenna
-----------	---------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5710	-2.06	0.00	-2.06	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5710	-5.50	-8.51	0.00	-8.51	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11n (HT40)_Total
-----------	---------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5710	0.90	0.00	0.90	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5710	-12.40	-5.41	0.00	-5.41	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ac (VHT80)_Main Antenna
-----------	------------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5690	-5.48	0.00	-5.48	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5690	-9.45	-12.46	0.00	-12.46	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_Aux Antenna
-----------	-----------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5690	-5.10	0.00	-5.10	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5690	-9.89	-12.90	0.00	-12.90	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5690	-2.28	0.00	-2.28	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5690	-6.65	-9.66	0.00	-9.66	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ax (HE20)_Main Antenna
-----------	-----------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	1.48	0.00	1.48	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	0.20	-2.81	0.00	-2.81	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE20)_Aux Antenna
-----------	----------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	1.49	0.00	1.49	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	0.10	-2.91	0.00	-2.91	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE20)_Total
-----------	----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	4.50	0.00	4.50	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	-6.84	0.15	0.00	0.15	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ax (HE40)_Main Antenna
-----------	-----------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5710	-2.22	0.00	-2.22	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5710	-5.30	-8.31	0.00	-8.31	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE40)_Aux Antenna
-----------	----------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5710	-2.23	0.00	-2.23	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5710	-5.47	-8.48	0.00	-8.48	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE40)_Total
-----------	----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5710	0.79	0.00	0.79	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5710	-12.37	-5.38	0.00	-5.38	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ax (HE80)_Main Antenna
-----------	-----------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5690	-5.38	0.00	-5.38	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5690	-9.45	-12.46	0.00	-12.46	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE80)_Aux Antenna
-----------	----------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5690	-5.29	0.00	-5.29	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5690	-10.03	-13.04	0.00	-13.04	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE80)_Total
-----------	----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5690	-2.32	0.00	-2.32	11.00	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5690	-16.72	-9.73	0.00	-9.73	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$

End of Test Report