






Mode: 802.11n-HT40













































A.6 FREQUENCY STABILITY

Test Date	2020/10/06	Temp./Hum.	22°C/56%
Cable Loss	---	Tested By	Brian Hsieh
Test Voltage	AC 120V, 60Hz (via AC Adapter)		
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)	802.11a: 0dB 802.11n-HT20/40: 3dB	802.11ac-VHT80/160: 3dB 802.11ax-HE80/160: 3dB	

A.6.1 Frequency stability Result

Temperature (°C)	Voltage (Vac)	Centre Frequency (MHz)	Measurement Value (MHz)	Frequency Stability (ppm)
25	120	5180	5179.997	-0.579
-30	102		5179.964	-6.950
	138		5179.959	-7.915
-20	102		5179.961	-7.529
	138		5179.986	-2.703
-10	102		5179.977	-4.440
	138		5179.975	-4.826
0	102		5179.957	-8.301
	138		5180.012	2.317
10	102		5179.961	-7.529
	138		5179.991	-1.737
20	102		5180.003	0.579
	138		5180.023	4.440
30	102		5180.013	2.510
	138		5180.032	6.178
40	102		5179.996	-0.772
	138		5180.025	4.826
50	102		5180.014	2.703
	138		5180.016	3.089



*Audix Technology Corp.
No. 53-11, Dingfu, Linkou, Dist.,
New Taipei City 244, Taiwan*

*Tel: +886 2 26099301
Fax: +886 2 26099303*

APPDNDIX B

TEST PHOTOGRAPHS

(Model: 13U70P)