



A.6 UNDESIRABLE EMISSION LIMITS: SPURIOUS EMISSION (CONDUCTED)


Test Date	2022/02/06~ 17	Temp./Hum.	16~17°C/68~78%
Cable Loss	1.9dB	Tested By	Sam Chang
Test Voltage	AC 120V 60Hz (Via AC Adapter)		
Simultaneous Factor $10 \log(N_{ANT})$ (Note: where N_{ANT} is the number of outputs)			3dB


A.6.1 Measurement Plots for Spurious Emission

- OFDM Modulation









● OFDMA Modulation

<p>Tones: 26T RU Index: 0 Mode: 802.11ax-HE20 Centre Frequency: 5955MHz</p>	<p>Tones: 242T RU Index: 62 Mode: 802.11ax-HE160 Centre Frequency: 6025MHz</p>
<p>Tones: 52T RU Index: 37 Mode: 802.11ax-HE20 Centre Frequency: 7115MHz</p>	<p>Tones: 484T RU Index: 66 Mode: 802.11ax-HE160 Centre Frequency: 6025MHz</p>
<p>Tones: 106T RU Index: 53 Mode: 802.11ax-HE20 Centre Frequency: 5955MHz</p>	<p>Tones: 996T RU Index: 67 Mode: 802.11ax-HE160 Centre Frequency: 6025MHz</p>

Audix Technology Corp.
 No. 491, Zhongfu Rd., Linkou Dist.,
 New Taipei City 244, Taiwan


Tel: +886 2 26099301
 Fax: +886 2 26099303


A.7 IN-BAND EMISSION (CHANNEL MASK)


Test Date	2022/03/31	Temp./Hum.	19°C/65%
Cable Loss	1.9dB	Tested By	Sam Chang
Test Voltage	AC 120V 60Hz (Via AC Adapter)		


ANT A (AUX) Port


- OFDM Modulation




















● OFDMA Modulation

ANT A (AUX) Port	
Tones: 26T	Tones: 242T
RU Index: 0	RU Index: 62
Mode: 802.11ax-HE20	Mode: 802.11ax-HE160
Centre Frequency: 5955MHz	Centre Frequency: 6025MHz
Tones: 52T	Tones: 484T
RU Index: 37	RU Index: 66
Mode: 802.11ax-HE20	Mode: 802.11ax-HE160
Centre Frequency: 5955MHz	Centre Frequency: 6025MHz
Tones: 106T	Tones: 996T
RU Index: 53	RU Index: 67
Mode: 802.11ax-HE20	Mode: 802.11ax-HE160
Centre Frequency: 5955MHz	Centre Frequency: 6025MHz