





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	25.09	18.30	No limit
5300	24.90	18.30	No limit
5320	25.35	18.30	No limit


5260 MHz




5300 MHz



5320 MHz




Date: 30.DEC.2020 15:37:39




Date: 30.DEC.2020 15:37:14

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	25.35	18.30	No limit
5580	25.41	18.20	No limit
5700	26.00	18.30	No limit

5500 MHz




Date: 30.DEC.2020 15:39:08




Date: 30.DEC.2020 15:38:44

5580 MHz




Date: 30.DEC.2020 15:40:06




Date: 30.DEC.2020 15:39:41

5700 MHz




Date: 30.DEC.2020 15:41:16




Date: 30.DEC.2020 15:40:52

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	17.65	18.20	500	Pass
5785	17.65	18.30	500	Pass
5825	17.65	18.30	500	Pass

5745 MHz




Date: 30.DEC.2020 15:42:41




Date: 30.DEC.2020 15:42:11


5785 MHz



Date: 30.DEC.2020 15:43:41




Date: 30.DEC.2020 15:43:11




Test Mode	IEEE 802.11n (HT40)_Main Antenna
-----------	----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	44.90	37.00	No limit
5230	44.30	37.00	No limit

5190 MHz




Date: 4.JAN.2021 13:25:12




Date: 4.JAN.2021 13:24:34

5230 MHz




Date: 4.JAN.2021 13:26:32




Date: 4.JAN.2021 13:25:53

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	44.70	37.20	No limit
5310	44.00	37.20	No limit

5270 MHz




Date: 4.JAN.2021 13:28:58




Date: 4.JAN.2021 13:28:17

5310 MHz





Date: 4.JAN.2021 13:31:00





Date: 4.JAN.2021 13:30:15

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	44.20	37.20	No limit
5550	44.20	37.20	No limit
5670	44.19	37.00	No limit


5510 MHz




5550 MHz



5670 MHz





Date: 4.JAN.2021 13:35:39





Date: 4.JAN.2021 13:35:00

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	36.50	37.00	500	Pass
5795	36.50	37.00	500	Pass

5755 MHz




5795 MHz




Test Mode	IEEE 802.11n (HT40)_Aux Antenna
-----------	---------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	44.50	37.20	No limit
5230	43.79	37.00	No limit

5190 MHz




Date: 30.DEC.2020 15:48:29




Date: 30.DEC.2020 15:47:48

5230 MHz




Date: 30.DEC.2020 15:52:41




Date: 30.DEC.2020 15:51:57

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	44.39	37.20	No limit
5310	44.50	37.20	No limit

5270 MHz




Date: 30.DEC.2020 16:01:05




Date: 30.DEC.2020 16:00:23

5310 MHz




Date: 30.DEC.2020 16:02:25




Date: 30.DEC.2020 16:01:45

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	44.30	37.20	No limit
5550	44.70	37.20	No limit
5670	45.20	37.20	No limit

5510 MHz




Date: 30.DEC.2020 16:13:28




Date: 30.DEC.2020 16:12:45

5550 MHz




Date: 30.DEC.2020 16:15:05




Date: 30.DEC.2020 16:14:27

5670 MHz




Date: 30.DEC.2020 16:16:31




Date: 30.DEC.2020 16:15:53

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	36.50	37.00	500	Pass
5795	36.60	37.20	500	Pass

5755 MHz




Date: 30.DEC.2020 16:18:00




Date: 30.DEC.2020 16:17:19

5795 MHz





Date: 30.DEC.2020 16:19:26




Date: 30.DEC.2020 16:18:44

Test Mode	IEEE 802.11ac (VHT20)_Main Antenna
-----------	------------------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5180	25.40	18.20	No limit
5200	25.25	18.20	No limit
5240	25.10	18.30	No limit



5240 MHz





Date: 4.JAN.2021 13:55:40





Date: 4.JAN.2021 13:55:16

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	24.85	18.30	No limit
5300	25.55	18.20	No limit
5320	25.29	18.30	No limit


5260 MHz




5300 MHz



5320 MHz





Date: 4.JAN.2021 14:00:53




Date: 4.JAN.2021 14:00:27


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	25.15	18.30	No limit
5580	25.25	18.30	No limit
5700	24.85	18.30	No limit



5700 MHz




Date: 4.JAN.2021 14:05:06




Date: 4.JAN.2021 14:04:40

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	17.65	18.30	500	Pass
5785	17.70	18.20	500	Pass
5825	17.65	18.30	500	Pass

5745 MHz




Date: 4.JAN.2021 14:06:15




Date: 4.JAN.2021 14:05:44

5785 MHz




Date: 4.JAN.2021 14:07:20




Date: 4.JAN.2021 14:06:49

5825 MHz





Date: 4.JAN.2021 14:08:23




Date: 4.JAN.2021 14:07:53

Test Mode	IEEE 802.11ac (VHT20)_Aux Antenna
-----------	-----------------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5180	25.55	18.30	No limit
5200	25.00	18.30	No limit
5240	25.49	18.30	No limit



5240 MHz





Date: 30.DEC.2020 17:06:33





Date: 30.DEC.2020 17:06:08

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	25.35	18.30	No limit
5300	24.70	18.30	No limit
5320	25.05	18.30	No limit


5260 MHz




5300 MHz



5320 MHz




Date: 30.DEC.2020 17:09:32




Date: 30.DEC.2020 17:09:07

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	25.49	18.30	No limit
5580	25.65	18.30	No limit
5700	25.39	18.40	No limit

5500 MHz




Date: 30.DEC.2020 17:11:33




Date: 30.DEC.2020 17:11:07

5580 MHz




Date: 30.DEC.2020 17:12:39




Date: 30.DEC.2020 17:12:14

5700 MHz





Date: 30.DEC.2020 17:13:41





Date: 30.DEC.2020 17:13:15

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	17.70	18.30	500	Pass
5785	17.65	18.30	500	Pass
5825	17.65	18.30	500	Pass


5745 MHz




5785 MHz



5825 MHz



Date: 30.DEC.2020 17:17:45





Date: 30.DEC.2020 17:17:14



Test Mode	IEEE 802.11ac (VHT40)_Main Antenna
-----------	------------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	44.00	37.20	No limit
5230	44.20	36.80	No limit

5190 MHz





5230 MHz





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	44.19	37.20	No limit
5310	44.30	37.20	No limit

5270 MHz





5310 MHz





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	43.50	37.20	No limit
5550	44.20	37.20	No limit
5670	45.10	37.20	No limit


5510 MHz




5550 MHz



5670 MHz




Date: 4.JAN.2021 14:17:46




Date: 4.JAN.2021 14:17:09

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	36.50	37.20	500	Pass
5795	36.50	37.00	500	Pass

5755 MHz




Date: 4.JAN.2021 14:19:04




Date: 4.JAN.2021 14:18:23

5795 MHz



Date: 4.JAN.2021 14:23:24





Date: 4.JAN.2021 14:22:43

Test Mode	IEEE 802.11ac (VHT40)_Aux Antenna
-----------	-----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	43.99	37.20	No limit
5230	44.81	37.00	No limit



5190 MHz



Date: 4.JAN.2021 10:22:26

Date: 4.JAN.2021 10:21:41

5230 MHz





Date: 4.JAN.2021 10:27:21



Date: 4.JAN.2021 10:26:43

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	44.59	37.20	No limit
5310	44.90	37.20	No limit

5270 MHz




5310 MHz




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	44.70	37.20	No limit
5550	44.10	37.20	No limit
5670	43.39	37.20	No limit

5510 MHz




Date: 4.JAN.2021 10:32:44




Date: 4.JAN.2021 10:32:02

5550 MHz




Date: 4.JAN.2021 10:33:57




Date: 4.JAN.2021 10:33:19

5670 MHz





Date: 4.JAN.2021 10:35:24





Date: 4.JAN.2021 10:34:41

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	36.50	37.20	500	Pass
5795	36.50	37.20	500	Pass

5755 MHz




5795 MHz




Test Mode	IEEE 802.11ac (VHT80)_Main Antenna
-----------	------------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	85.99	75.20	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	87.80	75.20	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	85.00	75.20	No limit
5610	85.19	75.20	No limit


5530 MHz



5610 MHz




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	77.00	75.20	500	Pass




Test Mode	IEEE 802.11ac (VHT80)_Aux Antenna
-----------	-----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	84.60	75.20	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	85.59	75.60	No limit

5290 MHz





Date: 30.DEC.2020 16:27:53





Date: 30.DEC.2020 16:27:15

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	86.01	75.20	No limit
5610	85.60	75.60	No limit


5530 MHz



5610 MHz




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	73.20	75.20	500	Pass




Test Mode	IEEE 802.11ac (VHT160)_Main Antenna
-----------	-------------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5250	164.80	153.60	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5570	166.80	153.60	No limit




Test Mode	IEEE 802.11ac (VHT160)_Aux Antenna
-----------	------------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5250	165.20	153.60	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5570	164.01	153.60	No limit




Test Mode	IEEE 802.11ax (HEW20)_Main Antenna
-----------	------------------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5180	23.61	19.20	No limit
5200	23.45	19.20	No limit
5240	23.49	19.20	No limit



5240 MHz





Date: 4.JAN.2021 14:29:08





Date: 4.JAN.2021 14:28:41

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	24.49	19.20	No limit
5300	24.95	19.20	No limit
5320	23.90	19.20	No limit


5260 MHz




5300 MHz



5320 MHz




Date: 4.JAN.2021 14:32:39




Date: 4.JAN.2021 14:32:13

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	23.81	19.20	No limit
5580	24.09	19.20	No limit
5700	24.50	19.20	No limit

5500 MHz




Date: 4.JAN.2021 14:33:42




Date: 4.JAN.2021 14:33:16

5580 MHz




Date: 4.JAN.2021 14:35:05




Date: 4.JAN.2021 14:34:39

5700 MHz

5700 MHz





Date: 4.JAN.2021 14:37:31





Date: 4.JAN.2021 14:37:05

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	18.95	19.20	500	Pass
5785	19.00	19.20	500	Pass
5825	19.05	19.20	500	Pass


5745 MHz




5785 MHz



5825 MHz





Date: 4.JAN.2021 14:42:07



Date: 4.JAN.2021 14:41:38


Test Mode	IEEE 802.11ax (HEW20)_Aux Antenna
-----------	-----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5180	24.25	19.20	No limit
5200	25.19	19.20	No limit
5240	25.10	19.20	No limit




5240 MHz

5240 MHz





Date: 4.JAN.2021 10:46:14





Date: 4.JAN.2021 10:45:50

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	24.71	19.20	No limit
5300	25.35	19.20	No limit
5320	24.69	19.20	No limit


5260 MHz




5300 MHz



5320 MHz





Date: 4.JAN.2021 10:52:35





Date: 4.JAN.2021 10:52:10

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	24.09	19.10	No limit
5580	25.00	19.10	No limit
5700	25.10	19.30	No limit


5500 MHz




5580 MHz



5700 MHz




Date: 4.JAN.2021 10:55:55




Date: 4.JAN.2021 10:55:30

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	19.05	19.20	500	Pass
5785	18.90	19.20	500	Pass
5825	19.05	19.10	500	Pass

5745 MHz




Date: 4.JAN.2021 10:56:57




Date: 4.JAN.2021 10:56:29

5785 MHz




Date: 4.JAN.2021 10:58:02




Date: 4.JAN.2021 10:57:33

5825 MHz



Date: 4.JAN.2021 10:59:03




Date: 4.JAN.2021 10:58:34


Test Mode	IEEE 802.11ax (HEW40)_Main Antenna
-----------	------------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	44.40	38.40	No limit
5230	43.79	38.40	No limit

5190 MHz




Date: 4.JAN.2021 14:43:33




Date: 4.JAN.2021 14:42:52

5230 MHz





Date: 4.JAN.2021 14:45:24





Date: 4.JAN.2021 14:44:38

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	44.10	38.40	No limit
5310	44.90	38.40	No limit

5270 MHz




5310 MHz




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	44.30	38.40	No limit
5550	43.99	38.40	No limit
5670	44.70	38.40	No limit

5510 MHz




Date: 4.JAN.2021 14:50:11




Date: 4.JAN.2021 14:49:28

5550 MHz




Date: 4.JAN.2021 14:52:40




Date: 4.JAN.2021 14:52:00

5670 MHz





Date: 4.JAN.2021 14:54:09





Date: 4.JAN.2021 14:53:30

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	37.90	38.40	500	Pass
5795	37.99	38.40	500	Pass

5755 MHz





5795 MHz





Test Mode	IEEE 802.11ax (HEW40)_Aux Antenna
-----------	-----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	44.61	38.40	No limit
5230	44.30	38.40	No limit

5190 MHz





5230 MHz





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	44.80	38.40	No limit
5310	44.20	38.20	No limit

5270 MHz





5310 MHz





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	44.99	38.40	No limit
5550	43.50	38.40	No limit
5670	43.80	38.40	No limit


5510 MHz




5550 MHz



5670 MHz




Date: 4.JAN.2021 11:13:16




Date: 4.JAN.2021 11:12:33

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	38.20	38.40	500	Pass
5795	38.10	38.40	500	Pass

5755 MHz




Date: 4.JAN.2021 11:14:36




Date: 4.JAN.2021 11:13:55

5795 MHz




Date: 4.JAN.2021 11:15:53




Date: 4.JAN.2021 11:15:14

Test Mode	IEEE 802.11ax (HEW80)_Main Antenna
-----------	------------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	83.00	76.80	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	83.60	76.80	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	83.19	76.80	No limit
5610	83.00	76.80	No limit


5530 MHz



5610 MHz




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	72.80	76.80	500	Pass




Test Mode	IEEE 802.11ax (HEW80)_Aux Antenna
-----------	-----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	83.60	76.80	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	83.80	77.20	No limit



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	83.41	77.20	No limit
5610	84.00	76.80	No limit



5530 MHz



Date: 4.JAN.2021 11:21:42

Date: 4.JAN.2021 11:21:05


5610 MHz



Date: 4.JAN.2021 11:22:58


Date: 4.JAN.2021 11:22:22

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	72.80	76.80	500	Pass




Test Mode	IEEE 802.11ax (HEW160)_Main Antenna
-----------	-------------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5250	163.60	155.20	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5570	163.20	155.20	No limit




Test Mode	IEEE 802.11ax (HEW160)_Aux Antenna
-----------	------------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5250	162.00	155.20	No limit



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5570	164.00	156.00	No limit



APPENDIX E CONDUCTED OUTPUT POWER & E.I.R.P.

Test Mode	IEEE 802.11a_Main Antenna	Tested Date	2021/1/5
-----------	---------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5180	15.85	0.0385	2.46	18.31	0.0678	-	-	22.36	0.1720	Complies
5200	15.80	0.0380	2.46	18.26	0.0670	-	-	22.36	0.1720	Complies
5240	15.81	0.0381	2.46	18.27	0.0671	-	-	22.36	0.1720	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5260	15.83	0.0383	1.7	17.53	0.0566	24.00	0.2500	29.36	0.8620	Complies
5300	15.76	0.0377	1.7	17.46	0.0557	24.00	0.2500	29.36	0.8620	Complies
5320	15.79	0.0379	1.7	17.49	0.0561	24.00	0.2500	29.36	0.8620	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5500	15.81	0.0381	0.22	16.03	0.0401	24.00	0.2500	29.36	0.8620	Complies
5580	15.84	0.0384	0.22	16.06	0.0404	24.00	0.2500	29.33	0.8570	Complies
5700	15.81	0.0381	0.22	16.03	0.0401	24.00	0.2500	29.38	0.8671	Complies
5720	10.96	0.0125	0.22	11.18	0.0131	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5720	5.03	0.0032	-0.07	-	-	30.00	1.0000	-	-	Complies
5745	15.90	0.0389	-0.07	-	-	30.00	1.0000	-	-	Complies
5785	15.83	0.0383	-0.07	-	-	30.00	1.0000	-	-	Complies
5825	15.79	0.0379	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11a_Aux Antenna	Tested Date	2021/1/5
-----------	--------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5180	15.86	0.0385	-0.95	14.91	0.0310	-	-	22.41	0.1740	Complies
5200	15.76	0.0377	-0.95	14.81	0.0303	-	-	22.38	0.1730	Complies
5240	15.78	0.0378	-0.95	14.83	0.0304	-	-	22.38	0.1730	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5260	15.88	0.0387	1.13	17.01	0.0502	24.00	0.2500	29.38	0.8671	Complies
5300	15.79	0.0379	1.13	16.92	0.0492	24.00	0.2500	29.36	0.8620	Complies
5320	15.91	0.0390	1.13	17.04	0.0506	24.00	0.2500	29.41	0.8721	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5500	15.89	0.0388	0.54	16.43	0.0440	24.00	0.2500	29.38	0.8671	Complies
5580	15.98	0.0396	0.54	16.52	0.0449	24.00	0.2500	29.36	0.8620	Complies
5700	15.92	0.0391	0.54	16.46	0.0443	24.00	0.2500	29.36	0.8620	Complies
5720	11.05	0.0127	0.54	11.59	0.0144	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5720	4.95	0.0031	1.65	-	-	30.00	1.0000	-	-	Complies
5745	15.91	0.0390	1.65	-	-	30.00	1.0000	-	-	Complies
5785	15.95	0.0394	1.65	-	-	30.00	1.0000	-	-	Complies
5825	15.79	0.0379	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11n (HT20) _Main Antenna	Tested Date	2021/1/5
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5180	15.90	0.0389	2.46	18.36	0.0685	-	-	22.60	0.1820	Complies
5200	15.84	0.0384	2.46	18.30	0.0676	-	-	22.60	0.1820	Complies
5240	15.77	0.0378	2.46	18.23	0.0665	-	-	22.60	0.1820	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5260	15.80	0.0380	1.7	17.50	0.0562	24.00	0.2500	29.60	0.9122	Complies
5300	15.80	0.0380	1.7	17.50	0.0562	24.00	0.2500	29.60	0.9122	Complies
5320	15.79	0.0379	1.7	17.49	0.0561	24.00	0.2500	29.60	0.9122	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5500	15.96	0.0394	0.22	16.18	0.0415	24.00	0.2500	29.60	0.9122	Complies
5580	15.93	0.0392	0.22	16.15	0.0412	24.00	0.2500	29.62	0.9172	Complies
5700	15.94	0.0393	0.22	16.16	0.0413	24.00	0.2500	29.62	0.9172	Complies
5720	10.72	0.0118	0.22	10.94	0.0124	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5720	5.20	0.0033	-0.07	-	-	30.00	1.0000	-	-	Complies
5745	15.81	0.0381	-0.07	-	-	30.00	1.0000	-	-	Complies
5785	15.97	0.0395	-0.07	-	-	30.00	1.0000	-	-	Complies
5825	15.95	0.0394	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11n (HT20)_Aux Antenna	Tested Date	2021/1/5
-----------	---------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5180	15.92	0.0391	-0.95	14.97	0.0314	-	-	22.62	0.1830	Complies
5200	15.80	0.0380	-0.95	14.85	0.0305	-	-	22.60	0.1820	Complies
5240	15.91	0.0390	-0.95	14.96	0.0313	-	-	22.62	0.1830	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5260	15.97	0.0395	1.13	17.10	0.0513	24.00	0.2500	30.00	1.0000	Complies
5300	15.78	0.0378	1.13	16.91	0.0491	24.00	0.2500	30.00	1.0000	Complies
5320	15.93	0.0392	1.13	17.06	0.0508	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5500	15.86	0.0385	0.54	16.40	0.0437	24.00	0.2500	30.00	1.0000	Complies
5580	15.76	0.0377	0.54	16.30	0.0427	24.00	0.2500	30.00	1.0000	Complies
5700	15.78	0.0378	0.54	16.32	0.0429	24.00	0.2500	30.00	1.0000	Complies
5720	10.69	0.0117	0.54	11.23	0.0133	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5720	5.10	0.0032	1.65	-	-	30.00	1.0000	-	-	Complies
5745	15.77	0.0378	1.65	-	-	30.00	1.0000	-	-	Complies
5785	15.92	0.0391	1.65	-	-	30.00	1.0000	-	-	Complies
5825	15.87	0.0386	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11n (HT40)_Main Antenna	Tested Date	2021/1/5
-----------	----------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5190	15.79	0.0379	2.46	18.25	0.0668	-	-	23.00	0.1995	Complies
5230	15.80	0.0380	2.46	18.26	0.0670	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5270	15.95	0.0394	1.7	17.65	0.0582	24.00	0.2500	30.00	1.0000	Complies
5310	15.80	0.0380	1.7	17.50	0.0562	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5510	15.77	0.0378	0.22	15.99	0.0397	24.00	0.2500	30.00	1.0000	Complies
5550	15.91	0.0390	0.22	16.13	0.0410	24.00	0.2500	30.00	1.0000	Complies
5670	15.87	0.0386	0.22	16.09	0.0406	24.00	0.2500	30.00	1.0000	Complies
5710	13.09	0.0204	0.22	13.31	0.0214	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5710	2.89	0.0019	-0.07	-	-	30.00	1.0000	-	-	Complies
5755	15.92	0.0391	-0.07	-	-	30.00	1.0000	-	-	Complies
5795	15.88	0.0387	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11n (HT40)_Aux Antenna	Tested Date	2021/1/5
-----------	---------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5190	15.77	0.0378	-0.95	14.82	0.0303	-	-	23.00	0.1995	Complies
5230	15.80	0.0380	-0.95	14.85	0.0305	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5270	15.87	0.0386	1.13	17.00	0.0501	24.00	0.2500	30.00	1.0000	Complies
5310	15.81	0.0381	1.13	16.94	0.0494	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5510	15.87	0.0386	0.54	16.41	0.0438	24.00	0.2500	30.00	1.0000	Complies
5550	15.83	0.0383	0.54	16.37	0.0434	24.00	0.2500	30.00	1.0000	Complies
5670	15.91	0.0390	0.54	16.45	0.0442	24.00	0.2500	30.00	1.0000	Complies
5710	13.03	0.0201	0.54	13.57	0.0228	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5710	2.93	0.0020	1.65	-	-	30.00	1.0000	-	-	Complies
5755	15.79	0.0379	1.65	-	-	30.00	1.0000	-	-	Complies
5795	15.85	0.0385	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT20)_Main Antenna	Tested Date	2021/1/5
-----------	------------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5180	15.84	0.0384	2.46	18.30	0.0676	-	-	22.60	0.1820	Complies
5200	15.77	0.0378	2.46	18.23	0.0665	-	-	22.60	0.1820	Complies
5240	15.79	0.0379	2.46	18.25	0.0668	-	-	22.62	0.1830	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5260	15.79	0.0379	1.7	17.49	0.0561	24.00	0.2500	29.62	0.9172	Complies
5300	15.92	0.0391	1.7	17.62	0.0578	24.00	0.2500	29.60	0.9122	Complies
5320	15.96	0.0394	1.7	17.66	0.0583	24.00	0.2500	29.62	0.9172	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5500	15.94	0.0393	0.22	16.16	0.0413	24.00	0.2500	29.62	0.9172	Complies
5580	15.83	0.0383	0.22	16.05	0.0403	24.00	0.2500	29.62	0.9172	Complies
5700	15.91	0.0390	0.22	16.13	0.0410	24.00	0.2500	29.62	0.9172	Complies
5720	10.73	0.0118	0.22	10.95	0.0124	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5720	5.18	0.0033	-0.07	-	-	30.00	1.0000	-	-	Complies
5745	15.81	0.0381	-0.07	-	-	30.00	1.0000	-	-	Complies
5785	15.88	0.0387	-0.07	-	-	30.00	1.0000	-	-	Complies
5825	15.92	0.0391	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT20)_AuxAntenna	Tested Date	2021/1/5
-----------	----------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5180	15.99	0.0397	-0.95	15.04	0.0319	-	-	22.62	0.1830	Complies
5200	15.87	0.0386	-0.95	14.92	0.0310	-	-	22.62	0.1830	Complies
5240	15.95	0.0394	-0.95	15.00	0.0316	-	-	22.62	0.1830	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5260	15.98	0.0396	1.13	17.11	0.0514	24.00	0.2500	29.62	0.9172	Complies
5300	15.82	0.0382	1.13	16.95	0.0495	24.00	0.2500	29.62	0.9172	Complies
5320	15.87	0.0386	1.13	17.00	0.0501	24.00	0.2500	29.62	0.9172	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5500	15.92	0.0391	0.54	16.46	0.0443	24.00	0.2500	29.62	0.9172	Complies
5580	15.87	0.0386	0.54	16.41	0.0438	24.00	0.2500	29.62	0.9172	Complies
5700	15.94	0.0393	0.54	16.48	0.0445	24.00	0.2500	29.65	0.9222	Complies
5720	10.66	0.0116	0.54	11.20	0.0132	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5720	5.26	0.0034	1.65	-	-	30.00	1.0000	-	-	Complies
5745	15.99	0.0397	1.65	-	-	30.00	1.0000	-	-	Complies
5785	15.76	0.0377	1.65	-	-	30.00	1.0000	-	-	Complies
5825	15.88	0.0387	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT40)_Main Antenna	Tested Date	2021/1/5
-----------	------------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5190	15.89	0.0388	2.46	18.35	0.0684	-	-	23.00	0.1995	Complies
5230	15.78	0.0378	2.46	18.24	0.0667	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5270	15.80	0.0380	1.7	17.50	0.0562	24.00	0.2500	30.00	1.0000	Complies
5310	15.79	0.0379	1.7	17.49	0.0561	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5510	15.94	0.0393	0.22	16.16	0.0413	24.00	0.2500	30.00	1.0000	Complies
5550	15.94	0.0393	0.22	16.16	0.0413	24.00	0.2500	30.00	1.0000	Complies
5670	15.78	0.0378	0.22	16.00	0.0398	24.00	0.2500	30.00	1.0000	Complies
5710	13.03	0.0201	0.22	13.25	0.0211	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5710	2.94	0.0020	-0.07	-	-	30.00	1.0000	-	-	Complies
5755	15.82	0.0382	-0.07	-	-	30.00	1.0000	-	-	Complies
5795	15.97	0.0395	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT40)_Aux Antenna	Tested Date	2021/1/5
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5190	15.89	0.0388	-0.95	14.94	0.0312	-	-	23.00	0.1995	Complies
5230	15.83	0.0383	-0.95	14.88	0.0308	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5270	15.92	0.0391	1.13	17.05	0.0507	24.00	0.2500	30.00	1.0000	Complies
5310	15.91	0.0390	1.13	17.04	0.0506	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5510	15.97	0.0395	0.54	16.51	0.0448	24.00	0.2500	30.00	1.0000	Complies
5550	15.91	0.0390	0.54	16.45	0.0442	24.00	0.2500	30.00	1.0000	Complies
5670	15.82	0.0382	0.54	16.36	0.0433	24.00	0.2500	30.00	1.0000	Complies
5710	12.98	0.0199	0.54	13.52	0.0225	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5710	2.95	0.0020	1.65	-	-	30.00	1.0000	-	-	Complies
5755	15.84	0.0384	1.65	-	-	30.00	1.0000	-	-	Complies
5795	15.81	0.0381	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT80)_ Main Antenna	Tested Date	2021/1/5
-----------	-------------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5210	15.93	0.0392	2.46	18.39	0.0690	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5290	15.94	0.0393	1.7	17.64	0.0581	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5530	15.89	0.0388	0.22	16.11	0.0408	24.00	0.2500	30.00	1.0000	Complies
5610	15.83	0.0383	0.22	16.05	0.0403	24.00	0.2500	30.00	1.0000	Complies
5690	16.17	0.0414	0.22	16.39	0.0436	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5690	-0.19	0.0010	-0.07	-	-	30.00	1.0000	-	-	Complies
5775	15.90	0.0389	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT80)_Aux Antenna	Tested Date	2021/1/5
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5210	15.77	0.0378	-0.95	14.82	0.0303	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5290	15.92	0.0391	1.13	17.05	0.0507	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5530	15.92	0.0391	0.54	16.46	0.0443	24.00	0.2500	30.00	1.0000	Complies
5610	15.96	0.0394	0.54	16.50	0.0447	24.00	0.2500	30.00	1.0000	Complies
5690	16.29	0.0426	0.54	16.83	0.0482	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5690	-0.32	0.0009	1.65	-	-	30.00	1.0000	-	-	Complies
5775	15.99	0.0397	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT160)_Main Antenna	Tested Date	2021/1/5
-----------	-------------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5250	14.88	0.0308	2.46	17.34	0.0542	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5570	14.88	0.0308	0.22	15.10	0.0324	-	-	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT160)_Aux Antenna	Tested Date	2021/1/5
-----------	------------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5250	14.76	0.0299	-0.95	13.81	0.0240	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5570	14.42	0.0277	0.54	14.96	0.0313	-	-	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HEW20) _Main Antenna	Tested Date	2021/1/5 2021/2/23 2021/3/4
-----------	-------------------------------------	-------------	-----------------------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5180	15.32	0.0340	2.46	17.78	0.6000	-	-	22.83	0.1920	Complies
5180_26 Tone	15.02	0.0318	2.46	17.48	0.0560			22.83	0.1920	Complies
5180_52 Tone	15.15	0.0327	2.46	17.61	0.0577			22.83	0.1920	Complies
5180_106 Tone	15.25	0.0335	2.46	17.71	0.0590			22.83	0.1920	Complies
5200	15.85	0.0385	2.46	18.31	0.0678	-	-	22.83	0.1920	Complies
5240	15.86	0.0385	2.46	18.32	0.0679	-	-	22.83	0.1920	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5260	15.79	0.0379	1.7	17.49	0.0561	24.00	0.2500	29.83	0.9623	Complies
5260_26 Tone	15.28	0.0337	1.7	16.98	0.0499	24.00	0.2500	29.83	0.9623	Complies
5260_52 Tone	15.54	0.0358	1.7	17.24	0.0530	24.00	0.2500	29.83	0.9623	Complies
5260_106 Tone	15.61	0.0364	1.7	17.31	0.0538	24.00	0.2500	29.83	0.9623	Complies
5300	15.75	0.0376	1.7	17.45	0.0556	24.00	0.2500	29.83	0.9623	Complies
5320	15.79	0.0379	1.7	17.49	0.0561	24.00	0.2500	29.83	0.9623	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5500	15.91	0.0390	0.22	16.13	0.0410	24.00	0.2500	29.83	0.9623	Complies
5500_26 Tone	15.46	0.0352	0.22	15.68	0.0370	24.00	0.2500	29.81	0.9573	Complies
5500_52 Tone	15.71	0.0372	0.22	15.93	0.0392	24.00	0.2500	29.81	0.9573	Complies
5500_106 Tone	15.81	0.0381	0.22	16.03	0.0401	24.00	0.2500	29.81	0.9573	Complies
5580	15.81	0.0381	0.22	16.03	0.0401	24.00	0.2500	29.83	0.9623	Complies
5700	15.93	0.0392	0.22	16.15	0.0412	24.00	0.2500	29.83	0.9623	Complies
5720	10.62	0.0115	0.22	10.84	0.0121	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5720	5.35	0.0034	-0.07	-	-	30.00	1.0000	-	-	Complies
5745	15.80	0.0380	-0.07	-	-	30.00	1.0000	-	-	Complies
5745_26 Tone	15.57	0.0361	-0.07	-	-	30.00	1.0000	-	-	Complies
5745_52 Tone	15.77	0.0378	-0.07	-	-	30.00	1.0000	-	-	Complies
5745_106 Tone	15.77	0.0378	-0.07	-	-	30.00	1.0000	-	-	Complies
5785	15.92	0.0391	-0.07	-	-	30.00	1.0000	-	-	Complies
5825	15.88	0.0387	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ax (HEW20)_Aux Antenna	Tested Date	2021/1/5 2021/2/23
-----------	-----------------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5180	15.77	0.0378	-0.95	14.82	0.0303	-	-	22.83	0.1920	Complies
5180_26 Tone	14.96	0.0313	-0.95	14.01	0.0252			22.83	0.1920	Complies
5180_52 Tone	15.31	0.0340	-0.95	14.36	0.0273			22.83	0.1920	Complies
5180_106 Tone	15.43	0.0349	-0.95	14.48	0.0281			22.83	0.1920	Complies
5200	15.82	0.0382	-0.95	14.87	0.0307	-	-	22.83	0.1920	Complies
5240	15.92	0.0391	-0.95	14.97	0.0314	-	-	22.83	0.1920	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5260	15.97	0.0395	1.13	17.10	0.0513	24.00	0.2500	29.83	0.9623	Complies
5260_26 Tone	15.84	0.0384	1.13	16.97	0.0498	24.00	0.2500	29.83	0.9623	Complies
5260_52 Tone	15.92	0.0391	1.13	17.05	0.0507	24.00	0.2500	29.83	0.9623	Complies
5260_106 Tone	15.90	0.0389	1.13	17.03	0.0505	24.00	0.2500	29.83	0.9623	Complies
5300	15.78	0.0378	1.13	16.91	0.0491	24.00	0.2500	29.83	0.9623	Complies
5320	15.85	0.0385	1.13	16.98	0.0499	24.00	0.2500	29.83	0.9623	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5500	15.88	0.0387	0.54	16.42	0.0439	24.00	0.2500	29.81	0.9573	Complies
5500_26 Tone	15.71	0.0372	0.54	16.25	0.0422	24.00	0.2500	29.81	0.9573	Complies
5500_52 Tone	15.76	0.0377	0.54	16.30	0.0427	24.00	0.2500	29.81	0.9573	Complies
5500_106 Tone	15.85	0.0385	0.54	16.39	0.0436	24.00	0.2500	29.81	0.9573	Complies
5580	15.81	0.0381	0.54	16.35	0.0432	24.00	0.2500	29.81	0.9573	Complies
5700	15.91	0.0390	0.54	16.45	0.0442	24.00	0.2500	29.86	0.9673	Complies
5720	10.45	0.0111	0.54	10.99	0.0126	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5720	5.42	0.0035	1.65	-	-	30.00	1.0000	-	-	Complies
5745	16.94	0.0494	1.65	-	-	30.00	1.0000	-	-	Complies
5745_26 Tone	15.65	0.0367	1.65	-	-	30.00	1.0000	-	-	Complies
5745_52 Tone	15.78	0.0378	1.65	-	-	30.00	1.0000	-	-	Complies
5745_106 Tone	15.85	0.0385	1.65	-	-	30.00	1.0000	-	-	Complies
5785	15.87	0.0386	1.65	-	-	30.00	1.0000	-	-	Complies
5825	15.91	0.0390	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ax (HEW40) _Main Antenna	Tested Date	2021/1/5 2021/2/23
-----------	-------------------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5190	15.80	0.0380	2.46	18.26	0.0670	-	-	23.00	0.1995	Complies
5190_242 Tone	15.70	0.0372	2.46	18.16	0.0655			23.00	0.1995	Complies
5230	15.76	0.0377	2.46	18.22	0.0664	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5270	15.80	0.0380	1.7	17.50	0.0562	24.00	0.2500	30.00	1.0000	Complies
5270_242 Tone	15.31	0.0340	1.7	17.01	0.0502	24.00	0.2500	30.00	1.0000	Complies
5310	15.80	0.0380	1.7	17.50	0.0562	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5510	15.97	0.0395	0.22	16.19	0.0416	24.00	0.2500	30.00	1.0000	Complies
5510_242 Tone	15.87	0.0386	0.22	16.09	0.0406	24.00	0.2500	30.00	1.0000	Complies
5550	15.87	0.0386	0.22	16.09	0.0406	24.00	0.2500	30.00	1.0000	Complies
5670	15.77	0.0378	0.22	15.99	0.0397	24.00	0.2500	30.00	1.0000	Complies
5710	12.68	0.0185	0.22	12.90	0.0195	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5710	3.29	0.0021	-0.07	-	-	30.00	1.0000	-	-	Complies
5755	15.83	0.0383	-0.07	-	-	30.00	1.0000	-	-	Complies
5755_242 Tone	15.77	0.0378	-0.07	-	-	30.00	1.0000	-	-	Complies
5795	15.94	0.0393	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ax (HEW40)_Aux Antenna	Tested Date	2021/1/5 2021/2/23
-----------	-----------------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBi)	(dBm)	(W)	(dBm)	(W)	
5190	15.98	0.0396	-0.95	15.03	0.0318	-	-	23.00	0.1995	Complies
5190_242 Tone	15.89	0.0388	-0.95	14.94	0.0312	-	-	23.00	0.1995	Complies
5230	15.92	0.0391	-0.95	14.97	0.0314	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBi)	(dBm)	(W)	(dBm)	(W)	
5270	15.91	0.0390	1.13	17.04	0.0506	24.00	0.2500	30.00	1.0000	Complies
5270_242 Tone	15.84	0.0384	1.13	16.97	0.0498	24.00	0.2500	30.00	1.0000	Complies
5310	15.88	0.0387	1.13	17.01	0.0502	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBi)	(dBm)	(W)	(dBm)	(W)	
5510	15.92	0.0391	0.54	16.46	0.0443	24.00	0.2500	30.00	1.0000	Complies
5510_242 Tone	15.70	0.0372	0.54	16.24	0.0421	24.00	0.2500	30.00	1.0000	Complies
5550	15.87	0.0386	0.54	16.41	0.0438	24.00	0.2500	30.00	1.0000	Complies
5670	15.99	0.0397	0.54	16.53	0.0450	24.00	0.2500	30.00	1.0000	Complies
5710	12.65	0.0184	0.54	13.19	0.0208	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBi)	(dBm)	(W)	(dBm)	(W)	
5710	3.29	0.0021	1.65	-	-	30.00	1.0000	-	-	Complies
5755	15.79	0.0379	1.65	-	-	30.00	1.0000	-	-	Complies
5755_242 Tone	15.69	0.0371	1.65	-	-	30.00	1.0000	-	-	Complies
5795	15.97	0.0395	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ax (HEW80) _Main Antenna	Tested Date	2021/1/5 2021/2/23
-----------	-------------------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5210	15.86	0.0385	2.46	18.32	0.0679	-	-	23.00	0.1995	Complies
5210_484 Tone	15.59	0.0362	2.46	18.05	0.0638	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5290	15.96	0.0394	1.7	17.66	0.0583	24.00	0.2500	30.00	1.0000	Complies
5290_484 Tone	15.60	0.0363	1.7	18.06	0.0640	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5530	15.94	0.0393	0.22	16.16	0.0413	24.00	0.2500	30.00	1.0000	Complies
5530_484 Tone	15.68	0.0370	0.22	15.90	0.0389	24.00	0.2500	30.00	1.0000	Complies
5610	15.87	0.0386	0.22	16.09	0.0406	24.00	0.2500	30.00	1.0000	Complies
5690	15.78	0.0378	0.22	16.00	0.0398	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5690	0.18	0.0010	-0.07	-	-	30.00	1.0000	-	-	Complies
5775	15.78	0.0378	-0.07	-	-	30.00	1.0000	-	-	Complies
5775_484 Tone	15.52	0.0356	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ax (HEW80)_Aux Antenna	Tested Date	2021/1/5 2021/2/23
-----------	-----------------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5210	15.90	0.0389	-0.95	14.95	0.0313	-	-	23.00	0.1995	Complies
5210_484 Tone	15.87	0.0386	-0.95	14.92	0.0310	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5290	15.83	0.0383	1.13	16.96	0.0497	24.00	0.2500	30.00	1.0000	Complies
5290_484 Tone	15.81	0.0381	1.13	14.86	0.0306	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5530	15.78	0.0378	0.54	16.32	0.0429	24.00	0.2500	30.00	1.0000	Complies
5530_484 Tone	15.69	0.0371	0.54	16.23	0.0420	24.00	0.2500	30.00	1.0000	Complies
5610	15.81	0.0381	0.54	16.35	0.0432	24.00	0.2500	30.00	1.0000	Complies
5690	15.80	0.0380	0.54	16.34	0.0431	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5690	0.10	0.0010	1.65	-	-	30.00	1.0000	-	-	Complies
5775	15.80	0.0380	1.65	-	-	30.00	1.0000	-	-	Complies
5775_484 Tone	15.51	0.0356	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ax (HEW160)_Main Antenna	Tested Date	2021/1/5 2021/2/23
-----------	-------------------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5250	14.86	0.0306	2.46	17.32	0.0540	-	-	23.00	0.1995	Complies
5250_996 Tone	14.68	0.0294	2.46	17.14	0.0518	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5570	14.50	0.0282	0.22	15.04	0.0319	-	-	30.00	1.0000	Complies
5570_996 Tone	14.04	0.0254	0.22	14.58	0.0287	-	-	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HEW160)_Aux Antenna	Tested Date	2021/1/5 2021/2/23
-----------	------------------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5250	14.99	0.0316	-0.95	14.04	0.0254	-	-	23.00	0.1995	Complies
5250_996 Tone	14.74	0.0298	-0.95	13.79	0.0239	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5570	14.29	0.0269	0.54	14.83	0.0304	-	-	30.00	1.0000	Complies
5570_996 Tone	13.84	0.0242	0.54	14.38	0.0274	-	-	30.00	1.0000	Complies

MIMO Mode:

Test Mode	IEEE 802.11n (HT20) _Main Antenna	Tested Date	2021/2/8
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5180	12.90	0.0195	2.46	15.36	0.0344	-	-	22.62	0.1830	Complies
5200	12.78	0.0190	2.46	15.24	0.0334	-	-	22.60	0.1820	Complies
5240	12.73	0.0187	2.46	15.19	0.0330	-	-	22.62	0.1830	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5260	12.76	0.0189	1.7	14.46	0.0279	24.00	0.2500	29.62	0.9172	Complies
5300	12.73	0.0187	1.7	14.43	0.0277	24.00	0.2500	29.62	0.9172	Complies
5320	12.77	0.0189	1.7	14.47	0.0280	24.00	0.2500	29.62	0.9172	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5500	12.91	0.0195	0.22	13.18	0.0208	24.00	0.2500	29.62	0.9172	Complies
5580	12.86	0.0193	0.22	13.17	0.0207	24.00	0.2500	29.60	0.9122	Complies
5700	12.79	0.0190	0.22	13.26	0.0212	24.00	0.2500	29.62	0.9172	Complies
5720	7.85	0.0061	0.22	8.35	0.0068	24.00	0.2500	29.62	0.9172	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5720	1.85	0.0015	-0.07	-	-	30.00	1.0000	-	-	Complies
5745	12.81	0.0191	-0.07	-	-	30.00	1.0000	-	-	Complies
5785	12.89	0.0195	-0.07	-	-	30.00	1.0000	-	-	Complies
5825	12.86	0.0193	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11n (HT20)_Aux Antenna	Tested Date	2021/2/8
-----------	---------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5180	12.79	0.0190	-0.95	11.84	0.0153	-	-	22.62	0.1830	Complies
5200	12.68	0.0185	-0.95	11.73	0.0149	-	-	22.60	0.1820	Complies
5240	12.69	0.0186	-0.95	11.74	0.0149	-	-	22.62	0.1830	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5260	12.68	0.0185	1.13	13.81	0.0240	24.00	0.2500	29.62	0.9172	Complies
5300	12.69	0.0186	1.13	13.82	0.0241	24.00	0.2500	29.62	0.9172	Complies
5320	12.71	0.0187	1.13	13.84	0.0242	24.00	0.2500	29.62	0.9172	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5500	12.64	0.0184	0.54	13.18	0.0208	24.00	0.2500	29.62	0.9172	Complies
5580	12.63	0.0183	0.54	13.17	0.0207	24.00	0.2500	29.60	0.9122	Complies
5700	12.72	0.0187	0.54	13.26	0.0212	24.00	0.2500	29.62	0.9172	Complies
5720	7.81	0.0060	0.54	8.35	0.0068	24.00	0.2500	29.62	0.9172	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5720	1.90	0.0015	1.65	-	-	30.00	1.0000	-	-	Complies
5745	12.67	0.0185	1.65	-	-	30.00	1.0000	-	-	Complies
5785	12.78	0.0190	1.65	-	-	30.00	1.0000	-	-	Complies
5825	12.77	0.0189	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11n (HT20)_Total	Tested Date	2021/2/8
-----------	---------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5180	15.86	0.0385	1.08	16.94	0.0494	-	-	22.62	0.1830	Complies
5200	15.74	0.0375	1.08	16.82	0.0481	-	-	22.60	0.1820	Complies
5240	15.72	0.0373	1.08	16.80	0.0479	-	-	22.62	0.1830	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5260	15.73	0.0374	1.42	17.15	0.0519	24.00	0.2500	29.62	0.9172	Complies
5300	15.72	0.0373	1.42	17.14	0.0518	24.00	0.2500	29.62	0.9172	Complies
5320	15.75	0.0376	1.42	17.17	0.0522	24.00	0.2500	29.62	0.9172	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5500	15.79	0.0379	0.38	16.17	0.0414	24.00	0.2500	29.62	0.9172	Complies
5580	15.76	0.0376	0.38	16.14	0.0411	24.00	0.2500	29.60	0.9122	Complies
5700	15.77	0.0377	0.38	16.15	0.0412	24.00	0.2500	29.62	0.9172	Complies
5720	10.84	0.0121	0.38	11.22	0.0133	24.00	0.2500	29.62	0.9172	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5720	4.89	0.0031	0.87	-	-	30.00	1.0000	-	-	Complies
5745	15.75	0.0376	0.87	-	-	30.00	1.0000	-	-	Complies
5785	15.85	0.0384	0.87	-	-	30.00	1.0000	-	-	Complies
5825	15.83	0.0382	0.87	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11n (HT40)_Main Antenna	Tested Date	2021/2/8
-----------	----------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5190	12.72	0.0187	2.46	15.18	0.0330	-	-	23.00	0.1995	Complies
5230	12.84	0.0192	2.46	15.30	0.0339	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5270	12.89	0.0195	1.7	14.59	0.0288	24.00	0.2500	30.00	1.0000	Complies
5310	12.82	0.0191	1.7	14.52	0.0283	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5510	12.77	0.0189	0.22	14.47	0.0280	24.00	0.2500	30.00	1.0000	Complies
5550	12.91	0.0195	0.22	13.13	0.0206	24.00	0.2500	30.00	1.0000	Complies
5670	12.83	0.0192	0.22	13.05	0.0202	24.00	0.2500	30.00	1.0000	Complies
5710	10.05	0.0101	0.22	10.27	0.0106	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5710	-0.10	0.0010	-0.07	-	-	30.00	1.0000	-	-	Complies
5755	12.73	0.0187	-0.07	-	-	30.00	1.0000	-	-	Complies
5795	12.86	0.0193	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11n (HT40)_Aux Antenna	Tested Date	2021/2/8
-----------	---------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5190	12.68	0.0185	-0.95	11.73	0.0149	-	-	23.00	0.1995	Complies
5230	12.70	0.0186	-0.95	11.75	0.0150	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5270	12.74	0.0188	1.13	13.87	0.0244	24.00	0.2500	30.00	1.0000	Complies
5310	12.69	0.0186	1.13	13.82	0.0241	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5510	12.71	0.0187	0.54	13.25	0.0211	24.00	0.2500	30.00	1.0000	Complies
5550	12.70	0.0186	0.54	13.24	0.0211	24.00	0.2500	30.00	1.0000	Complies
5670	12.71	0.0187	0.54	13.25	0.0211	24.00	0.2500	30.00	1.0000	Complies
5710	10.01	0.0100	0.54	10.55	0.0114	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5710	-0.19	0.0010	1.65	-	-	30.00	1.0000	-	-	Complies
5755	12.71	0.0187	1.65	-	-	30.00	1.0000	-	-	Complies
5795	12.80	0.0191	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11n (HT40)_Total	Tested Date	2021/2/8
-----------	---------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5190	15.71	0.0372	1.08	16.79	0.0478	-	-	23.00	0.1995	Complies
5230	15.78	0.0379	1.08	16.86	0.0486	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5270	15.83	0.0382	1.42	17.25	0.0531	24.00	0.2500	30.00	1.0000	Complies
5310	15.77	0.0377	1.42	17.19	0.0524	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5510	15.75	0.0376	0.38	16.13	0.0411	24.00	0.2500	30.00	1.0000	Complies
5550	15.82	0.0382	0.38	16.20	0.0417	24.00	0.2500	30.00	1.0000	Complies
5670	15.78	0.0379	0.38	16.17	0.0414	24.00	0.2500	30.00	1.0000	Complies
5710	13.04	0.0201	0.38	13.42	0.0220	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5710	2.87	0.0019	0.87	-	-	30.00	1.0000	-	-	Complies
5755	15.73	0.0374	0.87	-	-	30.00	1.0000	-	-	Complies
5795	15.84	0.0384	0.87	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT20)_Main Antenna	Tested Date	2021/2/8
-----------	------------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5180	12.78	0.0190	2.46	15.24	0.0334	-	-	22.62	0.1830	Complies
5200	12.80	0.0191	2.46	15.26	0.0336	-	-	22.62	0.1830	Complies
5240	12.92	0.0196	2.46	15.38	0.0345	-	-	22.62	0.1830	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5260	12.80	0.0191	1.7	14.50	0.0282	24.00	0.2500	29.62	0.9172	Complies
5300	12.86	0.0193	1.7	14.56	0.0286	24.00	0.2500	29.62	0.9172	Complies
5320	12.96	0.0198	1.7	14.66	0.0292	24.00	0.2500	29.62	0.9172	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5500	12.92	0.0196	0.22	13.14	0.0206	24.00	0.2500	29.62	0.9172	Complies
5580	12.81	0.0191	0.22	13.03	0.0201	24.00	0.2500	29.62	0.9172	Complies
5700	12.88	0.0194	0.22	13.10	0.0204	24.00	0.2500	29.65	0.9222	Complies
5720	7.91	0.0062	0.22	8.13	0.0065	24.00	0.2500	29.65	0.9222	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5720	2.01	0.0016	-0.07	-	-	30.00	1.0000	-	-	Complies
5745	12.81	0.0191	-0.07	-	-	30.00	1.0000	-	-	Complies
5785	12.79	0.0190	-0.07	-	-	30.00	1.0000	-	-	Complies
5825	12.92	0.0196	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT20)_AuxAntenna	Tested Date	2021/2/8
-----------	----------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5180	12.76	0.0189	-0.95	11.81	0.0152	-	-	22.62	0.1830	Complies
5200	12.67	0.0185	-0.95	11.72	0.0149	-	-	22.62	0.1830	Complies
5240	12.91	0.0195	-0.95	11.96	0.0157	-	-	22.62	0.1830	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5260	12.74	0.0188	1.13	13.87	0.0244	24.00	0.2500	29.62	0.9172	Complies
5300	12.74	0.0188	1.13	13.87	0.0244	24.00	0.2500	29.62	0.9172	Complies
5320	12.73	0.0187	1.13	13.86	0.0243	24.00	0.2500	29.62	0.9172	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5500	12.80	0.0191	0.54	13.34	0.0216	24.00	0.2500	29.62	0.9172	Complies
5580	12.79	0.0190	0.54	13.33	0.0215	24.00	0.2500	29.62	0.9172	Complies
5700	12.80	0.0191	0.54	13.34	0.0216	24.00	0.2500	29.65	0.9222	Complies
5720	7.89	0.0062	0.54	8.43	0.0070	24.00	0.2500	29.65	0.9222	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5720	1.94	0.0016	1.65	-	-	30.00	1.0000	-	-	Complies
5745	12.75	0.0188	1.65	-	-	30.00	1.0000	-	-	Complies
5785	12.66	0.0185	1.65	-	-	30.00	1.0000	-	-	Complies
5825	12.81	0.0191	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT20)_Total	Tested Date	2021/2/8
-----------	-----------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5180	15.78	0.0378	1.08	16.86	0.0485	-	-	22.62	0.1830	Complies
5200	15.75	0.0375	1.08	16.83	0.0482	-	-	22.62	0.1830	Complies
5240	15.93	0.0391	1.08	17.01	0.0502	-	-	22.62	0.1830	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5260	15.78	0.0378	1.42	17.20	0.0525	24.00	0.2500	29.62	0.9172	Complies
5300	15.81	0.0381	1.42	17.24	0.0529	24.00	0.2500	29.62	0.9172	Complies
5320	15.86	0.0385	1.42	17.28	0.0535	24.00	0.2500	29.62	0.9172	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5500	15.87	0.0386	0.38	16.25	0.0422	24.00	0.2500	29.62	0.9172	Complies
5580	15.81	0.0381	0.38	16.19	0.0416	24.00	0.2500	29.62	0.9172	Complies
5700	15.85	0.0385	0.38	16.23	0.0420	24.00	0.2500	29.65	0.9222	Complies
5720	10.91	0.0123	0.38	11.29	0.0135	24.00	0.2500	29.65	0.9222	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5720	4.99	0.0032	0.87	-	-	30.00	1.0000	-	-	Complies
5745	15.79	0.0379	0.87	-	-	30.00	1.0000	-	-	Complies
5785	15.74	0.0375	0.87	-	-	30.00	1.0000	-	-	Complies
5825	15.88	0.0387	0.87	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT40)_Main Antenna	Tested Date	2021/2/8
-----------	------------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5190	12.91	0.0195	2.46	15.37	0.0344	-	-	23.00	0.1995	Complies
5230	12.79	0.0190	2.46	15.25	0.0335	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5270	12.79	0.0190	1.7	14.49	0.0281	24.00	0.2500	30.00	1.0000	Complies
5310	12.75	0.0188	1.7	14.45	0.0279	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5510	12.94	0.0197	0.22	13.16	0.0207	24.00	0.2500	30.00	1.0000	Complies
5550	12.93	0.0196	0.22	13.15	0.0207	24.00	0.2500	30.00	1.0000	Complies
5670	12.80	0.0191	0.22	13.02	0.0200	24.00	0.2500	30.00	1.0000	Complies
5710	10.03	0.0101	0.22	10.25	0.0106	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5710	-0.05	0.0010	-0.07	-	-	30.00	1.0000	-	-	Complies
5755	12.85	0.0193	-0.07	-	-	30.00	1.0000	-	-	Complies
5795	12.89	0.0195	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT40)_Aux Antenna	Tested Date	2021/2/8
-----------	-----------------------------------	-------------	----------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5190	12.82	0.0191	-0.95	11.87	0.0154	-	-	23.00	0.1995	Complies
5230	12.72	0.0187	-0.95	11.77	0.0150	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5270	12.71	0.0187	1.13	13.84	0.0242	24.00	0.2500	30.00	1.0000	Complies
5310	12.70	0.0186	1.13	13.83	0.0242	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5510	12.87	0.0194	0.54	13.41	0.0219	24.00	0.2500	30.00	1.0000	Complies
5550	12.81	0.0191	0.54	13.35	0.0216	24.00	0.2500	30.00	1.0000	Complies
5670	12.69	0.0186	0.54	13.23	0.0210	24.00	0.2500	30.00	1.0000	Complies
5710	9.91	0.0098	0.54	10.45	0.0111	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5710	-0.11	0.0010	1.65	-	-	30.00	1.0000	-	-	Complies
5755	12.71	0.0187	1.65	-	-	30.00	1.0000	-	-	Complies
5795	12.68	0.0185	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT40)_Total	Tested Date	2021/2/8
-----------	-----------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5190	15.88	0.0387	1.08	16.96	0.0496	-	-	23.00	0.1995	Complies
5230	15.77	0.0377	1.08	16.85	0.0484	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5270	15.76	0.0377	1.42	17.18	0.0523	24.00	0.2500	30.00	1.0000	Complies
5310	15.74	0.0375	1.42	17.16	0.0520	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5510	15.92	0.0390	0.38	16.30	0.0426	24.00	0.2500	30.00	1.0000	Complies
5550	15.88	0.0387	0.38	16.26	0.0423	24.00	0.2500	30.00	1.0000	Complies
5670	15.76	0.0376	0.38	16.14	0.0411	24.00	0.2500	30.00	1.0000	Complies
5710	12.98	0.0199	0.38	13.36	0.0217	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5710	2.93	0.0020	0.87	-	-	30.00	1.0000	-	-	Complies
5755	15.79	0.0379	0.87	-	-	30.00	1.0000	-	-	Complies
5795	15.80	0.0380	0.87	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT80)_ Main Antenna	Tested Date	2021/2/8
-----------	-------------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5210	12.81	0.0191	2.46	15.27	0.0337	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5290	12.89	0.0195	1.7	14.59	0.0288	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5530	12.85	0.0193	0.22	13.07	0.0203	24.00	0.2500	30.00	1.0000	Complies
5610	12.77	0.0189	0.22	12.99	0.0199	24.00	0.2500	30.00	1.0000	Complies
5690	12.61	0.0182	0.22	12.83	0.0192	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5690	-2.64	0.0005	-0.07	-	-	30.00	1.0000	-	-	Complies
5775	12.92	0.0196	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT80)_Aux Antenna	Tested Date	2021/2/8
-----------	-----------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5210	12.64	0.0184	-0.95	11.69	0.0148	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5290	12.80	0.0191	1.13	13.93	0.0247	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5530	12.75	0.0188	0.54	13.29	0.0213	24.00	0.2500	30.00	1.0000	Complies
5610	12.69	0.0186	0.54	13.23	0.0210	24.00	0.2500	30.00	1.0000	Complies
5690	12.71	0.0187	0.54	13.25	0.0211	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5690	-2.85	0.0005	1.65	-	-	30.00	1.0000	-	-	Complies
5775	12.81	0.0191	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT80)_Total	Tested Date	2021/2/8
-----------	-----------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5210	15.74	0.0375	1.08	16.82	0.0481	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5290	15.86	0.0385	1.42	17.28	0.0535	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5530	15.81	0.0381	0.38	16.19	0.0416	24.00	0.2500	30.00	1.0000	Complies
5610	15.74	0.0375	0.38	16.12	0.0410	24.00	0.2500	30.00	1.0000	Complies
5690	15.67	0.0369	0.38	16.05	0.0403	24.00	0.2500	30.00	1.0000	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5690	0.27	0.0011	0.87	-	-	30.00	1.0000	-	-	Complies
5775	15.88	0.0387	0.87	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ac (VHT160)_Main Antenna	Tested Date	2021/2/8
-----------	-------------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5250	11.79	0.0151	2.46	14.25	0.0266	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5570	11.44	0.0139	0.22	11.66	0.0147	-	-	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT160)_Aux Antenna	Tested Date	2021/2/8
-----------	------------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5250	11.69	0.0148	-0.95	10.74	0.0119	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5570	11.30	0.0135	0.54	11.84	0.0153	-	-	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT160)_Total	Tested Date	2021/2/8
-----------	------------------------------	-------------	----------

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5250	14.75	0.0299	1.08	15.83	0.0383	-	-	23.00	0.1995	Complies

Frequency (MHz)	Maximum Conducted Output Power		Power Directional Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5570	14.38	0.0274	0.38	14.76	0.0299	-	-	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HEW20) _Main Antenna	Tested Date	2021/2/8 2021/2/23
-----------	-------------------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5180	12.85	0.0193	2.46	15.31	0.0340	-	-	22.83	0.1920	Complies
5180_26 Tone	12.38	0.0173	2.46	14.84	0.0305	-	-	22.83	0.1920	Complies
5180_52 Tone	12.41	0.0174	2.46	14.87	0.0307	-	-	22.83	0.1920	Complies
5180_106 Tone	12.81	0.0191	2.46	15.27	0.0337	-	-	22.83	0.1920	Complies
5200	12.85	0.0193	2.46	15.31	0.0340	-	-	22.83	0.1920	Complies
5240	12.84	0.0192	2.46	15.30	0.0339	-	-	22.83	0.1920	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5260	12.81	0.0191	1.7	14.51	0.0282	24.00	0.2500	29.83	0.9623	Complies
5260_26 Tone	12.29	0.0169	1.7	13.99	0.0251	24.00	0.2500	29.83	0.9623	Complies
5260_52 Tone	12.41	0.0174	1.7	14.11	0.0258	24.00	0.2500	29.83	0.9623	Complies
5260_106 Tone	12.72	0.0187	1.7	14.42	0.0277	24.00	0.2500	29.83	0.9623	Complies
5300	12.79	0.0190	1.7	14.49	0.0281	24.00	0.2500	29.83	0.9623	Complies
5320	12.81	0.0191	1.7	14.51	0.0282	24.00	0.2500	29.83	0.9623	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5500	12.95	0.0197	0.22	13.17	0.0207	24.00	0.2500	29.81	0.9573	Complies
5500_26 Tone	12.45	0.0176	0.22	12.67	0.0185	24.00	0.2500	29.81	0.9573	Complies
5500_52 Tone	12.67	0.0185	0.22	12.89	0.0195	24.00	0.2500	29.81	0.9573	Complies
5500_106 Tone	12.57	0.0181	0.22	12.79	0.0190	24.00	0.2500	29.81	0.9573	Complies
5580	12.81	0.0191	0.22	13.03	0.0201	24.00	0.2500	29.81	0.9573	Complies
5700	12.88	0.0194	0.22	13.10	0.0204	24.00	0.2500	29.86	0.9673	Complies
5720	7.59	0.0057	0.22	7.81	0.0060	24.00	0.2500	29.86	0.9673	Complies

Frequency (MHz)	Maximum Conducted Output Power		Antenna Gain (dBi)	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(dBm)	(W)		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)	
5720	2.27	0.0017	-0.07	-	-	30.00	1.0000	-	-	Complies
5745	12.81	0.0191	-0.07	-	-	30.00	1.0000	-	-	Complies
5745_26 Tone	12.15	0.0164	-0.07	-	-	30.00	1.0000	-	-	Complies
5745_52 Tone	12.55	0.0180	-0.07	-	-	30.00	1.0000	-	-	Complies
5745_106 Tone	12.51	0.0178	-0.07	-	-	30.00	1.0000	-	-	Complies
5785	12.84	0.0192	-0.07	-	-	30.00	1.0000	-	-	Complies
5825	12.90	0.0195	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ax (HEW20)_Aux Antenna	Tested Date	2021/2/8 2021/2/23
-----------	-----------------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5180	12.64	0.0184	-0.95	11.69	0.0148	-	-	22.83	0.1920	Complies
5180_26 Tone	12.33	0.0171	-0.95	11.38	0.0137	-	-	22.83	0.1920	Complies
5180_52 Tone	12.38	0.0173	-0.95	11.43	0.0139	-	-	22.83	0.1920	Complies
5180_106 Tone	12.31	0.0170	-0.95	11.36	0.0137	-	-	22.83	0.1920	Complies
5200	12.75	0.0188	-0.95	11.80	0.0151	-	-	22.83	0.1920	Complies
5240	12.79	0.0190	-0.95	11.84	0.0153	-	-	22.83	0.1920	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5260	12.69	0.0186	1.13	13.82	0.0241	24.00	0.2500	29.83	0.9623	Complies
5260_26 Tone	12.31	0.0170	1.13	13.44	0.0221	24.00	0.2500	29.83	0.9623	Complies
5260_52 Tone	12.35	0.0172	1.13	13.48	0.0223	24.00	0.2500	29.83	0.9623	Complies
5260_106 Tone	12.61	0.0182	1.13	13.74	0.0237	24.00	0.2500	29.83	0.9623	Complies
5300	12.66	0.0185	1.13	13.79	0.0239	24.00	0.2500	29.83	0.9623	Complies
5320	12.69	0.0186	1.13	13.82	0.0241	24.00	0.2500	29.83	0.9623	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5500	12.75	0.0188	0.54	13.29	0.0213	24.00	0.2500	29.81	0.9573	Complies
5500_26 Tone	12.41	0.0174	0.54	12.95	0.0197	24.00	0.2500	29.81	0.9573	Complies
5500_52 Tone	12.31	0.0170	0.54	12.85	0.0193	24.00	0.2500	29.81	0.9573	Complies
5500_106 Tone	12.41	0.0174	0.54	12.95	0.0197	24.00	0.2500	29.81	0.9573	Complies
5580	12.74	0.0188	0.54	13.28	0.0213	24.00	0.2500	29.81	0.9573	Complies
5700	12.84	0.0192	0.54	13.38	0.0218	24.00	0.2500	29.86	0.9673	Complies
5720	7.44	0.0055	0.54	7.98	0.0063	24.00	0.2500	29.86	0.9673	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5720	2.31	0.0017	1.65	-	-	30.00	1.0000	-	-	Complies
5745	12.77	0.0189	1.65	-	-	30.00	1.0000	-	-	Complies
5745_26 Tone	12.31	0.0170	1.65	-	-	30.00	1.0000	-	-	Complies
5745_52 Tone	12.31	0.0170	1.65	-	-	30.00	1.0000	-	-	Complies
5745_106 Tone	12.46	0.0176	1.65	-	-	30.00	1.0000	-	-	Complies
5785	12.77	0.0189	1.65	-	-	30.00	1.0000	-	-	Complies
5825	12.82	0.0191	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ax (HEW20)_Total	Tested Date	2021/2/8 2021/2/23
-----------	-----------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Power Directional Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBi)	(dBm)	(W)	(dBm)	(W)	
5180	15.76	0.0376	1.08	16.84	0.0483	-	-	22.83	0.1920	Complies
5180_26 Tone	15.37	0.0344	1.08	16.45	0.0441	-	-	22.83	0.1920	Complies
5180_52 Tone	15.41	0.0347	1.08	16.49	0.0445	-	-	22.83	0.1920	Complies
5180_106 Tone	15.58	0.0361	1.08	16.66	0.0463	-	-	22.83	0.1920	Complies
5200	15.81	0.0381	1.08	16.89	0.0489	-	-	22.83	0.1920	Complies
5240	15.83	0.0382	1.08	16.91	0.0491	-	-	22.83	0.1920	Complies

Frequency	Maximum Conducted Output Power		Power Directional Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBi)	(dBm)	(W)	(dBm)	(W)	
5260	15.76	0.0377	1.42	17.19	0.0523	24.00	0.2500	29.83	0.9623	Complies
5260_26 Tone	15.31	0.0340	1.42	16.73	0.0471	24.00	0.2500	29.83	0.9623	Complies
5260_52 Tone	15.39	0.0346	1.42	16.81	0.0480	24.00	0.2500	29.83	0.9623	Complies
5260_106 Tone	15.68	0.0369	1.42	17.10	0.0513	24.00	0.2500	29.83	0.9623	Complies
5300	15.74	0.0375	1.42	17.16	0.0520	24.00	0.2500	29.83	0.9623	Complies
5320	15.76	0.0377	1.42	17.19	0.0523	24.00	0.2500	29.83	0.9623	Complies

Frequency	Maximum Conducted Output Power		Power Directional Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBi)	(dBm)	(W)	(dBm)	(W)	
5500	15.86	0.0386	0.38	16.24	0.0421	24.00	0.2500	29.81	0.9573	Complies
5500_26 Tone	15.44	0.0350	0.38	15.82	0.0382	24.00	0.2500	29.81	0.9573	Complies
5500_52 Tone	15.50	0.0355	0.38	15.89	0.0388	24.00	0.2500	29.81	0.9573	Complies
5500_106 Tone	15.50	0.0355	0.38	15.88	0.0388	24.00	0.2500	29.81	0.9573	Complies
5580	15.79	0.0379	0.38	16.17	0.0414	24.00	0.2500	29.81	0.9573	Complies
5700	15.87	0.0386	0.38	16.25	0.0422	24.00	0.2500	29.86	0.9673	Complies
5720	10.53	0.0113	0.38	10.91	0.0123	24.00	0.2500	29.86	0.9673	Complies

Frequency	Maximum Conducted Output Power		Power Directional Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5720	5.30	0.0034	0.87	-	-	30.00	1.0000	-	-	Complies
5745	15.80	0.0380	0.87	-	-	30.00	1.0000	-	-	Complies
5745_26 Tone	15.24	0.0334	0.87	-	-	30.00	1.0000	-	-	Complies
5745_52 Tone	15.44	0.0350	0.87	-	-	30.00	1.0000	-	-	Complies
5745_106 Tone	15.50	0.0354	0.87	-	-	30.00	1.0000	-	-	Complies
5785	15.82	0.0382	0.87	-	-	30.00	1.0000	-	-	Complies
5825	15.87	0.0386	0.87	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ax (HEW40) _Main Antenna	Tested Date	2021/2/8 2021/2/23
-----------	-------------------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5190	12.81	0.0191	2.46	15.27	0.0337	-	-	23.00	0.1995	Complies
5190_242 Tone	12.69	0.0186	2.46	15.15	0.0327	-	-	23.00	0.1995	Complies
5230	12.74	0.0188	2.46	15.20	0.0331	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5270	12.80	0.0191	1.7	14.50	0.0282	24.00	0.2500	30.00	1.0000	Complies
5270_242 Tone	12.65	0.0184	1.7	14.35	0.0272	-	-	23.00	0.1995	Complies
5310	12.82	0.0191	1.7	14.52	0.0283	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5510	12.93	0.0196	0.22	13.15	0.0207	24.00	0.2500	30.00	1.0000	Complies
5510_242 Tone	12.63	0.0183	0.22	12.85	0.0193	24.00	0.2500	30.00	1.0000	Complies
5550	12.94	0.0197	0.22	13.16	0.0207	24.00	0.2500	30.00	1.0000	Complies
5670	12.79	0.0190	0.22	13.01	0.0200	24.00	0.2500	30.00	1.0000	Complies
5710	9.68	0.0093	0.22	9.90	0.0098	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5710	0.25	0.0011	-0.07	-	-	30.00	1.0000	-	-	Complies
5755	12.81	0.0191	-0.07	-	-	30.00	1.0000	-	-	Complies
5755_242 Tone	12.62	0.0183	-0.07	-	-	30.00	1.0000	-	-	Complies
5795	12.91	0.0195	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ax (HEW40)_Aux Antenna	Tested Date	2021/2/8 2021/2/23
-----------	-----------------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5190	12.75	0.0188	-0.95	11.80	0.0151	-	-	23.00	0.1995	Complies
5190_242 Tone	12.66	0.0185	-0.95	11.71	0.0148	-	-	23.00	0.1995	Complies
5230	12.66	0.0185	-0.95	11.71	0.0148	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5270	12.74	0.0188	1.13	13.87	0.0244	24.00	0.2500	30.00	1.0000	Complies
5270_242 Tone	12.51	0.0178	1.13	13.64	0.0231	24.00	0.2500	30.00	1.0000	Complies
5310	12.71	0.0187	1.13	13.84	0.0242	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5510	12.82	0.0191	0.54	13.36	0.0217	24.00	0.2500	30.00	1.0000	Complies
5510_242 Tone	12.59	0.0182	0.54	13.13	0.0206	24.00	0.2500	30.00	1.0000	Complies
5550	12.75	0.0188	0.54	13.29	0.0213	24.00	0.2500	30.00	1.0000	Complies
5670	12.69	0.0186	0.54	13.23	0.0210	24.00	0.2500	30.00	1.0000	Complies
5710	9.70	0.0093	0.54	10.24	0.0106	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5710	0.19	0.0010	1.65	-	-	30.00	1.0000	-	-	Complies
5755	12.71	0.0187	1.65	-	-	30.00	1.0000	-	-	Complies
5755_242 Tone	12.54	0.0179	1.65	-	-	30.00	1.0000	-	-	Complies
5795	12.81	0.0191	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ax (HEW40)_Total	Tested Date	2021/2/8 2021/2/23
-----------	-----------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Power Directional Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBi)	(dBm)	(W)	(dBm)	(W)	
5190	15.79	0.0379	1.08	16.87	0.0487	-	-	23.00	0.1995	Complies
5190_242 Tone	15.69	0.0370	1.08	16.77	0.0475	-	-	23.00	0.1995	Complies
5230	15.71	0.0372	1.08	16.79	0.0478	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Power Directional Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBi)	(dBm)	(W)	(dBm)	(W)	
5270	15.78	0.0378	1.42	17.20	0.0525	24.00	0.2500	30.00	1.0000	Complies
5270_242 Tone	15.59	0.0362	1.42	17.02	0.0503	24.00	0.2500	30.00	1.0000	Complies
5310	15.78	0.0378	1.42	17.20	0.0525	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Power Directional Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBi)	(dBm)	(W)	(dBm)	(W)	
5510	15.89	0.0388	0.38	16.27	0.0424	24.00	0.2500	30.00	1.0000	Complies
5510_242 Tone	15.62	0.0365	0.38	16.00	0.0398	24.00	0.2500	30.00	1.0000	Complies
5550	15.86	0.0385	0.38	16.24	0.0421	24.00	0.2500	30.00	1.0000	Complies
5670	15.75	0.0376	0.38	16.13	0.0411	24.00	0.2500	30.00	1.0000	Complies
5710	12.70	0.0186	0.38	13.08	0.0203	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Power Directional Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBi)	(dBm)	(W)	(dBm)	(W)	
5710	3.23	0.0021	0.87	-	-	30.00	1.0000	-	-	Complies
5755	15.77	0.0378	0.87	-	-	30.00	1.0000	-	-	Complies
5755_242 Tone	15.59	0.0362	0.87	-	-	30.00	1.0000	-	-	Complies
5795	15.87	0.0386	0.87	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ax (HEW80) _Main Antenna	Tested Date	2021/2/8 2021/2/23
-----------	-------------------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5210	12.88	0.0194	2.46	15.34	0.0342	-	-	23.00	0.1995	Complies
5210_484 Tone	12.69	0.0186	2.46	15.15	0.0327	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5290	12.81	0.0191	1.7	14.51	0.0282	24.00	0.2500	30.00	1.0000	Complies
5290_484 Tone	12.68	0.0185	1.7	14.38	0.0274	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5530	12.78	0.0190	0.22	13.00	0.0200	24.00	0.2500	30.00	1.0000	Complies
5530_484 Tone	12.63	0.0183	0.22	12.85	0.0193	24.00	0.2500	30.00	1.0000	Complies
5610	12.79	0.0190	0.22	13.01	0.0200	24.00	0.2500	30.00	1.0000	Complies
5690	12.71	0.0187	0.22	12.93	0.0196	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5690	-2.95	0.0005	-0.07	-	-	30.00	1.0000	-	-	Complies
5775	12.81	0.0191	-0.07	-	-	30.00	1.0000	-	-	Complies
5775_484 Tone	12.65	0.0184	-0.07	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ax (HEW80)_Aux Antenna	Tested Date	2021/2/8 2021/2/23
-----------	-----------------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5210	12.74	0.0188	-0.95	11.79	0.0151	-	-	23.00	0.1995	Complies
5210_484 Tone	12.60	0.0182	-0.95	11.65	0.0146	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5290	12.70	0.0186	1.13	13.83	0.0242	24.00	0.2500	30.00	1.0000	Complies
5290_484 Tone	12.54	0.0179	1.13	11.59	0.0144	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5530	12.69	0.0186	0.54	13.23	0.0210	24.00	0.2500	30.00	1.0000	Complies
5530_484 Tone	12.47	0.0177	0.54	13.01	0.0200	24.00	0.2500	30.00	1.0000	Complies
5610	12.71	0.0187	0.54	13.25	0.0211	24.00	0.2500	30.00	1.0000	Complies
5690	12.77	0.0189	0.54	13.31	0.0214	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5690	-2.78	0.0005	1.65	-	-	30.00	1.0000	-	-	Complies
5775	12.69	0.0186	1.65	-	-	30.00	1.0000	-	-	Complies
5775_484 Tone	12.53	0.0179	1.65	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ax (HEW80)_Total	Tested Date	2021/2/8 2021/2/23
-----------	-----------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Power Directional Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBi)	(dBm)	(W)	(dBm)	(W)	
5210	15.82	0.0382	1.08	16.90	0.0490	-	-	23.00	0.1995	Complies
5210_484 Tone	15.66	0.0368	1.08	16.74	0.0472	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Power Directional Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBi)	(dBm)	(W)	(dBm)	(W)	
5290	15.77	0.0377	1.42	17.19	0.0524	24.00	0.2500	30.00	1.0000	Complies
5290_484 Tone	15.62	0.0365	1.42	17.05	0.0506	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Power Directional Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBi)	(dBm)	(W)	(dBm)	(W)	
5530	15.75	0.0375	0.38	16.13	0.0410	24.00	0.2500	30.00	1.0000	Complies
5530_484 Tone	15.56	0.0360	0.38	15.94	0.0393	24.00	0.2500	30.00	1.0000	Complies
5610	15.76	0.0377	0.38	16.14	0.0411	24.00	0.2500	30.00	1.0000	Complies
5690	15.75	0.0376	0.38	16.13	0.0411	24.00	0.2500	30.00	1.0000	Complies

Frequency	Maximum Conducted Output Power		Power Directional Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBi)	(dBm)	(W)	(dBm)	(W)	
5690	0.15	0.0010	0.87	-	-	30.00	1.0000	-	-	Complies
5775	15.76	0.0377	0.87	-	-	30.00	1.0000	-	-	Complies
5775_484 Tone	15.60	0.0363	0.87	-	-	30.00	1.0000	-	-	Complies

Test Mode	IEEE 802.11ax (HEW160)_Main Antenna	Tested Date	2021/2/8 2021/2/23
-----------	-------------------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5250	11.84	0.0153	2.46	14.30	0.0269	-	-	23.00	0.1995	Complies
5250_996 Tone	11.51	0.0142	2.46	13.97	0.0249	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5570	11.25	0.0133	0.22	11.47	0.0140	-	-	30.00	1.0000	Complies
5570_996 Tone	11.29	0.0135	0.22	11.51	0.0142	-	-	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HEW160)_Aux Antenna	Tested Date	2021/2/8 2021/2/23
-----------	------------------------------------	-------------	-----------------------

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5250	11.75	0.0150	-0.95	10.80	0.0120	-	-	23.00	0.1995	Complies
5250_996 Tone	11.50	0.0141	-0.95	10.55	0.0114	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Antenna Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5570	11.15	0.0130	0.54	11.69	0.0148	-	-	30.00	1.0000	Complies
5570_996 Tone	11.16	0.0131	0.54	11.70	0.0148	-	-	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HEW160)_Total	Tested Date	2021/2/8 2021/2/23
-----------	------------------------------	-------------	-----------------------





Frequency	Maximum Conducted Output Power		Power Directional Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5250	14.81	0.0302	1.08	15.89	0.0388	-	-	23.00	0.1995	Complies
5250_996 Tone	14.52	0.0283	1.08	15.60	0.0363	-	-	23.00	0.1995	Complies

Frequency	Maximum Conducted Output Power		Power Directional Gain	Maximum e.i.r.p.		Conducted Output Power Limit		e.i.r.p. Limit		Result
	(MHz)	(dBm)		(W)	(dBm)	(W)	(dBm)	(W)	(dBm)	
5570	14.21	0.0264	0.38	14.59	0.0288	-	-	30.00	1.0000	Complies
5570_996 Tone	14.24	0.0265	0.38	14.62	0.0290	-	-	30.00	1.0000	Complies





APPENDIX F POWER SPECTRAL DENSITY

Test Mode | IEEE 802.11a_Main Antenna





Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5180	1.46	0.11	1.57	2.46	4.03	-	10.00	Complies
5200	-0.78	0.11	-0.67	2.46	1.79	-	10.00	Complies
5240	-1.43	0.11	-1.32	2.46	1.14	-	10.00	Complies



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5260	-0.19	0.11	-0.08	-	-	11.00	-	Complies
5300	-1.25	0.11	-1.14	-	-	11.00	-	Complies
5320	-1.08	0.11	-0.97	-	-	11.00	-	Complies



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	Antenna Gain	Maximum e.i.r.p. Power Spectral Density	Power Spectral Density Limit	e.i.r.p. Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5500	0.18	0.11	0.29	-	-	11.00	-	Complies
5580	0.10	0.11	0.21	-	-	11.00	-	Complies
5700	1.07	0.11	1.18	-	-	11.00	-	Complies



Frequency (MHz)	Maximum Power Spectral Density		Duty Factor (dB)	Measured Power Spectral Density (dBm/500kHz)	Power Spectral Density Limit (dBm/500kHz)	e.i.r.p. Spectral Density Limit (dBm/500kHz)	Result
	(dBm/100kHz)	(dBm/500kHz)					
5745	-2.69	4.30	0.11	4.41	30.00	-	Complies
5785	-0.76	6.23	0.11	6.34	30.00	-	Complies
5825	-1.00	5.99	0.11	6.10	30.00	-	Complies

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$

