




● OFDMA Modulation





Audix Technology Corp.
 No. 491, Zhongfu Rd., Linkou Dist.,
 New Taipei City 244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303














Audix Technology Corp.
 No. 491, Zhongfu Rd., Linkou Dist.,
 New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303








Audix Technology Corp.
 No. 491, Zhongfu Rd., Linkou Dist.,
 New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303



A.5 EMISSION/OCCUPIED BANDWIDTH

Test Date	2023/01/16	Temp./Hum.	16°C/62%
Cable Loss	1.5dB	Tested By	Sam Chang
Test Voltage	AC 120V 60Hz (Via AC Adapter)		

A.5.1 Emission/Occupied Bandwidth Result

Mode	U-NII Band	Centre Frequency (MHz)	Bandwidth (MHz)				Limit
			AUX		Main		
			26dB	Occupied (99%)	26dB	Occupied (99%)	
802.11ax-HE20	5	5955	24.37	19.018	23.42	19.008	≤320MHz
		6175	22.63	18.955	23.03	19.030	
		6415	23.13	18.991	23.64	19.023	
	6	6435	23.59	19.055	24.05	19.013	
		6475	23.22	19.028	23.75	19.012	
		6515	23.44	18.978	22.96	18.980	
	7	6535	23.27	19.016	23.47	19.032	
		6695	23.26	19.006	23.62	19.014	
		6855	23.64	18.960	24.08	19.034	
	8	6875	23.51	19.013	22.61	18.995	
		6995	22.85	19.006	23.62	19.014	
		7115	23.16	18.958	23.46	19.049	
802.11ax-HE40	5	5965	44.11	37.757	43.87	37.809	≤320MHz
		6165	44.07	37.855	43.90	37.782	
		6405	44.50	37.828	43.53	37.860	
	6	6445	43.95	37.774	43.99	37.790	
		6485	44.01	37.820	43.53	37.833	
		6525	44.45	37.783	43.96	37.873	
	7	6685	44.09	37.905	44.06	37.867	
		6845	43.78	37.865	43.76	37.851	
		6885	43.71	37.777	43.91	37.820	
	8	7005	43.61	37.843	43.50	37.773	
		7085	43.84	37.813	44.03	37.843	
802.11ax-HE80	5	5985	80.39	76.740	81.40	76.632	≤320MHz
		6145	80.55	76.605	81.53	76.683	
		6385	81.05	76.693	81.69	76.622	
	6	6465	80.41	76.510	81.18	76.594	
		6545	80.90	76.747	80.95	76.755	
		6625	80.92	76.734	81.36	76.619	
	7	6705	81.04	76.569	81.01	76.686	
		6785	81.22	76.568	81.52	76.644	
		6865	80.95	76.705	80.74	76.547	
	8	6945	81.05	76.548	81.93	76.511	
		7025	81.31	76.603	81.18	76.627	
802.11ax-HE160	5	6025	161.60	154.69	161.80	154.48	≤320MHz
		6185	161.70	154.48	161.70	154.33	
		6345	161.80	154.29	161.70	154.27	
	6	6505	161.70	154.91	161.60	154.75	
		6665	161.60	154.43	161.70	154.22	
	7	6825	161.70	154.64	161.70	154.68	
		6985	161.60	154.26	161.70	154.52	

Note: All results have been included cable loss.