



Test Date	2018/10/29	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	I
		Frequency	TX 5190MHz
Cable Loss	2.92dB	Test Voltage	AC 120V/60HZ
Cubic Loss	2.7200	Test voltage	(via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		3	











Test Date	2018/10/29	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	I
		Frequency	TX 5230MHz
Cable Loss	2.92dB	Test Voltage	AC 120V/60HZ
Cubic Loss	2.7200	Test voltage	(via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		3	










Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	II-2A
		Frequency	TX 5270MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ
Cubic Loss	3.37 GD	Test voltage	(via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)			3










Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	II-2A
		Frequency	TX 5310MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		3	











Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	II-2C
		Frequency	TX 5510MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ
Cubic Loss	3.37 GD	Test voltage	(via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	










Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	II-2C
		Frequency	TX 5550MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		3	











Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	II-2C
		Frequency	TX 5670MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)			3










Test Date	2018/10/31	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	II-2C
		Frequency	TX 5710MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ
2000	0.07.02	1000 1010.80	(via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		3	












Test Date	2018/10/31	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	III
Mode 802.11n-H	802.11II-H140	Frequency	TX 5755MHz
Cable Loss	3.91dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)			3














Test Date	2018/10/31	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	III
Mode	802.11II-H140	Frequency	TX 5795MHz
Cable Loss	3.91dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)			3













Test Date	2018/10/29	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT80	UNII Band	I
		Frequency	TX 5210MHz
Cable Loss	2.92dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	









Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT80	UNII Band	II-2A
Mode	802.11ac-VH180	Frequency	TX 5290MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	





