




● OFDMA Modulation





Audix Technology Corp.
 No. 491, Zhongfu Rd., Linkou Dist.,
 New Taipei City 244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303














Audix Technology Corp.
 No. 491, Zhongfu Rd., Linkou Dist.,
 New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303








Audix Technology Corp.
 No. 491, Zhongfu Rd., Linkou Dist.,
 New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303



A.5 EMISSION/OCCUPIED BANDWIDTH

Test Date	2022/10/31	Temp./Hum.	22°C/66%
Cable Loss	1.5dB	Tested By	Sam Chang
Test Voltage	AC 120V 60Hz (Via AC Adapter)		

A.5.1 Emission/Occupied Bandwidth Result

Mode	U-NII Band	Centre Frequency (MHz)	Bandwidth (MHz)				Limit	
			AUX		Main			
			26dB	Occupied (99%)	26dB	Occupied (99%)		
802.11ax-HE20	5	5955	23.80	18.999	23.22	18.984	≤320MHz	
		6175	23.25	19.027	23.40	19.065		
		6415	23.54	19.028	23.05	19.042		
	6	6435	23.27	18.984	24.15	19.009		
		6475	23.23	19.068	23.14	18.999		
		6515	23.63	19.007	23.64	18.994		
	7	6535	23.94	19.022	22.91	19.007		
		6695	22.65	19.022	23.44	19.048		
		6855	22.96	18.951	23.50	18.999		
	8	6875	23.23	18.995	23.16	19.006		
		6995	23.49	18.988	24.18	18.994		
		7115	23.48	19.021	23.88	19.001		
802.11ax-HE40	5	5965	44.27	37.850	44.81	37.861	≤320MHz	
		6165	44.09	37.846	44.17	37.885		
		6405	44.17	37.838	44.09	37.816		
	6	6445	43.89	37.765	43.92	37.788		
		6485	44.11	37.884	43.03	37.827		
		6525	44.17	37.811	43.92	37.809		
	7	6685	43.28	37.783	44.17	37.877		
		6845	44.61	37.829	44.60	37.847		
		6885	43.58	37.850	44.57	37.857		
	8	7005	44.04	37.805	43.94	37.827		
		7085	43.20	37.850	43.81	37.831		
		5985	82.09	76.571	82.72	76.446		
802.11ax-HE80	5	6145	81.21	76.624	80.96	76.516	≤320MHz	
		6385	80.35	76.793	81.74	76.564		
		6465	80.98	76.658	81.69	76.682		
	6	6545	81.75	76.560	81.62	76.701		
		6625	80.76	76.494	81.30	76.692		
		6705	81.18	76.578	80.83	76.649		
	7	6785	80.79	76.585	80.58	76.641		
		6865	81.03	76.729	81.03	76.664		
		6945	81.31	76.806	81.01	76.752		
	8	7025	80.82	76.762	81.91	76.813		
		6025	161.60	154.61	161.60	154.52		≤320MHz
		6185	161.70	154.52	161.50	154.35		
6345	161.60	153.53	161.80	154.45				
5	6505	161.60	154.86	161.70	154.32			
	6665	161.80	154.47	161.80	154.47			
7	6825	161.60	154.58	161.70	154.73			
	6985	161.80	154.38	161.60	154.68			

Note: All results have been included cable loss.