




**Audix Technology Corp.**  
 No. 491, Zhongfu Rd., Linkou Dist.,  
 New Taipei City 244, Taiwan


**Tel: +886 2 26099301**  
**Fax: +886 2 26099303**


























## A.5 FREQUENCY STABILITY

Test Date	2022/11/07	Temp./Hum.	23°C/63%
Cable Loss	---	Tested By	Kuper Hsu
Test Voltage	AC 120V 60Hz (Via AC Adapter)		

### A.5.1 Frequency stability Result

Temperature (°C)	Voltage (Vac)	Centre Frequency (MHz)	Measurement Value (MHz)	Frequency Stability (ppm)
25	120	5180	5179.994	-1.158
-30	102		5180.027	5.212
	138		5180.03	5.792
-20	102		5180.004	0.772
	138		5180.006	1.158
-10	102		5180.015	2.896
	138		5179.998	-0.386
0	102		5179.996	-0.772
	138		5180.022	4.247
10	102		5179.988	-2.317
	138		5179.994	-1.158
20	102		5180.021	4.054
	138		5180.009	1.737
30	102		5180.026	5.019
	138		5179.997	-0.579
40	102		5180.008	1.544
	138		5179.971	-5.598
50	102		5179.995	-0.965
	138		5179.976	-4.633



*Audix Technology Corp.  
No. 491, Zhongfu Rd., Linkou Dist.,  
New Taipei City 244, Taiwan*

*Tel: +886 2 26099301  
Fax: +886 2 26099303*

---

# APPDNDIX B

## TEST PHOTOGRAPHS

(Model: 16Z90RS)