




● OFDMA Modulation





Audix Technology Corp.
 No. 491, Zhongfu Rd., Linkou Dist.,
 New Taipei City 244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303















Audix Technology Corp.
 No. 491, Zhongfu Rd., Linkou Dist.,
 New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303









A.5 EMISSION/OCCUPIED BANDWIDTH

Test Date	2023/10/24	Temp./Hum.	25°C/64%
Cable Loss	1.60dB	Tested By	Sam Chang
Test Voltage	AC 120V 60Hz (Via AC Adapter)		

A.5.1 Emission/Occupied Bandwidth Result

Mode	U-NII Band	Centre Frequency (MHz)	Bandwidth (MHz)				Limit
			AUX		Main		
			26dB	Occupied (99%)	26dB	Occupied (99%)	
802.11ax-HE20	5	5955	24.22	18.960	23.65	19.041	≤320MHz
		6175	23.62	18.979	23.80	19.034	
		6415	23.78	19.048	23.92	19.019	
	6	6435	22.80	19.028	23.06	19.012	
		6475	23.59	19.009	23.64	19.034	
		6515	23.02	19.001	23.58	19.042	
	7	6535	23.62	19.017	23.49	18.988	
		6695	23.56	19.016	23.40	19.011	
		6855	23.41	19.014	23.42	19.036	
	8	6875	23.38	19.023	24.51	18.965	
		6995	23.90	18.994	23.70	19.030	
		7115	23.39	18.995	23.03	19.019	
802.11ax-HE40	5	5965	43.31	37.797	43.53	37.852	≤320MHz
		6165	44.13	37.798	45.56	37.874	
		6405	44.32	37.822	43.68	37.806	
	6	6445	44.62	37.821	43.90	37.829	
		6485	44.29	37.882	44.07	37.883	
		6525	43.82	37.824	44.03	37.768	
	7	6685	44.60	37.853	43.79	37.741	
		6845	44.14	37.786	43.87	37.815	
		6885	43.57	37.798	43.69	37.772	
	8	7005	44.00	37.895	44.03	37.813	
		7085	44.34	37.866	43.97	37.892	
802.11ax-HE80	5	5985	80.73	76.518	81.96	76.678	≤320MHz
		6145	80.53	76.654	81.17	76.605	
		6385	81.60	76.696	81.33	76.634	
	6	6465	81.57	76.708	81.09	76.416	
		6545	81.49	76.393	81.32	76.540	
		6625	80.89	76.505	81.94	76.622	
	7	6705	80.79	76.633	80.21	76.429	
		6785	81.05	76.681	80.61	76.660	
		6865	81.46	76.776	81.21	76.738	
	8	6945	80.61	76.703	80.84	76.652	
		7025	80.88	76.662	80.38	76.683	
802.11ax-HE160	5	6025	161.60	154.20	161.30	154.70	≤320MHz
		6185	161.40	154.24	161.40	154.22	
		6345	161.40	154.75	161.40	154.73	
	6	6505	161.60	154.51	161.60	154.43	
		6665	161.60	154.45	161.60	154.42	
	7	6825	161.60	154.50	161.60	154.76	
		6985	161.50	154.15	161.40	154.46	

Note: All results have been included cable loss.

A.5.2 Measurement Plots

